

# MONTE CARLO®

Ceiling Fan Catalog

MONTE CARLO®

ARCHITECTS OF AIR AND LIGHT

MonteCarloFans.com

ARCHITECTS OF AIR AND LIGHT






# Attention to detail

Monte Carlo Fan Company is highly regarded by the interior design community, consumers and retailers for its attention to detail.

Our commitment to performance and engineering specification make us one of the most sought after lines of ceiling fans in professional circles, but it is our design aesthetics that garner attention.



We design like no other ceiling fan manufacturer, from the inside out and outside in – the results are special.



From blade tip to ceiling canopy, every surface is considered a blank canvas to our designers.



## Trends style & fashion

There is beauty and inspiration all around, and our team of designers travel home and abroad in search of unique materials, patterns and new techniques to be translated into the beautiful details of our ceiling fans and accessory glass.





# LIVE life better

Mother Nature doesn't always provide comfortable conditions, which makes adding ceiling fans a natural fit; but did you know that ceiling fans can deliver year 'round comfort and savings?

The ENERGY STAR® label is designed to clearly identify products that are energy efficient – meaning they lower energy bills and help protect the environment while providing desired features, quality and performance. (energystar.gov)



Money in your pocket

All Monte Carlo ceiling fans deliver comfort, but for greater benefits in energy savings, look to Monte Carlo ceiling fans noted as ENERGY STAR® qualified and Extreme Green.



Combine ENERGY STAR® standards with Monte Carlo engineering and we've created Extreme Green fans – ceiling fans that surpass all performance, efficiency and savings benchmarks. How Green? Up to 300% more efficient than the average ceiling fan – delivering savings up to \$45 on utility costs annually.



## TIPS

Monte Carlo ceiling fans are designed to maximize air flow using solid blade materials that "capture" the air rather than it passing through holes while the size of the blade surface and its angle or blade pitch deliver the optimal "scoop" to move air.

In warmer temperatures, ceiling fans can provide your skin surface the feeling of being approximately 8° cooler.

In colder temperatures, switch your Monte Carlo ceiling fan motor to the reverse position; pulling warm air down from the ceiling will keep your living space more comfortable.



Ceiling fans also work to make your air conditioning use more efficient, resulting in energy bill savings of nearly 40%!

# LOVE at first sight

We've heard it happen,

and are flattered;

the immediate attraction

to a Monte Carlo fan,

but we want this to be a long

term relationship, so we have

some tips to help you make

the right match ...




## Envision the room, the space, the use.

Monte Carlo ceiling fans not only offer a broad range of styles but our fans come in a wide range of sizes. Grand spaces to small, high ceilings to low, some fans just fit better than others.

**To ensure that the fan you have selected is right for you, we've created this selection "tip sheet":**

Suggested Fan Size:	Application:	Room Size:
29" Fan	Bathroom, Hallway	Up to 50 square feet
36" Fan	Breakfast Nook, Laundry Room	Up to 75 square feet
42" Fan	Small Bedroom, Small Kitchen	Up to 100 square feet
50" - 52" Fan	Standard Bedroom, Family Room	Up to 400 square feet
54" or Larger	Great Room, Large Areas	Over 400 square feet



Ceiling height is important to know when making your selection, as there should be a minimum 7 ft clearance between the floor and ceiling fan to ensure the safety of those in the room.

Low ceilings? Monte Carlo offers a variety of styles that adapt to close to ceiling installation, while several collections offer a truly "flush" to ceiling or "flush mount" installation – providing a lower profile and greater clearance.

For ceilings over 8 ft, additional lengths can be added with coordinating downrods – please refer to page 224 of this catalog for recommended lengths.

# LIVE LIFE with style

Create  
your own  
visual  
style ...  
Let it be  
unique  
for yourself  
and yet,  
identifiable  
for others.



# Lifestyle

Live life surrounded by things that make you happy, comfortable, safe; but never forget to let your personality shine (in small ways, or with big statements). Style is as individual as each of us.






enjoy who you are ...





# CRYSTORIA

Light dances off the exquisitely hand-cut crystal accents. An extraordinary work of art in a limited edition, collector's series. Includes a numbered certificate of authenticity.



shown with finishing plate for use without light kit (included)



Limited Edition

## 66" Crystoria

Extra Heavy Duty 212 x 35 mm Motor • 14° blade pitch  
Light Kit Included: 4 (Candelabra) 40w (included)  
Integrated Uplight: 6 (Krypton) 15w (included)  
Height of Fan: 27.25" • Minimum Ceiling Height: 9'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,122 CFM</b>	<b>82 watts</b> (excludes lights)	<b>63 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.



## 5CRR66EP4

English Pewter Finish • Hand Carved Mahogany Blades  
Hand Cut 24% Lead Crystal Glass

**BLADES** Available options for this collection  
60" Furniture Style Carved Wood Blade: Page 208-209

**Bulb & Fan Specifications:** Page 225,232, **Accessories:** Page 220-224  
**Optional Remotes available:** Groups B,C,D & F: Page 218-219



**5CLR66RBD**

Roman Bronze Finish • Carved Dark Walnut Blades  
Tea Stain Mission Glass

**5CLR66EPD**

English Pewter Finish • Carved Mahogany Blades  
Gray Tea Stain Glass



**5CLR66IBD**

Iberian Bronze Finish • Carved Dark Walnut Blades  
Tea Stain Mission Glass



# CHLOE

A soft, free form of movement is the touch of style and interest.



## 5CLR66TBD

Tuscan Bronze Finish • Carved Dark Walnut Blades  
Tea Stain Mission Glass

## 66" Chloe

Extra Heavy Duty 212 x 25 mm Motor • 13° blade pitch  
Integrated Light Kit: 3 (Candelabra) 60w (included)  
Height of Fan: 22" • Minimum Ceiling Height: 8.5'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
5945 CFM	79 watts (excludes lights)	75 CFM/watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount  
with Reverse & Down Light Feature.



## 5CLR66BRD

British Bronze Finish • Carved Dark Walnut Blades  
Champagne Scavo Glass



Murray Feiss  
coordinating finish

**BLADES** Available options for Chloe collection

### MC5B219

56" Chloe Blade  
Carved Mahogany

### MC5B220

56" Chloe Blade  
Carved Dark Walnut

**Bulb & Fan Specifications:** Page 225,232, **Accessories:** Page 220-224  
**Optional Remotes available:** Groups C & D: Page 219

# GREAT LODGE MAGNUM

A room commanding 66" ceiling fan.

## 66" Great Lodge Magnum

Extra Heavy Duty 212 x 35 mm Motor • 22° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 22" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC192. Flush Height: 15.5"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,798 CFM</b>	<b>84 watts</b> (excludes lights)	<b>69 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups B, C, D & F: Page 218-219



### 5GL66OC

Old Chicago Finish • Ponderosa Pine Blades



### 5GL66WI

Weathered Iron Finish • Lodge Pine Blades

# BIRCH MEADOW

Bringing nature in.  
Attention to detail delivers a big impact.



shown with  
**MC195** Light Kit  
(sold separately)

## 66" Birch Meadow

Extra Heavy Duty 212 x 35 mm Motor • 13° blade pitch  
Light Kit Choices: Pages 183 - 205  
Height of Fan: 18.5" • Minimum Ceiling Height: 8'  
Flush Mount: Order Canopy MC192. Flush Height: 14.25"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,849 CFM</b>	<b>79 watts</b> (excludes lights)	<b>74 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups B, C, D & F: Page 218-219



## 5BM66RB

Roman Bronze / Birch Bark Finish  
Thick, Birch Bark Blades  
shown with **MC203** Light Kit (sold separately)



# ROYAL DANUBE

For those who appreciate the finer details in design, the search for the perfect room accessory is over.

**Fan Body / Housing & Blades are sold separately**

## Royal Danube Fan Body / Housing Choices

EP English Pewter > **IB Iberian Bronze**

RB Roman Bronze TB Tuscan Bronze

Extra Heavy Duty 212 x 25 mm Motor • 14° blade pitch  
Height of Fan: 26.75" • Minimum Ceiling Height: 8.5'  
Integrated Uplight: 6 (Candelabra) 15w (Included)

### Blade Choices:

54", 60", 72" Traditional Blade: Page 213

60", 72" Furniture Style Carved Wood Blade: Page 208-209

72" Scalloped Leaf Carved Wood Blade: Page 211

72" Sea Grass Woven Blade: Page 211

### Energy Information at High Speed for 54" Blades:

Airflow	Electricity Use	Airflow Efficiency
<b>7,128 CFM</b>	<b>110 watts</b> (excludes lights)	<b>65 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

### Energy Information at High Speed for 60" Blades:

Airflow	Electricity Use	Airflow Efficiency
<b>7,485 CFM</b>	<b>110 watts</b> (excludes lights)	<b>68 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.



shown with  
**MC164IB Light Kit &**  
**MC5B101 Mahogany Veneer Traditional Blade**  
(each sold separately)



## MC164 Light Kit

EP English Pewter • Gray Tea Stain Mission Glass


IB Iberian Bronze • Tea Stain Mission Glass

RB Roman Bronze • Tea Stain Mission Glass

> **TB Tuscan Bronze • Tea Stain Mission Glass**

9"h x 13.75"w • Wattage: 3 (Candelabra) 60w (included)

Compatible with Royal Danube fan only (sold separately)



## 5RDRIB

Iberian Bronze

shown with **MC5B101**

Mahogany Veneer Traditional Blade  
(sold separately)



**BLADE CHOICES** To view available options for this collection: Page 208-209,211,213  
**Bulb and Fan Specifications:** Page 225, 232, **Accessories:** Page 220-224

> Indicates Finish Shown



**MC164 Light Kit**

- > **EP** English Pewter • Gray Tea Stain Mission Glass
  - IB** Iberian Bronze • Tea Stain Mission Glass
  - RB** Roman Bronze • Tea Stain Mission Glass
  - TB** Tuscan Bronze • Tea Stain Mission Glass
- 9”h x 13.75”w • Wattage: 3 (Candelabra) 60w (included)  
 Compatible with Royal Danube fan only (sold separately)



**5RDREP**

English Pewter  
 shown with **MC5B106**  
 Mahogany Veneer Traditional Blade  
 & **MC164EP** Light Kit (each sold separately)



**5RDRTB**

Tuscan Bronze Finish  
 shown with **MC5B207** Dark Walnut  
 Furniture Style Carved Wood Blade  
 (sold separately)





# ROYAL DANUBE

A beautiful fan with design details, selected by you.

Fan Body / Housing & Blades are sold separately

## Royal Danube Fan Body / Housing Choices

- > EP English Pewter      IB Iberian Bronze
- > RB Roman Bronze      > TB Tuscan Bronze

Extra Heavy Duty 212 x 25 mm Motor • 14° blade pitch  
 Height of Fan: 26.75" • Minimum Ceiling Height: 8.5'  
 Integrated Uplight: 6 (Candelabra) 15w (Included)

### Blade Choices:

- 54", 60", 72" Traditional Blade: Page 213
- 60", 72" Furniture Style Carved Wood Blade: Page 208-209
- 72" Scalloped Leaf Carved Wood Blade: Page 211
- 72" Sea Grass Woven Blade: Page 211

### Energy Information at High Speed for 54" Blades:

Airflow	Electricity Use	Airflow Efficiency
<b>7,128 CFM</b>	<b>110 watts</b> (excludes lights)	<b>65 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
 Money Saving Tip: Turn off fan when leaving room.

### Energy Information at High Speed for 60" Blades:

Airflow	Electricity Use	Airflow Efficiency
<b>7,485 CFM</b>	<b>110 watts</b> (excludes lights)	<b>68 CFM/watt</b>


Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
 Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.



shown with  
**MC5B106** Mahogany Veneer Traditional Blade  
 (sold separately)



## 5RDRRB

Roman Bronze  
 shown with **MC5B221** Dark Walnut  
 Furniture Style Carved Wood Blade  
 (sold separately)



**BLADE CHOICES** To view available options for this collection: Page 208-209,211,213  
**Bulb and Fan Specifications:** Page 225, 232, **Accessories:** Page 220-224

> Indicates Finish Shown



**5MS66EP**

English Pewter Finish • Mahogany Blades




ENERGY STAR® Qualified

**5MS66TB**

Tuscan Bronze Finish • Mahogany Blades



ENERGY STAR® Qualified



**5MS66RB**

Roman Bronze Finish • American Walnut Blades



ENERGY STAR® Qualified

# MANSION GRAND

Because large spaces deserve a fan that "fits".  
This collection offers comfort and style for rooms of grand proportion.

## 5MS66BR

British Bronze Finish • American Walnut Blades



Murray Feiss  
coordinating finish



ENERGY STAR® Qualified

## 66" Mansion Grand


Extra Heavy Duty 212 x 25 mm Motor • 14° blade pitch  
Light Kit Choices: Pages 183 - 205  
Height of Fan: 14.5" • Minimum Ceiling Height: 8'  
Flush Mount: Order Canopy: MC192. Flush Height: 11.125"

### Energy Information at High Speed for 52" & 60" Blades:

Airflow	Electricity Use	Airflow Efficiency
<b>8,003 CFM</b>	<b>81 watts</b> (excludes lights)	<b>99 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups B, C, D & F: Page 218-219



## 5MS66OC

Old Chicago Finish • Natural Walnut Blades  
& MC193 Light Kit (sold separately)



ENERGY STAR® Qualified  
(without light kit)

**BLADES** Available options for this collection (Optional Blades negate ENERGY STAR® labeling.)

52", 60" Tropical Leaf Carved Wood Blade: Page 210

52", 66" Furniture Style Carved Wood Blade: Page 208-209

66" Classic Blade: Page 212

Fan Specifications: Page 232, Accessories: Page 220-224

# VAN BUREN

Sumptuous. Intricately detailed carvings and scroll work – a feast for the eyes.

## 60" Van Buren

Ultra Efficient 165 x 25 mm DC Motor • 12° blade pitch  
Light Kit Included: 3 (Candelabra) 40w (included)  
Height of Fan: 25" • Minimum Ceiling Height: 8.5'

### Energy Information at High Speed:

Airflow <b>5,323 CFM</b>	Electricity Use <b>18 watts</b> (excludes lights)	Airflow Efficiency <b>293 CFM/watt</b>
-----------------------------	---	---

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Hand-Held Remote Included** Hand-Held with Reverse & Down Light Feature.



shown with finishing plate for use without light kit (included)

## 5VBR60BRD

British Bronze Finish • Carved, Dark Walnut Blades  
Champagne Scavo Glass



Murray Feiss  
coordinating finish



# FENTON

Non-traditional details come together in a most appealing package. Uniquely affixed blades and industrial design accents create visual interest.

## 60" Fenton

188 x 25 mm Motor • 14° blade pitch  
Integrated Light Kit: 1 (Halogen) 75w (included)  
Height of Fan: 17.5" • Minimum Ceiling Height: 8'  
Flush Mount: Order Canopy: MC90. Flush Height: 12"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>6,292 CFM</b>	<b>86 watts</b> (excludes lights)	<b>74 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Down Light Feature.



## 5FNR60RID

Roman & Iberian Bronze Finish • Thick, Walnut Veneer Blades  
Tea Stain Mission Glass

# COVENTRY CASTLE

Exceptional detail throughout. A true home décor accessory.

## 60" Coventry Castle

212 x 25 mm Motor • 13° blade pitch

Integrated Light Kit: 3 (Candelabra) 40w (included)

Height of Fan: 30" • Minimum Ceiling Height: 9'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,734 CFM</b>	<b>76 watts</b> (excludes lights)	<b>76 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Down Light Feature.



## 5CSR60AGD

Aged Tortoise Shell Finish • Thick, Carved Tung Wood Blades  
Champagne Scavo Glass



Murray Feiss  
coordinating design & finish

# ARCH<sup>®</sup>

A tribute to clean design, metal, wood and glass. Architectural simplicity.



**5AHR60RBD**  
Roman Bronze Finish • Teak Veneer Blades  
Cappuccino Faux Alabaster Glass

## 60" Arch<sup>®</sup>

188 x 25 mm Motor • 12° blade pitch  
Integrated Light Kit: 2 (Halogen) 50w (included)  
Integrated Uplight: 6 (Candelabra) 15w (included)  
Height of Fan: 24.75" • Minimum Ceiling Height: 8.5'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>6,967 CFM</b>	<b>88 watts</b> (excludes lights)	<b>80 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.



## 5AHR60BSD

Brushed Steel Finish • Mahogany Veneer Blades  
Frosted Glass

## 5AHR60BRD

British Bronze Finish • Walnut Veneer Blades  
Champagne Scavo Glass



Murray Feiss  
coordinating finish



**BLADES** Available option for Arch<sup>®</sup> collection

### MC5B91

60" Arch Blade  
Mahogany Veneer







# ST. IVES

Awaken your sense of style – select blades from a broad range of decorative looks.

**Fan Body / Housing & Blades are sold separately**

## St. Ives Fan Body / Housing Choices

- BR** British Bronze      **EP** English Pewter
- IB** Iberian Bronze      **RB** Roman Bronze
- > TB** Tuscan Bronze

Extra Heavy Duty 212 x 25 mm Motor • 14° blade pitch  
 Light Kit Choices: Pages 183 - 205  
 Height of Fan: 17" • Minimum Ceiling Height: 8'  
 Flush Mount: Order Canopy MC192. Flush Height: 13.5"

## Blade Choices:

- 54", 60", 72" Traditional Blade: Page 213
- 60", 72" Furniture Style Carved Wood Blade: Page 208-209
- 72" Scalloped Leaf Carved Wood Blade: Page 211
- 72" Sea Grass Woven Blade: Page 211

## Energy Information at High Speed for 54" & 60" Blades:

Airflow	Electricity Use	Airflow Efficiency
<b>7,166 CFM</b>	<b>114 watts</b> (excludes lights)	<b>63 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
 Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups B, C, D & F: Page 218-219



shown with **MC5B101**  
 Mahogany Veneer Traditional Blade  
 & **MC16TB** Light Kit (each sold separately)

## 5SITB


Tuscan Bronze Finish  
 shown with **MC5B178**  
 Dark Walnut Furniture Style Carved Wood Blade  
 (sold separately)



**BLADE CHOICES** To view available options for this collection: Page 208-209,211,213

**Fan Specifications:** Page 232, **Accessories:** Page 220-224

**>** Indicates Finish Shown



**5SIEP**

English Pewter Finish  
shown with **MC5B101** Mahogany Veneer  
Traditional Blade (sold separately)



**5SIBR**

British Bronze Finish  
shown with **MC5B100** Walnut Veneer Traditional Blade  
& **MC201** Light Kit (each sold separately)



Murray Feiss  
coordinating finish

# ST. IVES

You create the perfect pairing of finish & blades for the look & size of a room.

Fan Body / Housing & Blades are sold separately

## St. Ives Fan Body / Housing Choices

- > **BR** British Bronze      > **EP** English Pewter
- > **IB** Iberian Bronze      > **RB** Roman Bronze

**TB** Tuscan Bronze

212 x 25 mm Motor • 14° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 17.25" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC192. Flush Height: 12.25"

## Blade Choices:

54", 60", 72" Traditional Blade: Page 213

60", 72" Furniture Style Carved Wood Blade: Page 208-209

72" Scalloped Leaf Carved Wood Blade: Page 211

72" Sea Grass Woven Blade: Page 211

## Energy Information at High Speed for 54" Blades:

Airflow	Electricity Use	Airflow Efficiency
<b>7,166 CFM</b>	<b>114 watts</b> (excludes lights)	<b>63 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

## Energy Information at High Speed for 60" Blades:

Airflow	Electricity Use	Airflow Efficiency
<b>7,543 CFM</b>	<b>112 watts</b> (excludes lights)	<b>68 CFM/watt</b>


Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups B, C, D & F: Page 218-219



## 5SIRB

Roman Bronze Finish  
shown with MC5B101 Mahogany Veneer  
Traditional Blade (sold separately)



## 5SIIB

Iberian Bronze Finish  
shown with MC5B194 Chestnut Furniture  
Style Carved Wood Blade (sold separately)



**BLADE CHOICES** To view available options for this collection: Page 208-209,211,213

Fan Specifications: Page 232, Accessories: Page 220-224

> Indicates Finish Shown



# MONET

An artist's touch with design details that add style and interest to a room.



## 5MQ60SO

Sicilian Stone Finish  
Distressed Walnut (shown) / Sicilian Stone Blades



ENERGY STAR® Qualified

## 60" Monet

Extra Heavy Duty 212 x 25 mm Motor • 13° blade pitch  
Light Kit Choices: Pages 183 - 205  
Height of Fan: 16.25" • Minimum Ceiling Height: 8'  
Flush Mount: Order Canopy MC192. Flush Height: 11.5"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>7,808 CFM</b>	<b>84 watts</b> (excludes lights)	<b>93 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups B, C, D, E & F: Page 218-219



## 5MQ60BR

British Bronze Finish • American Walnut Blades



Murray Feiss  
coordinating finish



ENERGY STAR® Qualified

# MONET

Elegant; not overly worked, this collection offers style, and comfort.

## 60" Monet

Extra Heavy Duty 212 x 25 mm Motor • 13° blade pitch  
 Light Kit Choices: Pages 183 - 205  
 Height of Fan: 16.25" • Minimum Ceiling Height: 8'  
 Flush Mount: Order Canopy MC192. Flush Height: 11.5"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>7,808 CFM</b>	<b>84 watts</b> (excludes lights)	<b>93 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
 Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups B, C, D, E & F: Page 218-219

### 5MQ60RB

Roman Bronze Finish • Teak Blades



ENERGY STAR® Qualified



### 5MQ60TB

Tuscan Bronze Finish • Mahogany Blades  
 shown with **MC154** Light Kit  
 & **MC83TB** Bowl Cap (each sold separately)



ENERGY STAR® Qualified  
 (without light kit)



### 5MQ60IS

Irish Slate Finish  
 Distressed Cherry (shown) / Irish Slate Blades



ENERGY STAR® Qualified



# ENGLISH PALACE

Regal with a classic British understatement.

## 60" English Palace

188 x 25 mm Motor • 13° blade pitch

Integrated Light Kit: 3 (Candelabra) 40w (included)

Height of Fan: 25.25" • Minimum Ceiling Height: 8.5'

Flush Mount: Order Canopy MC192. Flush Height: 16.875"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,793 CFM</b>	<b>79 watts</b> (excludes lights)	<b>74 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Down Light Feature.



## 5EPR60BRD

British Bronze Finish • Carved Tung Wood Blades

Champagne Scavo Glass



Murray Feiss  
coordinating design & finish

# STIRLING CASTLE

Timeless elegance; a reflection of classic Parisian grandeur.

## 60" Stirling Castle

188 x 25 mm Motor • 12° blade pitch

Light Kit Included: 3 (Intermediate) 60w (included)

Integrated Uplight: 4 (Candelabra) 15w (included)

Height of Fan: 30" • Minimum Ceiling Height: 9'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,759 CFM</b>	<b>74 watts</b> (excludes lights)	<b>65 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.



shown with finishing plate for use without light kit (included)

## 5SCR60BR3

British Bronze Finish • Thick, carved Tung Wood Blades

Champagne Scavo Glass



Murray Feiss  
coordinating design & finish





# ALICANTE®

Unassuming classicism. A design that bridges past with future.

## 56" Alicante®

188 x 22 mm Motor • 14° blade pitch

Integrated Light Kit: 2 (Halogen) 50w (included)

Integrated Uplight: 3 (Candelabra) 15w (included)

Height of Fan: 21.875" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>6,743 CFM</b>	<b>84 watts</b> (excludes lights)	<b>80 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.

## 5ALR56RBD

Roman Bronze Finish • Teak Veneer Blades

Cappuccino Faux Alabaster Glass



**BLADES** Available options for this collection  
52" Standard Blade: Page 214-215

**Bulb & Fan Specifications:** Page 225,232, **Accessories:** Page 220-224  
**Optional Remotes available:** Group D: Page 219



# VINEYARD

Light provides a golden sunset glow against intricately formed leaf patterns.

## 56" Vineyard

188 x 22 mm Motor • 13° blade pitch  
 Light Kit Included: 3 (Candelabra) 40w (included)  
 Integrated Uplight: 4 (Candelabra) 25w (included)  
 Height of Fan: 21.5" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,956 CFM</b>	<b>76 watts</b> (excludes lights)	<b>78 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
 Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.



### 5VYR56BRD

British Bronze Finish • American Walnut Blades  
 Champagne Scavo Glass



Murray Feiss  
 coordinating finish



### 5VYR56IBD

Iberian Bronze Finish • American Walnut Blades  
 Tea Stain Mission Glass



### 5VYR56RBD

Roman Bronze Finish • Teak Blades  
 Tea Stain Mission Glass  
 shown with finishing plate for use without light kit (included)



# STRASBURG

An ethereal vision blends with soft, touching breezes as if in a waltz.



shown with  
Irish Slate Blades

## 56" Strasburg

188 x 25 mm Motor • 13° blade pitch

Integrated Light Kit: 2 (Halogen) 50w (included)

Integrated Uplight: 4 (Candelabra) 25w (included)

Height of Fan: 22.25" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>6,573 CFM</b>	<b>84 watts</b> (excludes lights)	<b>78 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount  
with Reverse & Up/Down Light Feature.



## 5SBR56ISD

Irish Slate Finish

Distressed Cherry (shown) / Irish Slate Blades

Irish Slate Glass

# STRASBURG

Dreamlike as a waltz. Exquisite from blade to glass.

## 56" Strasburg

188 x 25 mm Motor • 13° blade pitch

Integrated Light Kit: 2 (Halogen) 50w (included)

Integrated Uplight: 4 (Candelabra) 25w (included)

Height of Fan: 22.25" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>6,573 CFM</b>	<b>84 watts</b> (excludes lights)	<b>78 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.



### 5SBR56TBD

Tuscan Bronze Finish • Mahogany Veneer Blades  
Tea Stain Mission Glass



### 5SBR56SOD

Sicilian Stone Finish  
Distressed Walnut (shown) / Sicilian Stone Blades  
Tea Stain Mission Glass



### 5SBR56BRD

British Bronze Finish • Walnut Veneer Blades  
Champagne Scavo Glass



Murray Feiss  
coordinating finish



### 5SBR56RBD

Roman Bronze Finish • Teak Veneer Blades  
Tea Stain Mission Glass

# MING DYNASTY

Beauty lies in the details of the hand woven rattan and real wood accents. A double-happiness symbol and the endless knot (for long life) add depth to the design.



shown with  
**MC160RB** Light Kit  
(sold separately)

## 56" Ming Dynasty

188 x 25 mm Motor • 13° blade pitch  
Integrated Uplight: 4 (Candelabra) 25w (included)  
Height of Fan: 14.625" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,178 CFM</b>	<b>70 watts</b> (excludes lights)	<b>74 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount  
with Reverse & Up/Down Light Feature.



## MC160RB Light Kit

Roman Bronze Finish • Antique White Scavo Glass  
6.5"h x 12"w • Wattage: 3 (Candelabra) 60w (included)  
Flush Height: 8.5"h  
Compatible with Ming Dynasty fan only (sold separately)



## 5MYR56RB

Roman Bronze Finish • Cocoa Rattan Blades



**5UPR54RBD**

Roman Bronze Finish • American Walnut Blades  
Faux Penshell Glass



# EUPHORIA

An artistic play on light creates a warm and relaxing ambiance in any setting.

## 54" Euphoria

153 x 20 mm Motor • 12° blade pitch

Integrated Light Kit: 3 (Candelabra) 40w (included)

Integrated Uplight: 4 (Candelabra) 15w (included)

Height of Fan: 15.625" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,829 CFM</b>	<b>56 watts</b> (excludes lights)	<b>87 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.

## 5UPR54BRD

British Bronze Finish

American Walnut Blades

Champagne Scavo Glass



Murray Feiss  
coordinating finish



# ASHBURY

An artistic interpretation in warm golden glows of light and gentle curves.

## 54" Ashbury

188 x 22 mm Motor • 14° blade pitch

Light Kit Included: 4 (Candelabra) 40w (included)

Uplight Included: 3 (Candelabra) 25w (included)

Height of Fan: 18.375" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow <b>4,006 CFM</b>	Electricity Use <b>69 watts</b> (excludes lights)	Airflow Efficiency <b>58 CFM/watt</b>
-----------------------------	---	--

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.



shown with  
finishing plate for use  
without light kit (included)



## 5AYR54RBD

Roman Bronze Finish • American Walnut Blades  
Champagne Scavo Glass

# SERENA

Like a beautiful piece of jewelry; the pleasing design details add to a room without overpowering it.

## 54" Serena

153 x 20 mm Motor • 12° blade pitch

Integrated Light Kit: 3 (Candelabra) 40w (included)

Height of Fan: 17.5" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,769 CFM</b>	<b>58 watts</b> (excludes lights)	<b>82 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Down Light Feature.



## 5SRR54RBD

Roman Bronze Finish • American Walnut Blades  
Tea Stain Mission Glass



# FAIRWOOD

The design details capture the eye, while the comfort reminds you it's a ceiling fan.

## 52" Fairwood

153 x 18 mm Motor • 12° blade pitch

Integrated Light Kit: 3 (Candelabra) 40w (included)

Integrated Uplight: 4 (Candelabra) 15w (included)

Height of Fan: 16.625" • Minimum Ceiling Height: 8'


### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,022 CFM</b>	<b>61 watts</b> (excludes lights)	<b>82 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.



## 5FWR52BRD

British Bronze Finish • Carved Dark Walnut Blades

Champagne Scavo Glass



Murray Feiss  
coordinating finish

# LAUREL PARK

The fluidity of design details reflects the cooling breezes of the fan.

## 52" Laurel Park

153 x 18 mm Motor • 12° blade pitch

Integrated Light Kit: 3 (Candelabra) 40w (included)

Integrated Uplight: 4 (Candelabra) 15w (included)

Height of Fan: 18.125" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,076 CFM</b>	<b>58 watts</b> (excludes lights)	<b>87 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Up/Down Light Feature.

## 5LPR52BRD

British Bronze Finish • American Walnut Blades  
Champagne Scavo Glass



Murray Feiss  
coordinating finish



## 5LPR52RBD

Roman Bronze Finish • American Walnut Blades  
Champagne Scavo Glass



# BONAVENTURE

Art house styling. Dramatic, distinctive and a tribute to your personal aesthetic with four looks in one (flush mount, downrod, light kit or without).



flush mount  
installation shown  
with finishing plate  
for use without light kit (included)

## 52" Bonaventure

153 x 15 mm Motor • 12° blade pitch  
Light Kit Included: 3 (Candelabra) 40w (included)  
Height of Fan: 20" • Minimum Ceiling Height: 8'  
Unique Design for Flush Mount installation  
(hardware included). Flush Height: 13.625"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
5,165 CFM	62 watts (excludes lights)	84 CFM/watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Group C: Page 219

## 3BVR52RID

Roman & Iberian Bronze Finish  
American Walnut Blades  
Champagne Scavo Glass



# TOWN SQUARE

An uncommon design; the geometric styling draws you in.

## 52" Town Square

153 x 18 mm Motor • 12° blade pitch

Light Kit included: 3 (Candelabra) 40w (included)

Height of Fan: 21.5" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC90. Flush Height: 15.75"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,056 CFM</b>	<b>65 watts</b> (excludes lights)	<b>78 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A & C: Page 218-219



### 5TQ52RBD

Roman Bronze Finish • American Walnut Blades  
Amber Pearl Glass



shown with  
finishing plate for  
use without light kit



### 5TQ52BRD

British Bronze Finish • American Walnut Blades  
Champagne Scavo Glass



Murray Feiss  
coordinating finish



# D'ELEGANCE

Craftsmanship is at the heart of this design. Beautiful metal and wood scrollwork are the hallmarks of style.

## 52" D'Elegance

188 x 20 mm Motor • 13° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 14.25" • Minimum Ceiling Height: 8'


Flush Mount: Order Canopy MC90. Flush Height: 11.5"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>6,391 CFM</b>	<b>77 watts</b> (excludes lights)	<b>83 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, B, C, D & E: Page 218-219



## 5DE52RB

Roman Bronze Finish • Teak Veneer Blades



### BLADES Available options for this collection

44" Classic Blade: Page 212

52" Standard Blade: Page 214-215

52" Furniture Style Carved Wood Blade: Page 208-209

52" Tropical Leaf Carved Wood Blade: Page 210

Fan Specifications: Page 232, Accessories: Page 220-224



**5GL520C**  
Old Chicago Finish • Ponderosa Pine Blades



shown with  
**MC1610C** Light Kit  
(sold separately)



shown with  
**MC98** Light Kit  
(sold separately)

# GREAT LODGE

The look of rough-hewn pine and nature's delicate glory are a tribute to a rustic heritage and great open spaces.

## 52" Great Lodge

188 x 22 mm Motor • 16° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 21" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC192. Flush Height: 14.625"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,798 CFM</b>	<b>84 watts</b> (excludes lights)	<b>69 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, B, C, D & E: Page 218-219



shown with  
**MC161WI** Light Kit &  
**MC163WI** Scroll Kit  
(each sold separately)



## 5GL52WI

Weathered Iron Finish • Lodge Pine Blades

shown with **MC116WI** Light Kit

& **MC99WI** Scroll Kit (each sold separately)

# DURANGO

A faithful tribute to western style.  
Intricately carved & accented with silver conchos & buckles.

## 52" Durango

188 x 20 mm Motor • 14° blade pitch

Light Kit Choices: Page 183 - 205

Height of Fan: 16.625" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC192. Flush Height 12.125"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,571 CFM</b>	<b>71 watts</b> (excludes lights)	<b>65 CFM/watt</b>


Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount  
with Reverse & Down Light Feature.



shown with  
MC138WI Light Kit (sold separately)



## 5DOR52WI

Weathered Iron Finish • Thick, Durango Pine Blades

# WINTHROPE

Love is at the heart of a welcoming and warm home.



flush mount installation shown with finishing plate for use without light kit (included)

## 52" Winthrope

153 x 18 mm Motor • 12° blade pitch  
Light Kit Included: 3 (Candelabra) 40w (included)  
Height of Fan: 18.75" • Minimum Ceiling Height: 8'  
Unique Design for Flush Mount installation (hardware included). Flush Height: 13.875"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,452 CFM</b>	<b>65 watts</b> (excludes lights)	<b>69 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Group A, C & E: Page 218-219



## 5WN52RBD

Roman Bronze Finish • Carved Dark Walnut Blades  
Tea Stain Mission Glass

# DECORA

Design details abound from finish to glass, this soft-contemporary collection delivers style.

## 52" Decora

172 x 20 mm Motor • 14° blade pitch

Integrated Light Kit: 3 (Candelabra) 40w (included)

Integrated Uplight: 4 (Candelabra) 15w (included)

Height of Fan: 17.625" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,722 CFM</b>	<b>64 watts</b> (excludes lights)	<b>74 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Up/Down Light Feature.



## 5DRR52RID

Roman & Iberian Bronze Finish • American Walnut Blades  
Tea Stain Mission Glass

# WAVERLY

Intricate ironwork brings beauty and charm to a room's décor. Dream away beneath the breeze of a garden arbor or old world café.

## 52" Waverly

188 x 20 mm Motor • 14° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 15.5" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC90. Flush Height: 12.75"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>6,391 CFM</b>	<b>77 watts</b> (excludes lights)	<b>83 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups B, C, D & F: Page 218-219



## 5WA52RB

Roman Bronze Finish • Teak Blades



### BLADES Available options for this collection

44" Classic Blade: Page 212

52" Standard Blade: Page 214-215

52" Furniture Style Carved Wood Blade: Page 208-209

52" Tropical Leaf Carved Wood Blade: Page 210

Bulb & Fan Specifications: Page 225,232, Accessories: Page 220-224





# MISSION HILLS

The look of hand-stitched leather accents, creates a tony, clubhouse style.



shown as flush mount with finishing plate for use without light kit (included)

## 52" Mission Hills

172 x 20 mm Motor • 13° blade pitch

Light Kit Included: 3 (Candelabra) 60w (included)

Height of Fan: 20.125" • Minimum Ceiling Height: 8.5'

Unique Design for Flush Mount installation

(hardware included). Flush Height: 12.75"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,362 CFM</b>	<b>56 watts</b> (excludes lights)	<b>78 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Down Light Feature.



## 5MHR52RBD

Roman Bronze Finish • American Walnut Blades  
Champagne Scavo Glass

# ALBANY

Intricate details and relief work add textural interest for the eye and any setting.

## 52" Albany

153 x 20 mm Motor • 12° blade pitch

Light Kit Included: 3 (Candelabra) 40w (included)

Height of Fan: 21.75" • Minimum Ceiling Height: 8'

Unique Design for Flush Mount installation (hardware included). Flush Height: 15.625"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,833 CFM</b>	<b>66 watts</b> (excludes lights)	<b>73 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: A, B, C, D & E: Page 218-219



flush mount installation shown without light kit



### 5AN52BRD

British Bronze Finish

American Walnut Blades

Champagne Scavo Glass

(downrod mount shown)



Murray Feiss  
coordinating finish



### 5AN52RBD

Roman Bronze Finish

American Walnut Blades

Tea Stain Mission Glass

(flush mount installation shown)



**BLADES** Available options for this collection

52" Standard Blade: Page 214-215

52", Furniture Style Carved Wood Blade: Page 208-209

52" Tropical Leaf Carved Wood Blade: Page 210

# SILVER LAKE

A unique "cubist" twist in ceiling fan design.

## 52" Silver Lake

153 x 18 mm Motor • 12° blade pitch

Integrated Light Kit: 4 (Candelabra) 15w (included)

Integrated Uplight: 3 (Candelabra) 40w (included)

Height of Fan: 16.4" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,542 CFM</b>	<b>58 watts</b> (excludes lights)	<b>78 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Down Light Feature.



shown with  
American Walnut Blades



## 5SKR52RBD

Roman Bronze Finish

Roman Bronze (shown) / American Walnut Blades

Champagne Scavo Glass

# MANDALAY

Dream your own escape with cool breezes and bamboo accents.

## 52" Mandalay

188 x 25 mm Motor • 22° blade pitch

Light Kit Choices: Pages 182 - 205

Height of Fan: 16" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC192. Flush Height: 14"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,578 CFM</b>	<b>80 watts</b> (excludes lights)	<b>70 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, B, C, D & E: Page 218-219



### 5ML52TB

Tuscan Bronze Finish • Blackberry Bamboo Blades  
shown with **MC124TB** Light Kit (sold separately)



### 5ML52RA

Roman Bronze Finish • Aged Bamboo Blades

# CHEETAH

Hand-painted and as beautiful as nature's own masterpiece. Express your sense of style.

## 52" Cheetah

188 x 25 mm Motor • 16° blade pitch

Light Kit Choices: Pages 182 - 205

Height of Fan: 18.625" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,520 CFM</b>	<b>83 watts</b> (excludes lights)	<b>67 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, B, C, D & E: Page 218-219



## 5CE52OC

Old Chicago Finish • Hand Painted Cheetah Pattern Blades & Housing  
shown with **MC118** Light Kit (sold separately)



**5AB52BR**

British Bronze Finish • American Walnut Blades



Murray Feiss  
coordinating finish



ENERGY STAR® Qualified



**5AB52RB**

Roman Bronze Finish • Teak Blades



ENERGY STAR® Qualified

# ABERDEEN

The perfect pairing of British West Indies styling and a richly layered English pewter finish. ENERGY STAR® Qualified for savings.



shown with  
MC172 Light Kit (sold separately)



ENERGY STAR® Qualified  
(without light kit)

## 52" Aberdeen

188 x 20 mm Motor • 14° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 15" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC90. Flush Height: 11.5"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>6,134 CFM</b>	<b>74 watts</b> (excludes lights)	<b>83 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, B, C, D & E: Page 218-219



**BLADES** Available options for this collection (Optional Blades negate ENERGY STAR® labeling.)

44" Classic Blade: Page 212

52" Standard Blade: Page 214-215

52" Furniture Style Carved Wood Blade: Page 208-209

52" Tropical Leaf Carved Wood Blade: Page 210

## 5AB52EP

English Pewter Finish • Mahogany Blades



ENERGY STAR® Qualified

# ABERDEEN

The combination of beauty and brains delivers fashion and savings. This ENERGY STAR® Qualified fan saves money and the environment.

## 52" Aberdeen

188 x 20 mm Motor • 14° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 14.875" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC90. Flush Height: 11.5"


For Flush Mount with a Light Kit, Order MC192. Flush Height: 12.75"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>6,134 CFM</b>	<b>74 watts</b> (excludes lights)	<b>83 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, B, C, D & E: Page 218-219



## 5AB52IB

Iberian Bronze Finish  
American Walnut Blades



ENERGY STAR® Qualified

## 5AB52TB

Tuscan Bronze Finish • Mahogany Blades  
shown with MC169 Light Kit (sold separately)



ENERGY STAR® Qualified  
(without light kit)



**BLADES** Available options for this collection (Optional Blades negate ENERGY STAR® labeling.)

44" Classic Blade: Page 212

52" Standard Blade: Page 214-215

52" Furniture Style Carved Wood Blade: Page 208-209

52" Tropical Leaf Carved Wood Blade: Page 210



# MANSSION

No compromise here. Energy efficient operation wrapped in a beautiful design.

## 5MS52TB

Tuscan Bronze Finish • Mahogany Blades



ENERGY STAR® Qualified



## 52" Mansion

153 x 18 mm Motor • 12° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 14.5" • Minimum Ceiling Height: 8'

Unique Design for Flush Mount installation

(hardware included). Flush Height: 9.875"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,536 CFM</b>	<b>62 watts</b> (excludes lights)	<b>90 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, B, C, D & E: Page 218-219



## 5MS52EP

English Pewter Finish • Mahogany Blades

shown with MC172 Light Kit (sold separately)



ENERGY STAR® Qualified  
(without light kit)

**BLADES** Available options for this collection (Optional Blades negate ENERGY STAR® labeling.)

44" Classic Blade: Page 212

52" Standard Blade: Page 214-215

52" Furniture Style Carved Wood Blade: Page 208-209

52" Tropical Leaf Carved Wood Blade: Page 210

Fan Specifications: Page 232, Accessories: Page 220-224



**5MS52RB**

Roman Bronze Finish • Teak Blades



ENERGY STAR® Qualified

**5MS52AB**

Antique Brass Finish • American Walnut Blades



ENERGY STAR® Qualified



**5MS52CB**

Corinthian Bronze Finish • Western Walnut Blades



Murray Feiss  
coordinating finish



ENERGY STAR® Qualified

# MANSION

For every décor, a complement to any room.  
ENERGY STAR® qualified for savings.



**5MS52IB**  
Iberian Bronze Finish  
American Walnut Blades



ENERGY STAR® Qualified

## 52" Mansion

153 x 18 mm Motor • 12° blade pitch  
Light Kit Choices: Pages 183 - 205  
Height of Fan: 14.5" • Minimum Ceiling Height: 8'  
Unique Design for Flush Mount installation  
(hardware included). Flush Height: 9.875"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,536 CFM</b>	<b>62 watts</b> (excludes lights)	<b>90 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups A, B, C, D & E: Page 218-219



## 5MS52TW

Textured White Finish • Matte White Blades



ENERGY STAR® Qualified



## 5MS52BR

British Bronze Finish • American Walnut Blades



Murray Feiss  
coordinating finish



ENERGY STAR® Qualified



**BLADES** Available options for this collection (Optional Blades negate ENERGY STAR® labeling.)

44" Classic Blade: Page 212

52" Standard Blade: Page 214-215

52" Furniture Style Carved Wood Blade: Page 208-209

52" Tropical Leaf Carved Wood Blade: Page 210

Fan Specifications: Page s232, Accessories: Page 220-224



**5RH52TBD**

Tuscan Bronze Finish • Mahogany Blades  
Tea Stain Mission Glass



**5RH52EPD**

English Pewter Finish • Mahogany Blades  
Gray Tea Stain Glass



**5RH52RBD**

Roman Bronze Finish • Teak Blades  
Tea Stain Mission Glass

# ROSEHALL

Captivating details and uniquely crimped glass add to the visual appeal of this collection that dazzles with details.

## 52" Rosehall

153 x 18 mm Motor • 12° blade pitch

Integrated Light Kit: 3 (Candelabra) 40w (included)

Height of Fan: 19" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC90. Flush Height: 13.375"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,007 CFM</b>	<b>60 watts</b> (excludes lights)	<b>84 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, C & E: Page 218-219



## 5RH52BRD

British Bronze Finish • American Walnut Blades  
Champagne Scavo Glass



Murray Feiss  
coordinating finish



**5PR52IS**  
Irish Slate Finish  
Distressed Cherry (shown) / Irish Slate Blades



**5PR52SO**  
Sicilian Stone Finish  
Sicilian Stone Blades (shown) / Distressed Walnut



**5PR52RB**  
Roman Bronze Finish • Teak Blades

# PREMIER

Beautifully adorned blade irons attract attention – add more or less detail with accessory light kits and blades.



shown with  
MC22BR Fitter & G1064 Glass (each sold separately)

## 52" Premier

172 x 14 mm Motor • 13° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 13.5" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC90. Flush Height: 10.25"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,990 CFM</b>	<b>70 watts</b> (excludes lights)	<b>86 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups A, B, C, D & E: Page 218-219



### BLADES Available options for this collection

44" Classic Blade: Page 212

52" Standard Blade: Page 214-215

52" Furniture Style Carved Wood Blade: Page 208-209

52" Tropical Leaf Carved Wood Blade: Page 210

## 5PR52BR

British Bronze Finish

American Walnut Blades



Murray Feiss  
coordinating finish



**5PR52TB**

Tuscan Bronze Finish • Mahogany Blades  
shown with **MC16TB** Light Kit (sold separately)



**5PR52EP**

English Pewter Finish • Mahogany Blades



# PREMIER

Style, softly spoken. Letting the décor of a room take center stage. Welcomed in any setting.

## 52" Premier

172 x 14 mm Motor • 13° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 13.5" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC90. Flush Height: 10.25"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,990 CFM</b>	<b>70 watts</b> (excludes lights)	<b>86 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, B, C, D & E: Page 218-219



### 5PR52BS

Brushed Steel Finish • Mahogany Blades



### 5PR52TW

Textured White Finish

White Washed Pine / White Blades (shown)

shown with **MC104** Light Kit

& **MC83TW** Bowl Cap (each sold separately)



#### BLADES Available options for this collection

44" Classic Blade: Page 212

52" Standard Blade: Page 214-215

52" Furniture Style Carved Wood Blade: Page 208-209

52" Tropical Leaf Carved Wood Blade: Page 210

Bulb & Fan Specifications: Page 225,232, Accessories: Page 220-224



**5OR52CBD**

Corinthian Bronze Finish • Western Walnut Blades  
Champagne Scavo Glass



Murray Feiss  
coordinating finish

**5OR52EPD**

English Pewter Finish • Mahogany Blades  
Gray Tea Stain Glass



**5OR52TBD**

Tuscan Bronze Finish • Mahogany Blades  
Tea Stain Mission Glass



**5OR52RBD**

Roman Bronze Finish • Teak Blades  
Tea Stain Mission Glass



# ORNATE ELITE

From finish to finish and with each light kit (included),  
a new personality - delightful in all.

## 5OR52BRD

British Bronze Finish • American Walnut Blades  
Champagne Scavo Glass



Murray Feiss  
coordinating finish

## 52" Ornaté Elite

153 x 14 mm Motor • 12° blade pitch  
Light Kit Included: 3 (Candelabra) 60w (included)  
Height of Fan: 19" • Minimum Ceiling Height: 8'  
Unique Design for Flush Mount installation  
(hardware included). Flush Height: 15.375"

### Energy Information at High Speed:

Airflow <b>4,516 CFM</b>	Electricity Use <b>59 watts</b> (excludes lights)	Airflow Efficiency <b>76 CFM/watt</b>
-----------------------------	---	--

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, C & E: Page 218-219

## 5OR52IBD

Iberian Bronze Finish • American Walnut Blades  
Champagne Scavo Glass

**BLADES** Available options for this collection

42" Classic Blade: Page 212

52" Standard Blade: Page 214-215

**Bulb & Fan Specifications:** Page 225,232, **Accessories:** Page 220-224



**5OR52CB**

Corinthian Bronze Finish • Western Walnut Blades



Murray Feiss  
coordinating finish



**5OR52EP**

English Pewter Finish • Mahogany Blades



**5OR52TB**

Tuscan Bronze Finish  
Mahogany Blades



**5OR52RB**

Roman Bronze Finish • Teak Blades

# ORNATE

Beautiful and intricate scrollwork adds a fashionable flair to any room.

## 5OR52BR

British Bronze Finish • American Walnut Blades



Murray Feiss  
coordinating finish



## 52" Ornaté

153 x 14 mm Motor • 12° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 12.625" • Minimum Ceiling Height: 8'

Unique Design for Flush Mount installation

(hardware included). Flush Height: 9"

### Energy Information at High Speed:


Airflow	Electricity Use	Airflow Efficiency
<b>4,516 CFM</b>	<b>59 watts</b> (excludes lights)	<b>76 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, C & E: Page 218-219

## 5OR52TW

Textured White Finish • Textured White Blades  
shown with **MC37TW** Fitter  
& **G826** Glass (each sold separately)



**BLADES** Available options for this collection

42" Classic Blade: Page 212

52" Standard Blade: Page 214-215

Fan Specifications: Page 232, Accessories: Page 220-224



# VERA CRUZ

Whatever the mood, whatever the décor - the choice is yours to make.

**Fan Body / Housing & Blades are sold separately**

## 5VCBK

Matte Black Finish Fan Body / Housing  
shown with **MC5B226** Black Palmetto ABS Blade  
(sold separately)



### Vera Cruz Fan Body / Housing Choices

- > **BK** Matte Black      **FB** Florentine Bronze
- > **OC** Old Chicago    **RB** Roman Bronze

188 x 25 mm Motor • 16° - 22° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 15.5" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC192. Flush Height: 13"

### Blade Choices:

52" Cut Back Blade: Page 82

52" Bamboo Sail Blade: Page 82

52" Palm Leaf Carved Wood Blade: Page 82

52" Banana Leaf Carved Wood Blade: Page 82

56" Palmetto ABS Blade: Page 82

**Optional Remotes available:** Groups A, B, C, D & E: Page 218-219

## 5VCOC

Old Chicago Finish Fan Body / Housing  
shown with **VC5B08** Cocoa Angle Rattan Cut Back Blade  
& **VCFBAND08** Cocoa Angle Rattan Fan Body Band  
(each sold separately)




### Available Fan Body Bands



**VCFBAND05**  
Natural Bamboo



**VCFBAND06**  
Cocoa Bamboo



**VCFBAND07**  
Natural Angle Rattan




**VCFBAND08**  
Cocoa Angle Rattan

**BLADE CHOICES** To view available options for this collection: Page 82

**Fan Specifications:** Page 232, **Accessories:** Page 220-224

> Indicates Finish Shown



**5VCFB**

Fan Body / Housing  
Florentine Bronze Finish  
shown with **VC5B07**  
Natural Angle Rattan Cut Back Blade  
(sold separately)



**5VCOG**

Fan Body / Housing  
Old Chicago Finish  
shown with **VC5B12** Southern Elm Palm Leaf Carved Wood Blade  
(sold separately)



# VERA CRUZ

The choices are plenty, the personality all your own!

Fan Body / Housing & Blades are sold separately

## Vera Cruz Fan Body / Housing Choices

**BK** Matte Black > **FB** Florentine Bronze

> **OC** Old Chicago **RB** Roman Bronze

188 x 25 mm Motor • 16° - 22° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 15.75" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC192. Flush Height: 13"

### Blade Choices:

52" Cut Back Blade: Page 82

52" Bamboo Sail Blade: Page 82

52" Palm Leaf Carved Wood Blade: Page 82

52" Banana Leaf Carved Wood Blade: Page 82

56" Palmetto ABS Blade: Page 82

Optional Remotes available: Groups A, B, C, D & E: Page 218-219



5VCOC

Fan Body / Housing

Old Chicago Finish

shown with **VC5B06** Cocoa Bamboo Sail Blade  
(sold separately)


## Available Fan Body Bands




**VCFBAND05**  
Natural Bamboo



**VCFBAND06**  
Cocoa Bamboo



**VCFBAND07**  
Natural Angle Rattan



**VCFBAND08**  
Cocoa Angle Rattan



**BLADE CHOICES** To view available options for this collection: Page 82

Fan Specifications: Page 232, Accessories: Page 220-224

> Indicates Finish Shown



**5VCBK**

Fan Body / Housing  
Matte Black Finish

shown with **MC5B226** Black Palmetto ABS Blade  
& **MC211BK** Light Kit (each sold separately)



**5VCFB**

Fan Body / Housing  
Florentine Bronze Finish

shown with **VC5B14** Mahogany Banana Leaf Carved Wood Blade  
(sold separately)

# VERA CRUZ

Create a look now; update & change it later.



## 5VCFB

Fan Body / Housing  
Florentine Bronze Finish  
shown with **VC5B05** Natural Bamboo Sail Blade  
(sold separately)

Fan Body / Housing & Blades are sold separately

### Vera Cruz Fan Body / Housing Choices

- > **BK** Matte Black
- > **FB** Florentine Bronze
- > **OC** Old Chicago
- > **RB** Roman Bronze

188 x 25 mm Motor • 16° - 22° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 15.75" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC192. Flush Height: 13"

### Blade Choices:

52" Cut Back Blade: Page 82

52" Bamboo Sail Blade: Page 82

52" Palm Leaf Carved Wood Blade: Page 82

52" Banana Leaf Carved Wood Blade: Page 82

56" Palmetto ABS Blade: Page 82

**Optional Remotes available:** Groups A, B, C, D & E: Page 218-219




## 5VCRB

Fan Body / Housing  
Roman Bronze Finish  
shown with **MC5B223**  
Mahogany Palmetto ABS Blade  
(sold separately)


### Available Fan Body Bands (sold separately)




**VCFBAND05**  
Natural Bamboo



**VCFBAND06**  
Cocoa Bamboo



**VCFBAND07**  
Natural Angle Rattan



**VCFBAND08**  
Cocoa Angle Rattan



**BLADE CHOICES** To view available options for this collection: Page 82

**Fan Specifications:** Page 232, **Accessories:** Page 220-224

> Indicates Finish Shown

# VERA CRUZ BLADES

## 56" Palmetto ABS Blade

Compatible with: Vera Cruz Fans.



**MC5B223**  
Mahogany ABS



**MC5B224**  
Cypress ABS



**MC5B225**  
Southern Elm ABS



**MC5B226**  
Black ABS

## 52" Banana Leaf Carved Wood Blade

Compatible with: Vera Cruz Fans.



**VC5B14**  
Mahogany



**VC5B15**  
Southern Elm



**VC5B16**  
Cypress

## 52" Bamboo Sail Blade

Compatible with: Vera Cruz Fans.



**VC5B05**  
Natural Bamboo



**VC5B06**  
Cocoa Bamboo

## 52" Palm Leaf Carved Wood Blade

Compatible with: Vera Cruz Fans.



**VC5B11**  
Cypress



**VC5B12**  
Southern Elm



**VC5B13**  
Mahogany

## 52" Cut Back Blade

Compatible with: Vera Cruz Fans.



**VC5B07**  
Natural Angle Rattan



**VC5B08**  
Cocoa Angle Rattan

# BALLOON

A thematic design that adds a touch of whimsy, color and light to a room.

## 44" Balloon

153 x 10 mm Motor • 12° blade pitch  
Integrated Light Kit: 3 (Candelabra) 40w (included)  
Height of Fan: 19" • Minimum Ceiling Height: 8'  
Flush Mount: Canopy Included. Flush Height: 15"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>3,425 CFM</b>	<b>44 watts</b> (excludes lights)	<b>77 CFM/watt</b>

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approx. 71 - 86 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, C & E: Page 218-219

## 4BN44WHD

White Finish

Red / Orange / Blue / Yellow Blades

# Contemporary

It's about "today".

Perhaps influenced by other times but wholly owned today. What influences your sense of style, today? Clean lines, geometric shapes; design that evokes conservation, excitement and says something about a space, and those who occupy it.



**Style is an expression of individualism mixed with charisma.**

Today's style





express yourself ...





# EXPLORER

Organic design details and Extreme Green technology deliver ultra efficiency, savings and superior performance.



shown with finishing plate for use without light kit (included)

### 60" Explorer

165 x 18 mm DC Motor • 13° blade pitch  
 Light Kit Included: 3 (Candelabra) 40w (included)  
 Integrated Uplight: 6 (Candelabra) 15w (included)  
 Height of Fan: 24.125" • Minimum Ceiling Height: 8.5'

**Energy Information at High Speed:**

Airflow	Electricity Use	Airflow Efficiency
<b>6,208 CFM</b>	<b>28 watts</b> (excludes lights)	<b>221 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
 Money Saving Tip: Turn off fan when leaving room.



**Wall Remote Included with Reverse and Up / Down Light Features**

**5EXR60BSD**  
 Brushed Steel Finish • Silver Blades  
 Frosted White Glass





# VERSIO

More than meets the eye. This modern design benefits the future with its Extreme Green 300% more energy efficient motor.

## 5VSR60RID

Roman & Iberian Bronze Finish  
Roman Bronze Blades  
Champagne Scavo Glass (not shown)  
shown with finishing plate  
for use without light kit (included)

## 60" Versio

165 x 25 DC mm Motor • 13° blade pitch  
Light Kit Included: 3 (Candelabra) 40w (included)  
Height of Fan: 20.625" • Minimum Ceiling Height: 8'


### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,646 CFM</b>	<b>12 watts</b> (excludes lights)	<b>384 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Hand-Held  
with Reverse & Down Light Feature.



## 5VSR60BSD

Brushed Steel Finish • Silver Blades  
Acid Frosted Glass



# SKYWARD

A work of art that dances on a breeze with every turn.

## 60" Skyward

153 x 20 mm Motor • 10° blade pitch

Integrated Light Kit: 1 (CFL Edison Base) 22w (included)

Height of Fan: 17.25" • Minimum Ceiling Height: 8'


### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,293 CFM</b>	<b>68 watts</b> (excludes lights)	<b>78 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Down Light Feature.



### 3SDR60BSD

Brushed Steel Finish • Walnut Veneer Blades  
Matte Opal Glass

# MATRIX

A clean “transitional” design from loft space to retreat.

## 54” Matrix

188 x 20 mm Motor • 13° blade pitch  
Integrated Light Kit: 2 (Halogen) 50w (included)  
Accent Uplight: 4 (Candelabra) 40w (included)  
Height of Fan: 18.25” • Minimum Ceiling Height: 8’

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,771 CFM</b>	<b>74 watts</b> (excludes lights)	<b>78 CFM/watt</b>

Compare: 49” to 60” ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.

## 5MMR54BSD

Brushed Steel Finish • Mahogany Blades  
Matte Opal Glass



**3SU54BP**

Brushed Pewter Finish • Brushed Pewter Curved Metal Blades  
shown with **MC18BP** Light Kit (sold separately)



ENERGY STAR® Qualified  
(without light kit)



**3SU54RB**

Roman Bronze Finish • Roman Bronze Curved Metal Blades



ENERGY STAR® Qualified

# STUDIO

A sleek, unadorned design, classic modern for home or office.

## 54" Studio

188 x 22 mm Motor • 10° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 14.875" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>7,962 CFM</b>	<b>92 watts</b> (excludes lights)	<b>87 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

## 3SU54WH

White Finish • White Curved Metal Blades



ENERGY STAR® Qualified

Optional Remotes available: Groups A, B, C, D & E: Page 218-219

## 3SU54BK

Matte Black Finish • Matte Black Curved Metal Blades



ENERGY STAR® Qualified

# TRIOS

As interesting on as it is off, this unique three blade design has the future in its sights.

## 52" Trios

188 x 25 mm Motor • 13° blade pitch

Integrated Light Kit: 3 (Candelabra) 40w (included)

Height of Fan: 15.5" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,669 CFM</b>	<b>63 watts</b> (excludes lights)	<b>72 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Down Light Feature.

### 3TSR52TID

Titanium ABS Finish  
Titanium ABS Blades  
Matte Opal Glass

### 3TSR52WHD

White ABS Finish • White ABS Blades  
Matte Opal Glass



# APEX

Modernist detailing – structural, clean and inspired.



shown with finishing plate  
for use without light kit (included)

## 52" Apex

153 x 18 mm Motor • 15° blade pitch

Light Kit Included: 3 (Candelabra) 60w (included)

Height of Fan: 21" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC90. Flush Height: 15"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,637 CFM</b>	<b>64 watts</b> (excludes lights)	<b>88 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount  
with Down Light Feature.

## 3AXR52BS3

Brushed Steel Finish • Silver Blades  
Matte Opal Glass



# MANHATTAN

Uptown meets cool downtown, blending industrial textures against warm mahogany and gentle curves.

## 52" Manhattan

188 x 25 mm Motor • 10° blade pitch

Integrated Light Kit: 2 (Halogen) 50w (included)

Height of Fan: 14.5" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,748 CFM</b>	<b>64 watts</b> (excludes lights)	<b>74 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Down Light Feature.



shown with finishing plate for use without light kit (included)



## 5MAR52BSD

Brushed Steel Finish • Curved Mahogany Veneer Blades  
Matte Opal Glass

# MACH ONE

A design for today with an eye on the future.

## 52" Mach One

172 x 20 mm Motor • 13° blade pitch

Integrated Light Kit: 1 (Halogen) 75w (included)

Height of Fan: 14.75" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC90. Flush Height: 10.25"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,873 CFM</b>	<b>71 watts</b> (excludes lights)	<b>83 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Manual Reverse & Down Light Feature.

### 3MO52TMO

Titanium ABS Finish • Titanium ABS Blades  
Matte Opal Glass



### 3MO52BGO

Gloss Black Finish • Gloss Black ABS Blades  
Matte Opal Glass



### 3MO52WHO

White ABS Finish • White ABS Blades  
Matte Opal Glass



# GEMINI

Hip, fun, sleek and chic !

## 52" Gemini

172 x 20 mm Motor • 13° blade pitch

Integrated Light Kit: 2 (Halogen) 50w (included)

Integrated Uplight: 4 (Candelabra) 25w (included)

Height of Fan: 15.25" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,518 CFM</b>	<b>69 watts</b> (excludes lights)	<b>80 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.



**5GMR52BSD**

Brushed Steel Finish • Mahogany Blades

Matte Opal Glass

# STAR-TECH

Reflecting a life less ordinary.  
An inspired combination of architecture, engineering & sculpture.



shown with finishing plate for use without light kit (included)

## 52" Star-Tech

188 x 25 mm Motor • 20° blade pitch  
Height of Fan: 20.25" • Minimum Ceiling Height: 8'  
Flush Mount: Order Canopy MC192. Flush Height: 15.25"

### Energy Information at High Speed:


Airflow	Electricity Use	Airflow Efficiency
<b>3,378 CFM</b>	<b>108 watts</b> (excludes lights)	<b>31 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Down Light Feature.

### SIDE VIEW



## MC147 Light Kit

Brushed Steel Finish • Frosted Glass  
7.875"h x 16"w  
Wattage: 3 (Halogen) 50w (included)  
Compatible with Star-Tech fan only (sold separately)



## 5STR52BS

Brushed Steel Finish  
Mahogany Veneer Blades  
shown with MC147 Light Kit  
(sold separately)



# SLEEK

Modern design for sophisticated tastes.

## 52" Sleek

153 x 18 mm Motor • 12° blade pitch

Integrated Light Kit: 1 (Fluorescent) 40w (included)

Height of Fan: 15" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC90. Flush Height: 11.25"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,871 CFM</b>	<b>64 watts</b> (excludes lights)	<b>92 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Down Light Feature.



### 5SLR52WHD

White Finish • White Blades  
Matte Opal Glass



### 5SLR52BSD

Brushed Steel Finish • Silver Blades  
Matte Opal Glass



### 5SLR52RBD

Roman Bronze Finish • Roman Bronze Blades  
Graduated Amber Glass



**5DI52WHD**  
White Finish • White Blades  
Matte Opal Glass



**5DI52BSD**  
Brushed Steel Finish • Silver Blades  
Matte Opal Glass



**5DI52RBD**  
Roman Bronze Finish • Roman Bronze Blades  
Graduated Amber Glass



# DISCUS

Modern Minimalism.

## 52" Discus

153 x 18 mm Motor • 12° blade pitch

Integrated Light Kit: 1 (Halogen) 75w (included)

Height of Fan: 17.125" • Minimum Ceiling Height: 8'

Flush Mount: Canopy included. Flush Height: 11.75"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,209 CFM</b>	<b>64 watts</b> (excludes lights)	<b>81 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, C & E: Page 218-219



### 5DI52BKD

Matte Black Finish • Matte Black Blades  
Matte Opal Glass



### 5DI52BRD

British Bronze Finish • American Walnut Blades  
Graduated Amber Glass



Murray Feiss  
coordinating finish

# DISCUS II

Sleek design – perfect for turning average ceilings into extraordinary.

## 52" Discus II

153 x 18 mm Motor • 12° blade pitch

Integrated Light Kit: 1 (Halogen) 75w (included)

Height of Fan: 11.5" • Minimum Ceiling Height: 7.5'

Includes plugs to hide pull chains when using optional wall or remote controls.

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,599 CFM</b>	<b>58 watts</b> (excludes lights)	<b>80 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups A, C & E: Page 218-219

## 5DT52RBD

Roman Bronze Finish

Roman Bronze Blades

Graduated Amber Glass (not shown)

shown with finishing plate for use

without light kit (included)

## 5DT52WHD

White Finish • White Blades

Matte Opal Glass

## 5DT52BRD

British Bronze Finish • American Walnut Blades

Graduated Amber Glass



Murray Feiss  
coordinating finish

## 5DT52BSD

Brushed Steel Finish • Silver Blades

Matte Opal Glass

# CENTRIFICA

Two looks in one creates a distinctive conversation piece. Fan blades fold when off and open with centrifugal force.



shown with blades  
in folded / off position

## 52" Centrifica

188 x 20 mm Motor • 15° blade pitch  
Integrated Light Kit: 1 (Halogen) 100w (included)  
Height of Fan: 20.5" • Minimum Ceiling Height: 8'  
Flush Mount: Canopy Included. Flush Height: 17"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>6,838 CFM</b>	<b>87 watts</b> (excludes lights)	<b>79 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount  
with Reverse & Down Light Feature.



## 5CNR52BSD

Brushed Steel Finish • Silver Blades  
Matte Opal Glass  
shown with blades in open / on position



## 5CNR52WHD

White Finish • White Blades  
Matte Opal Glass  
shown with blades in open / on position

# ORBIT

The future is now. Style and comfort for any room.

## 52" Orbit

188 x 22 mm Motor • 13° blade pitch

Light Kit Included: 1 (Halogen) 100w (included)

Integrated Uplight: 4 (Candelabra) 25w (included)

Height of Fan: 17.5" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,084 CFM</b>	<b>65 watts</b> (excludes lights)	<b>78 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.



shown with finishing plate for use without light kit (included)



### 5OBR52BSD

Brushed Steel Finish • Mahogany Blades

Matte Opal Glass

# AIRLIFT

When imagination, design and engineering combine forces; the result is extraordinary.

## 44" Airlift

188 x 15 mm Motor • 22° blade pitch  
 Integrated Light Kit: 1 (Halogen) 100w (included)  
 Integrated Uplight: 4 (Candelabra) 15w (included)  
 Height of Fan: 26" • Minimum Ceiling Height: 8.5'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,449 CFM</b>	<b>83 watts</b> (excludes lights)	<b>66 CFM/watt</b>


Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approx. 71 - 86 CFM/watt at high speed.  
 Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.



Centrifugal force creates the lift and the breeze.



## 8ATR44BSD

Brushed Steel Finish • Clear Frost Polycarbonate Blades  
 Matte Opal Glass

# VERSIO II

Smaller spaces deserve big style, too.

## 44" Versio

153 x 12 mm Motor • 12° blade pitch

Light Kit included: 2 (Candelabra) 60w (included)

Height of Fan: 20.5" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC90. Flush Height: 16.375"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>2,890 CFM</b>	<b>43 watts</b> (excludes lights)	<b>68 CFM/watt</b>

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approx. 71 - 86 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount  
with Reverse & Down Light Feature.



### 5VSR44BSD

Brushed Steel Finish • Silver Blades  
Acid Frosted Glass (not shown)  
shown with finishing plate  
for use without light kit (included)



### 5VSR44RID

Roman & Iberian Bronze Finish • Roman Bronze Blades  
Champagne Scavo Glass

# MACH TWO

An aerodynamic style in a compact, 38" form.

## 38" Mach Two

172 x 14 mm Motor • 13° blade pitch

Integrated Light Kit: 1 (Halogen) 75w (included)

Height of Fan: 15" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC90. Flush Height: 10.5"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>3,973 CFM</b>	<b>61 watts</b> (excludes lights)	<b>65 CFM/watt</b>

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approx. 71 - 86 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Down Light Feature.

## 3MTR38TMO

Titanium ABS Finish • Titanium ABS Blades

Matte Opal Glass

## 3MTR38WHO

White ABS Finish • White ABS Blades

Matte Opal Glass

When  
you invite  
people  
to your  
home, you  
invite them  
to yourself.



Classic styling, timeless design. Home classics complement the décor and activities of a room and environment. Details that won't overshadow, yet speak to an eye for quality.

# home classics

Timeless design.







for how  
you live ...





**5CO66WH**

White Finish • White Blades  
shown with **MC202** Light Kit (sold separately)



**5CO66BR**

British Bronze Finish • American Walnut Blades



Murray Feiss  
coordinating finish



**5CO66RB**

Roman Bronze Finish • Roman Bronze Blades  
shown with **MC200** Light Kit (sold separately)

# COLONY GRAND

The details are in the scale and motor quality - all adding up to comfort for larger spaces.



**5CO66TB**  
Tuscan Bronze Finish • Mahogany Blades

## 66" Colony Grand

Extra Heavy Duty 212 x 25 mm Motor • 14° blade pitch

Light Kit Choices: Pages 183-205

Height of Fan: 14.5" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC192. Flush Height: 11"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>8836 CFM</b>	<b>70 watts</b> (excludes lights)	<b>112 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups B, C, D & F: Page 218-219



**5CO66BS**  
Brushed Steel Finish • Silver Blades

### BLADES Available options for this collection

52", 60" Tropical Leaf Carved Wood Blade: Page 210

52", 66" Furniture Style Carved Wood Blade: Page 208-209

66" Classic Blade: Page 212

Fan Specifications: Page 232, Accessories: Page 220-224



**5DCR60TB**

Tuscan Bronze Finish • Mahogany Blades



ENERGY STAR® Qualified



**5DCR60IB**

Iberian Bronze Finish • American Walnut Blades  
shown with **MC200** Light Kit (sold separately)



ENERGY STAR® Qualified  
(without light kit)



**5DCR60RB**

Roman Bronze Finish • Roman Bronze Blades



ENERGY STAR® Qualified

# DC60

Revolutionary innovation and technology come together in the most energy efficient ceiling fan. The savings can only be described as Extreme Green!



## 5DCR60EP

English Pewter Finish • Mahogany Blades



ENERGY STAR® Qualified

## 60" DC60

165 x 18 mm Motor • 14° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 19.375" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
5,519 CFM	29 watts (excludes lights)	194 CFM/watt

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Hand-held with

LCD Display, Reverse & Light Control feature.



## 5DCR60BR

British Bronze Finish • American Walnut Blades



Murray Feiss  
coordinating finish



ENERGY STAR® Qualified



**5GP60RB**

Roman Bronze Finish • Teak Blades



ENERGY STAR® Qualified



**5GP60BS**


Brushed Steel Finish • Mahogany Blades



ENERGY STAR® Qualified

# GRAND PRIX

Our 60" blades deliver a cooling breeze perfect for any great room.



## 5GP60WH

White Finish • White Blades



ENERGY STAR® Qualified

## 60" Grand Prix

Extra Heavy Duty 212 x 25 mm Motor • 14° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 17" • Minimum Ceiling Height: 8'

Flush Mount: Order MC192. Flush Height: 12.675"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>9,691 CFM</b>	<b>109 watts</b> (excludes lights)	<b>89 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups B, C, D & F: Page 218-219



## 5GP60TB

Tuscan Bronze Finish • Mahogany Blades



ENERGY STAR® Qualified



**BLADES** Available options for this collection (Optional Blades negate ENERGY STAR® labeling.)

Optional blades negate Energy Star® Labeling

44" Classic Blade: Page 212

52" Standard Blade: Page 214-215

52" Furniture Style Carved Wood Blade: Page 208-209

52", 60" Tropical Leaf Carved Wood Blade: Page 210

**Fan Specifications:** Page 232, **Accessories:** Page 220-224



**5MXBR**

British Bronze Finish  
shown with **MC5B101** Mahogany Veneer Blade  
& **MC219** Light Kit (each sold separately)



Murray Feiss  
coordinating finish



**5MXOC**

Old Chicago Finish  
shown with **MC5B96** Walnut Veneer Blade  
(sold separately)



# MAXIMA

The most stylish of finishes and blade options are coupled with one powerful motor, the results are AWESOME.

**Fan Body / Housing & Blades are sold separately**

## Maxima Body / Housing Choices

- > **BP** Brushed Pewter
- > **BR** British Bronze
- > **BS** Brushed Steel
- > **FB** Florentine Bronze
- > **OC** Old Chicago
- > **RB** Roman Bronze
- > **TB** Tuscan Bronze
- > **TW** Textttured White

Extra Heavy Duty 212 x 25 mm Motor • 14° blade pitch  
Light Kit Choices: Pages 183 - 205

Height of Fan: 17.75" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC192. Flush Height: 12.75"

## Blade Choices:

54", 60", 72" Traditional Blade: Page 213

60", 72" Furniture Style Carved Wood Blade: Page 208-209

72" Scalloped Leaf Carved Wood Blade: Page 211

72" Sea Grass Woven Blade: Page 211

## Energy Information at High Speed for 54" & 60" Blades:

Airflow	Electricity Use	Airflow Efficiency
<b>8,318 CFM</b>	<b>89 watts</b> (excludes lights)	<b>94 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups B, C, D & F: Page 218-219



### 5MXBP

Brushed Pewter Finish  
shown with **MC5B96** Walnut Veneer Blades  
(sold separately)



### 5MXFB


Florentine Bronze Finish  
shown with **MC5B117** Cocoa Sea Grass Woven Blades  
(sold separately)



**BLADE CHOICES** To view available options for this collection: Page Page 208-209,211,213

**Fan Specifications:** Page 232, **Accessories:** Page 220-224

> Indicates Finish Shown



**5MXBS**

Brushed Steel Finish  
shown with **MC5B119** Natural Sea Grass Woven Blades  
(sold separately)



**5MXTW**

Textured White Finish  
shown with **MC5B112** Matte White Blades  
(sold separately)

# MAXIMA

Who thinks of engineering when the fan looks so good...  
but here it is, beauty and brawn.

**Fan Body / Housing & Blades are sold separately**

## Maxima Body / Housing Choices

- BP** Brushed Pewter      **BR** British Bronze
- > BS** Brushed Steel      **FB** Florentine Bronze
- OC** Old Chicago      **> RB** Roman Bronze
- > TB** Tuscan Bronze      **> TW** Textttured White

Heavy Duty 212 x 25 mm Motor • 14° blade pitch  
Light Kit Choices: Pages 183 - 205  
Height of Fan: 17.75" • Minimum Ceiling Height: 8'  
Flush Mount: Order Canopy MC192. Flush Height: 12.75"  
**Blade Choices:**

- 54", 60", 72" Traditional Blade: Page 213
- 60", 72" Furniture Style Carved Wood Blade: Page 208-209
- 72" Scalloped Leaf Carved Wood Blade: Page 211
- 72" Sea Grass Woven Blade: Page 211

### Energy Information at High Speed for 54" & 60" Blades:

Airflow	Electricity Use	Airflow Efficiency
<b>8,318 CFM</b>	<b>89 watts</b> (excludes lights)	<b>94 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups B, C, D & F: Page 218-219



**5MXRB**  
Roman Bronze Finish  
shown with **MC5B95** Pecan Blades  
(sold separately)



**5MXTB**  
Tuscan Bronze Finish  
shown with **MC5B120** Black Cherry Sea Grass Woven Blades  
(sold separately)



**BLADE CHOICES** To view available options for this collection: Page Page 208-209,211,213

**Fan Specifications:** Page 232, **Accessories:** Page 220-224

**>** Indicates Finish Shown



# AVANTI

Energy efficient never looked, or felt so good.

## 52" Avanti

162 x 18 mm DC Motor • 18° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 16" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,323 CFM</b>	<b>22 watts</b> (excludes lights)	<b>248 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



### 5AV52BS

Brushed Steel Finish • Silver Blades  
shown with **MC181BS** Light Kit (sold separately)



ENERGY STAR® Qualified  
(without light kit)



### 5AV52BK

Matte Black Finish • Matte Black Blades



ENERGY STAR® Qualified



### 5AV52TB

Tuscan Bronze Finish • Mahogany Blades  
shown with **MC216** Light Kit (sold separately)



ENERGY STAR® Qualified  
(without light kit)





**5AV52BR**

British Bronze Finish • American Walnut Blades



Murray Feiss  
 coordinating finish



ENERGY STAR® Qualified



**5AV52BP**

Brushed Pewter Finish • Silver Blades



ENERGY STAR® Qualified



**5AV52RB**

Roman Bronze Finish • American Walnut Blades  
 shown with **MC209** Light Kit (sold separately)



ENERGY STAR® Qualified  
 (without light kit)

# AVANTI

Two ways to save green – that’s right, the environment and your hard earned cash!



## 52" Avanti

162 x 18 mm DC Motor • 18° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 16" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,323 CFM</b>	<b>22 watts</b> (excludes lights)	<b>248 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

## 5AV52EP

English Pewter Finish • American Walnut Blades shown with MC174 Light Kit (sold separately)



ENERGY STAR® Qualified  
(without light kit)



## 5AV52WH

White Finish • White Blades



ENERGY STAR® Qualified



## 5AV52IB

Iberian Bronze Finish • American Walnut Blades



ENERGY STAR® Qualified



**5DCR52IB**

Iberian Bronze Finish • American Walnut Blades



ENERGY STAR® Qualified



**5DCR52TB**

Tuscan Bronze Finish • Mahogany Blades



ENERGY STAR® Qualified



**5DCR52EP**

English Pewter Finish • Mahogany Blades



ENERGY STAR® Qualified



# DC52

Exceptional DC motor creates energy differently and more efficiently than a standard AC motor.  
Savings for you and the environment.

## 52" DC52

165 x 18 mm DC Motor • 18° blade pitch  
Light Kit Choices: Pages 183 - 205  
Height of Fan: 16.5" • Minimum Ceiling Height: 8'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,801 CFM</b>	<b>28 watts</b> (excludes lights)	<b>209 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Hand-held with LCD Display, Reverse & Light Control feature.



## 5DCR52BR

British Bronze Finish • American Walnut Blades  
shown with **MC173** Light Kit (sold separately)



Murray Feiss  
coordinating finish



ENERGY STAR® Qualified  
(without light kit)



## 5DCR52WH

White Finish • White Blades



ENERGY STAR® Qualified



## 5DCR52RB

Roman Bronze Finish • American Walnut Blades



ENERGY STAR® Qualified



**5LCR52IB**  
Iberian Bronze Finish • American Walnut Blades



**5LCR52TW**  
Textured White Finish • Matte White  
Blades

# LIGHT CAST

Make no mistake – this design is anything but ordinary with its integrated up-light feature.

## 52" Light Cast

172 x 14 mm Motor • 13° blade pitch  
 Accent Uplight Included • 4 (Candelabra) 15w (Included)  
 Light Kit Choices: Pages 183 - 205  
 Height of Fan: 13.625" • Minimum Ceiling Height: 8"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,825 CFM</b>	<b>62 watts</b> (excludes lights)	<b>78 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
 Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.



**5LCR52RB**  
 Roman Bronze Finish • Teak Blades

**5LCR52BS**  
 Brushed Steel Finish • Mahogany Blades  
 shown with **MC113** Light Kit  
 & **MC97BS** Bowl Cap  
 (each sold separately)



### BLADES Available options for this collection

- 44" Classic Blade: Page 212
- 52" Standard Blade: Page 214-215
- 52", Furniture Style Carved Wood Blade: Page 208-209
- 52" Tropical Leaf Carved Wood Blade: Page 210



**5DS52BS**

Brushed Steel Finish • Mahogany Blades  
shown with **MC18BS** Light Kit  
(sold separately)



**5DS52SO**

Sicilian Stone Finish  
Distressed Walnut (shown) / Sicilian Stone Blades



**5DS52BP**

Brushed Pewter Finish • Natural Maple Blades



**5DS52IS**

Irish Slate Finish  
Distressed Cherry (shown) / Irish Slate Blades

# DESIGNER SUPREME

The underlying claim to style is in the accessories you select.

## 5DS52WH

White Finish  
White (shown) / Country Pine Blades



## 52" Designer Supreme

172 x 14 mm Motor • 13° blade pitch  
Light Kit Choices: Pages 183-205  
Height of Fan: 13.375" • Minimum Ceiling Height: 8'  
Flush Mount: Order Canopy MC90. Flush Height: 10"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,066 CFM</b>	<b>68 watts</b> (excludes lights)	<b>75 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups A, B, C, D & E: Page 218-219

## 5DS52WI

Weathered Iron Finish • Distressed Pine Blades  
shown with MC116WI Light Kit  
(sold separately)



### BLADES Available options for this collection

- 44" Classic Blade: Page 212
- 52" Standard Blade: Page 214-215
- 52", Furniture Style Carved Wood Blade: Page 208-209
- 52" Tropical Leaf Carved Wood Blade: Page 210

Fan Specifications: Page 232, Accessories: Page 220-224

# DESIGNER SUPREME

A broad selection to complement any décor.

## 52" Designer Supreme

172 x 14 mm Motor • 13° blade pitch

Light Kit Choices: Pages 183-205

Height of Fan: 13.375" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC90. Flush Height: 10"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,066 CFM</b>	<b>68 watts</b> (excludes lights)	<b>75 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, B, C, D & E: Page 218-219



### 5DS52TB

Tuscan Bronze Finish • Mahogany Blades  
shown with **MC21TB** Light Kit  
(sold separately)



### 5DS52TW

Textured White Finish • Matte White Blades



### 5DS52RB

Roman Bronze Finish • Teak Blades



### 5DS52BK

Matte Black Finish • Matte Black Blades



### BLADES Available options for this collection

44" Classic Blade: Page 212

52" Standard Blade: Page 214-215

52", Furniture Style Carved Wood Blade: Page 208-209

52" Tropical Leaf Carved Wood Blade: Page 210

# COLONY

Understated design with rolled edges, the heart of soft-contemporary.



shown with  
**MC173** Light Kit  
(sold separately)



ENERGY STAR® Qualified  
(without light kit)

## 52" Colony

153 x 18 mm Motor • 12° blade pitch

Light Kit Choices: Pages 183-205

Height of Fan: 14.5" • Minimum Ceiling Height: 8'

Flush Mount: Canopy included. Flush Height: 9.875"

### Energy Information at High Speed for 52" Blades:

Airflow	Electricity Use	Airflow Efficiency
<b>5,909 CFM</b>	<b>64 watts</b> (excludes lights)	<b>92 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups A, B, C, D & E: Page 218-219



## 5CO52RB

Roman Bronze Finish • Teak Blades



ENERGY STAR® Qualified

**BLADES** Available options for this collection (Optional Blades negate ENERGY STAR® labeling.)

44" Classic Blade: Page 212

52" Standard Blade: Page 214-215

52", Furniture Style Carved Wood Blade: Page 208-209

52" Tropical Leaf Carved Wood Blade: Page 210

**Fan Specifications:** Page 232, **Accessories:** Page 220-224



**5CO52BS**

Brushed Steel Finish • Mahogany Blades



ENERGY STAR® Qualified

**5CO52BK**

Matte Black Finish • Matte Black Blades



ENERGY STAR® Qualified



**5CO52BR**

British Bronze Finish • American Walnut Blades



Murray Feiss  
coordinating finish



ENERGY STAR® Qualified





**5CO52CB**  
Corinthian Bronze Finish • Western Walnut Blades



Murray Feiss  
coordinating finish



ENERGY STAR® Qualified

# COLONY

Minimal design brings by comfort to any setting.

## 52" Colony

153 x 18 mm Motor • 12° blade pitch

Light Kit Choices: Pages 183-205

Height of Fan: 14.5" • Minimum Ceiling Height: 8'

Flush Mount: Canopy included. Flush Height: 9.875"

### Energy Information at High Speed for 52" Blades:

Airflow	Electricity Use	Airflow Efficiency
<b>5,909 CFM</b>	<b>64 watts</b> (excludes lights)	<b>92 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups A, B, C, D & E: Page 218-219



**5CO52WH**  
White Finish • White Blades



ENERGY STAR® Qualified



**5CO52TB**  
Tuscan Bronze Finish • Mahogany Blades



ENERGY STAR® Qualified



**BLADES** Available options for this collection (Optional Blades negate ENERGY STAR® labeling.)


44" Classic Blade: Page 212

52" Standard Blade: Page 214-215

52", Furniture Style Carved Wood Blade: Page 208-209

52" Tropical Leaf Carved Wood Blade: Page 210

**Fan Specifications:** Page 232, **Accessories:** Page 220-224



**5DH52TW**

Textured White Finish  
White (shown) / Country Pine Blades



**5DH52BP**

Brushed Pewter Finish • Natural Maple Blades

# DESIGNER HUGGER

A flush mount design for a lower profile.  
Perfect for rooms with lower ceilings.

## 52" Designer Hugger

172 x 14 mm Motor • 12° blade pitch

Light Kit Choices: Pages 183-205

Height of Fan: 9.5" • Minimum Ceiling Height: 7.5"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,839 CFM</b>	<b>69 watts</b> (excludes lights)	<b>70 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups A, B, C, D & E: Page 218-219



## 5DH52RB

Roman Bronze Finish • American Walnut Blades  
shown with MC174 Light Kit  
(sold separately)

### BLADES Available options for this collection

44" Classic Blade: Page 212

52" Standard Blade: Page 214-215

52", Furniture Style Carved Wood Blade: Page 208-209

52" Tropical Leaf Carved Wood Blade: Page 210

**Specifications:** Page 232, **Accessories:** Page 220-224



**5HS52CBD**

Corinthian Bronze Finish • Western Walnut Blades  
Champagne Scavo Glass



Murray Feiss  
coordinating finish



**5HS52WHD**

White Finish • White Blades  
White Faux Alabaster Glass



**5HS52BPD**

Brushed Pewter Finish • Natural Maple Blades  
White Faux Alabaster Glass



**5HS52TBS**

Tuscan Bronze Finish • Mahogany Blades  
Tea Stain Mission Glass

# HOMEOWNER'S DELUXE

Includes Designer selected light kit.  
Easy, breezy.



**5HS52TBD**  
Tuscan Bronze Finish • Mahogany Blades  
White Faux Alabaster Glass

## 52" Homeowner's Deluxe

153 x 14 mm Motor • 11° blade pitch  
Light Kit Included: 3 (Candelabra) 40w (included)  
Height of Fan: 19.375" • Minimum Ceiling Height: 8'  
Flush Mount: Canopy Included. Flush Height: 15.75"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,340 CFM</b>	<b>57 watts</b> (excludes lights)	<b>76 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups A, C & E: Page 218-219



**5HS52RBS**  
Roman Bronze Finish • Teak Blades  
Tea Stain Mission Glass



**5HS52RBD**  
Roman Bronze Finish • Teak Blades  
White Faux Alabaster Glass



**BLADES** Available options for this collection  
42" Classic Blade: Page 212  
52" Standard Blade: Page 214-215

**Fan Specifications:** Page 232, **Accessories:** Page 220-224



**5HS52CB**

Corinthian Bronze Finish • Western Walnut Blades



Murray Feiss  
coordinating finish



**5HS52OC**

Old Chicago Finish • Distressed Pine Blades  
shown with **MC590C** Light Kit  
(sold separately)



**5HS52WH**

White Finish • White Blades

# HOMEOWNER'S SELECT

Perhaps an inconspicuous design – but you'll love how all the details in the room get noticed.

## 52" Homeowner's Select

153 x 14 mm Motor • 11° blade pitch

Light Kit Choices. Page 183-205

Height of Fan: 12.75" • Minimum Ceiling Height: 8'

Flush Mount: Canopy Included. Flush Height: 9.25"

### Energy Information at High Speed:


Airflow	Electricity Use	Airflow Efficiency
<b>4,649 CFM</b>	<b>59 watts</b> (excludes lights)	<b>79 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, C & E: Page 218-219

## 5HS52IB

Iberian Bronze Finish  
American Walnut Blades



## 5HS52AB

Antique Brass Finish  
Walnut (shown) / Oak Blades



**BLADES** Available options for this collection

42" Classic Blade: Page 212

52" Standard Blade: Page 214-215

Fan Specifications: Page 232, Accessories: Page 220-224



**5HS52BP**

Brushed Pewter Finish  
Natural Maple (shown) / White Blades



**5HS52RB**

Roman Bronze Finish • Teak Blades



**5HS52PB**

Polished Brass Finish  
Oak / Walnut Blades (shown)  
shown with **H3PB** Fitter  
& **G885** Glass (each sold separately)



**5HS52BS**

Brushed Steel Finish • Mahogany Blades  
shown with **MC21BS** Light Kit  
(sold separately)



# HOMEOWNER'S SELECT

The restrained design lets your décor shine.

## 5HS52TW

Textured White Finish • Matte White Blades



## 52" Homeowner's Select

153 x 14 mm Motor • 11° blade pitch

Light Kit Choices. Page 183-205

Height of Fan: 12.875" • Minimum Ceiling Height: 7.5'

Flush Mount: Canopy Included. Flush Height: 9.375"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,649 CFM</b>	<b>59 watts</b> (excludes lights)	<b>79 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, C & E: Page 218-219



## 5HS52BK

Matte Black Finish • Matte Black Blades



**BLADES** Available options for this collection

42" Classic Blade: Page 212

52" Standard Blade: Page 214-215

Fan Specifications: Page 232, Accessories: Page 220-224



**5DS44BS**  
Brushed Steel Finish • Mahogany Blades



**5DS44WH**  
White Finish  
White (shown) / Country Pine Blades



**5DS44RB**  
Roman Bronze Finish • Teak Blades

# DESIGNER SUPREME II

Adding comfort on a breeze, no need to make a statement.

## 44" Designer Supreme II

172 x 14 mm Motor • 15° blade pitch

Light Kit Choices: Pages 183-205

Height of Fan: 13.375" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC90. Flush Height: 10.25"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,729 CFM</b>	<b>68 watts</b> (excludes lights)	<b>70 CFM/watt</b>

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approx. 71 - 86 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups A, B, C, D & E: Page 218-219



## 5DS44BP

Brushed Pewter Finish • Natural Maple Blades  
shown with **MC18BP** Light Kit  
(sold separately)

**BLADES** Available options for this collection

44" Classic Blade: Page 212

44" Designer Supreme II: Page 212

**Fan Specifications:** Page 232, **Accessories:** Page 220-224



**5HS42RB**

Roman Bronze Finish • American Walnut Blades



**5HS42WH**

White Finish • White Blades

# HOMEOWNER'S SELECT II

When comfort is a priority, this collection delivers with minimal intrusion.

## 42" Homeowner's Select II

153 x 12 mm Motor • 14° blade pitch

Light Kit Choices: Pages 183-205

Height of Fan: 13" • Minimum Ceiling Height: 7.5'


Flush Mount: Canopy Included. Flush Height: 9.5"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>3,900 CFM</b>	<b>57 watts</b> (excludes lights)	<b>69 CFM/watt</b>

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approx. 71 - 86 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, C & E: Page 218-219



**5HS42BP**

Brushed Pewter Finish • Natural Maple Blades



**5HS42OC**

Old Chicago Finish • Distressed Pine Blades

**BLADES** Available options for this collection  
42" Classic Blade: Page 212

Fan Specifications: Page 232, Accessories: Page 220-224

# petite mini

Limited space should never limit style or comfort.



## for small spaces

Find the complement to

your lifestyle and needs in

a size that fits with style.



small spaces ...  
big style.



flush mount installation  
shown with finishing plate for use  
without light kit & 42" blades (included)

**4VG42/28BRD**

British Bronze Finish • American Walnut Blades  
Champagne Scavo Glass  
shown with 28" blades (included)



Murray Feiss  
coordinating finish



# VILLAGER

A beautiful fan that boasts four personalities to complement any room, any need.



downrod installation  
shown with finishing plate for use  
without light kit & 28" blades (included)

## 42" / 28" Villager

153 x 12 mm Motor • 12° blade pitch  
Light Kit Included: 3 (Candelabra) 60w (included)  
Height of Fan: 20" • Minimum Ceiling Height: 8'  
Unique Design for Flush Mount installation  
(hardware included). Flush Height: 13.75"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>2,933 CFM</b>	<b>41 watts</b> (excludes lights)	<b>71 CFM/watt</b>

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approx. 71 - 86 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups A, C, & E: Page 218-219



## 4VG42/28TBD

Tuscan Bronze Finish  
American Walnut Blades  
Tea Stain Mission Glass  
flush mount installation  
shown with 42" blades (included)

# DESIGNER SUPREME III

This unassuming design delivers big comfort to smaller spaces.

## 34" Designer Supreme III

153 x 13 mm Motor • 18° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 12.625" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC90. Flush Height: 9.5"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>3,536 CFM</b>	<b>49 watts</b> (excludes lights)	<b>72 CFM/watt</b>

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approx. 71 - 86 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, B, C, D & E: Page 218-219



### 5DS34WH

White Finish  
White (shown) / Country Pine Blades  
shown with MC18WH Light Kit  
(sold separately)



### 5DS34BP

Brushed Pewter Finish  
Natural Maple Blades



### 5DS34RB

Roman Bronze Finish  
American Walnut Blades

# COLONY II

Comfort in any room, no matter the size.



shown with  
**H3BS** Fitter  
& **G826** Glass (each sold separately)

## 28" Colony II

153 x 12 mm Motor • 20° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 12.5" • Minimum Ceiling Height: 7.5'

Unique Design for Flush Mount installation  
(hardware included). Flush Height: 9"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>3,082 CFM</b>	<b>46 watts</b> (excludes lights)	<b>67 CFM/watt</b>

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approx. 71 - 86 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups A, B, C, D & E: Page 218-219

**4CO28BS**

Brushed Steel Finish • Mahogany Blades





**4CO28WH**  
White Finish • White Blades



**4CO28BP**  
Brushed Pewter Finish • Silver Blades



**4CO28BK**  
Matte Black Finish • Black Blades

# COLONY II

Small yet mighty. Add a comforting breeze to a small space.



shown with  
**MC189** Light Kit  
(sold separately)

## 28" Colony II

153 x 12 mm Motor • 20° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 12.5" • Minimum Ceiling Height: 7.5'

Unique Design for Flush Mount installation  
(hardware included). Flush Height: 9"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>3,082 CFM</b>	<b>46 watts</b> (excludes lights)	<b>67 CFM/watt</b>

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approx. 71 - 86 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups A, B, C, D & E: Page 218-219

## 4CO28RB

Roman Bronze Finish • Teak Blades





# MICRO 24

Perfect for closets, hallways, utility rooms and much more!



shown with  
**MC18BS** Light Kit  
(sold separately)

## 24" Micro 24

153 x 10 mm Motor • 14° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 13.25" • Minimum Ceiling Height: 8'

Unique Design for Flush Mount installation  
(hardware included). Flush Height: 10"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>1,807 CFM</b>	<b>41 watts</b> (excludes lights)	<b>45 CFM/watt</b>

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approx. 71 - 86 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups A, B, C & D: Page 218-219



## 3TF24BS

Brushed Steel Finish • Mahogany Blades



Listed for  
Damp Locations



## 3TF24RB

Roman Bronze Finish • Teak Blades



Listed for  
Damp Locations



## 3TF24WH


White Finish • White Blades  
Flush Mount Installation shown



Listed for  
Damp Locations



All art  
is an  
imitation  
of  
nature.



# indoor / outdoor

Mother Nature's work cannot be improved upon; but our outdoor ceiling fans can give complement and style to any outdoor setting.







create your  
beautiful  
day ...



**5CY60BR**

British Bronze Finish • American Walnut ABS with Grain Blades shown with **MC212** Light Kit (sold separately)



ENERGY STAR® Qualified (without light kit)



Murray Feiss coordinating finish



Listed for Wet Locations



**5CY60BK**

Matte Black Finish  
Matte Black ABS with Grain Blades



ENERGY STAR® Qualified



Listed for Wet Locations



**5CY60WH**

White Finish • White ABS with Grain Blades shown with **MC07PWH** Light Kit (sold separately)



ENERGY STAR® Qualified (without light kit)



Listed for Wet Locations

# CYCLONE

An outdoor collection built tough, yet pretty. A quality, high performance motor delivers comfort – no matter the conditions.



**5CY60RB**  
Roman Bronze Finish  
American Walnut ABS with Grain Blade



ENERGY STAR® Qualified



Listed for  
Wet Locations

## 60" Cyclone

Extra Heavy Duty 212 x 25 mm Motor • 13° blade pitch  
Light Kit Choices: Pages 183 - 205  
Height of Fan: 14" • Minimum Ceiling Height: 7.50"  
Flush Mount: Order Canopy, MC192. Flush Height: 11.625"

### Energy Information at High Speed:

Airflow <b>6,672 CFM</b>	Electricity Use <b>71 watts</b> (excludes lights)	Airflow Efficiency <b>94 CFM/watt</b>
-----------------------------	---	--

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups B, C, D & F: Page 218-219



## 5CY60OC

Old Chicago Finish • American Walnut ABS with Grain Blades shown with **MC890C** Light Kit (sold separately)



ENERGY STAR® Qualified  
(without light kit)



Listed for  
Wet Locations

**BLADES** Available option for Cyclone collection

**MC5B136**  
60" Cyclone Blade  
Roman Bronze ABS with Grain

Fan Specifications: Page 232, Accessories: Page 220-224



# PENINSULA

A great looking outdoor fan that delivers a sense of getting away from it all.

## 56" Peninsula

188 x 25 mm Motor • 14° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 14.25" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC192. Flush Height: 13.375"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>6,417 CFM</b>	<b>84 watts</b> (excludes lights)	<b>76 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups A, B, C, D & E: Page 218-219



### 5PE56NR

Roman Bronze Finish • Natural Woven Rattan Blades



ENERGY STAR® Qualified



Listed for Wet Locations

### 5PE56NO

Old Chicago Finish • Natural Woven Rattan Blades shown with **MC94OC** Light Kit (sold separately)



ENERGY STAR® Qualified (without light kit)



Listed for Wet Locations



**BLADES** Available options for this collection (Optional Blades negate ENERGY STAR® labeling.)  
56" Palmetto ABS Blade: Page 210

Fan Specifications: Page 232, Accessories: Page 220-242

# EDWARDIAN

Indoor style moves out. Create outdoor environments that compliment your life.

## 56" Edwardian

188 x 22 mm Motor • 13° blade pitch

Integrated Light Kit: 3 (Candelabra) 40w (included)

Height of Fan: 19.375" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC192. Flush Height: 15.875"

### Energy Information at High Speed:

Airflow <b>6,371 CFM</b>	Electricity Use <b>66 watts</b> (excludes lights)	Airflow Efficiency <b>96 CFM/watt</b>
-----------------------------	---	--

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, C & E: Page 218-219



## 5ED56WAD

Walnut Finish • Walnut ABS with Grain Blades  
English Scavo Glass



Murray Feiss  
coordinating design & finish



Listed for  
Wet Locations

# WOODCREST

Create beautiful living spaces indoors or out.

## 56" Woodcrest

188 x 25 mm Motor • 13° blade pitch  
Integrated Light Kit: 3 (Candelabra) 40w (included)  
Integrated Uplight: 4 (Candelabra) 25w (included)  
Height of Fan: 23.125" • Minimum Ceiling Height: 8.5'

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>6,864 CFM</b>	<b>75 watts</b> (excludes lights)	<b>91 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Up/Down Light Feature.



## 5WCR56RBD

Roman Bronze Finish • Teak ABS with Grain Blades  
Tea Stain Mission Glass



Listed for  
Damp Locations

# THE SHORES

Add light and a breeze to your outdoor living space. Soft, curved design offers three trend-setting finishes bringing style to the outdoors.

## 54" The Shores

188 x 25 mm Motor • 15° blade pitch  
 Light Kit Included: 2 (Fluorescent) 13w (included)  
 Height of Fan: 18.5" • Minimum Ceiling Height: 8"  
 Flush Mount: Order Canopy MC192. Flush Height: 16.25"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,865 CFM</b>	<b>85 watts</b> (excludes lights)	<b>58 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
 Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, B, C, D & E: Page 218-219



### 5SH54RBD

Roman Bronze Finish • Roman Bronze ABS with Grain Blades  
 Matte Opal Glass



Listed for  
 Wet Locations



### 5SH54WHD

White Finish • White ABS with Grain Blades  
 Matte Opal Glass



Listed for  
 Wet Locations



### 5SH54TID

Titanium Finish • Titanium ABS with Grain Blades  
 Matte Opal Glass



Listed for  
 Wet Locations



**BLADES** Available options for this collection  
 56" Palmetto ABS Blades: Page 210



# GRAND ISLE

Night or day; in or out; a true fashion statement.

## 54" Grand Isle

172 x 20 mm Motor • 13° blade pitch

Integrated Light Kit: 3 (Candelabra) 40w (included)

Height of Fan: 22.5" • Minimum Ceiling Height: 8"

Flush Mount: Order Canopy MC192. Flush Height: 18.625"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,760 CFM</b>	<b>72 watts</b> (excludes lights)	<b>160 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Down Light Feature.

## 5GIR54RBD

Roman Bronze Finish • Teak ABS with Grain Blades  
Tea Stain Mission Glass



Listed for  
Damp Locations



### 5VCOC

Old Chicago Finish Fan Body / Housing  
shown with **VCBFOC** Old Chicago Blade Frame  
& **VC5B01** Blue Canvas Blade Cover  
(sold separately)



Listed for  
Damp Locations

## ACCESSORIES

A unique “sail-cloth” blade and accessories lend a casual flair – mix and match your own look.  
Available options for Vera Cruz collection.

### Available Blade Covers



**VC5B01**  
52" Blade Cover  
Blue Canvas



**VC5B02**  
52" Blade Cover  
Tan Canvas



**VC5B03**  
52" Blade Cover  
White Canvas



**VC5B04**  
52" Blade Cover  
Green Canvas

# VERA CRUZ

Create your own look with exciting blade and accessory options. From casual to elegant.

Fan Body / Housing & Blades are sold separately

## 5VCOC

Old Chicago Finish Fan Body / Housing shown with **VCBFOC** Old Chicago Blade Frame & **VC5B02** Tan Canvas Blade Cover & **VCFBAND02** Tan Canvas Fan Body Band & **MC07OC** Light Kit (sold separately)



Listed for Damp Locations

## Vera Cruz Fan Body / Housing Choices

**BK** Matte Black    **FB** Florentine Bronze  
**>OC** Old Chicago    **RB** Roman Bronze  
 188 x 25 mm Motor • 16° - 22° blade pitch  
 Light Kit Choices: Pages 183 - 205  
 Height of Fan: 15.5" • Minimum Ceiling Height: 8'  
 Flush Mount: Order Canopy MC192. (outdoor) Flush Height: 13"  
 Flush Mount: Order Canopy MC90. (indoor) Flush Height: 11.625'

Canvas Blade Covers & Frames are sold separately

### Blade Cover Choices:

52" Canvas Blade Covers: see below

### Blade Frame Choices:

52" Blade Frames: see below

Optional Remotes available: Groups A, B, C, D & E: Page 218-219



## Available Blade Frames




**VCBFFB**  
52" Blade Frame  
Florentine Bronze




**VCBFOC**  
52" Blade Frame  
Old Chicago


## Available Fan Body Bands




**VCFBAND01**  
Blue Canvas



**VCFBAND02**  
Tan Canvas



**VCFBAND03**  
White Canvas



**VCFBAND04**  
Green Canvas

# YACHTSMAN

A design statement. Nautical details and teak wood take a classic tack.

## 52" Yachtsman

188 x 25 mm Motor • 14° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 19.75" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC192. Flush Height: 13.25"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>4,592 CFM</b>	<b>79 watts</b> (excludes lights)	<b>58 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, B, C, D & E: Page 218-219



## 5YM52RB

Roman Bronze Finish • Solid Dark Teak Blades  
shown with MC162RB Light Kit (sold separately)



Listed for  
Damp Locations

# LANDOVER

A fun design that adds interest to outdoor spaces.  
Like a beautiful outdoor lantern, with the added benefit of a comforting breeze.

## 52" Landover

172 x 17 mm Motor • 14° blade pitch  
Integrated Light Kit: 3 (Candelabra) 40w (included)  
Height of Fan: 16.75" • Minimum Ceiling Height: 8'  
Flush Mount: Order Canopy MC192. FLush Height: 13.125"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,020 CFM</b>	<b>68 watts</b> (excludes lights)	<b>74 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.



**Remote Included:** Combo Hand-Held/Wall Mount with Reverse & Down Light Feature.



## 5LNR52RBD

Roman Bronze Finish  
American Walnut ABS with Grain Blades  
Graduated Amber Glass



Listed for  
Damp Locations

## 5LNR52BRD

British Bronze Finish  
American Walnut ABS with Grain Blades  
Tea Stain Mission Glass



Murray Feiss  
coordinating finish



Listed for  
Damp Locations



# BAYSHORE

Design details as delicate as nature's own production.

## 52" Bayshore

188 x 25 mm Motor • 15° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 15.875" • Minimum Ceiling Height: 8"

Flush Mount: Order Canopy MC192. Flush Height: 12"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>6,697 CFM</b>	<b>71 watts</b> (excludes lights)	<b>94 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, B, C, D & E: Page 218-219



### 5BY52RB

Roman Bronze Finish

Teak ABS with Grain Blades



ENERGY STAR® Qualified



Listed for  
Wet Locations



### 5BY52WH

White Finish • White ABS with Grain Blades

shown with **MC89WH** Light Kit (sold separately)



ENERGY STAR® Qualified  
(without light kit)



Listed for  
Wet Locations

# WEATHERSTAR

Living spaces, whether indoors or out - style should never be compromised.



## 5WS52WHD

White Finish  
White ABS with Grain Blades  
Matte White Opal Glass  
shown as Flush Mount



Listed for  
Wet Locations

## 52" Weatherstar

153 x 18 mm Motor • 12° blade pitch  
Light Kit Included: 2 (Candelabra) 40w (included)  
Height of Fan: 19.875" • Minimum Ceiling Height: 8"  
Flush Mount: Canopy Included. Flush Height: 13.75"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,046 CFM</b>	<b>59 watts</b> (excludes lights)	<b>85 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, C & E: Page 218-219



## 5WS52RBD

Roman Bronze Finish  
Roman Bronze ABS with Grain Blades  
Tea Stain Mission Glass



Listed for  
Wet Locations



shown with  
finishing plate  
for use without light kit

**BLADES** Available options for Weatherstar collection

### MC5B227

44" Weatherstar Blade  
Roman Bronze ABS  
with Grain

### MC5B228

44" Weatherstar Blade  
White ABS  
with Grain

### MC5B229

44" Weatherstar Blade  
Roman Bronze ABS  
with Grain Palm Blade

### MC5B230

44" Weatherstar Blade  
White ABS  
with Grain Palm Blade

Fan Specifications: Page 225, 232, Accessories: Page 220-224



**5CZ52PWH**

White Finish • White ABS with Grain Blades



ENERGY STAR® Qualified



Listed for  
Wet Locations



**5CZ52RB**

Roman Bronze Finish • American Walnut ABS with Grain Blades



ENERGY STAR® Qualified



Listed for  
Wet Locations



# COZUMEL

A relaxing breeze, no matter the weather or season. Creating a breeze when there isn't one.



shown with  
MC217 Light Kit (sold separately)



ENERGY STAR® Qualified  
(without light kit)

## 52" Cozumel

172 x 14 mm Motor • 12° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 14.5" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC192. Flush Height: 12.5"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,552 CFM</b>	<b>69 watts</b> (excludes lights)	<b>80 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, B, C, D & E: Page 218-219



## 5CZ52PBK

Matte Black Finish • Matte Black ABS with Grain Blades



ENERGY STAR® Qualified



Listed for  
Wet Locations



BLADES Available options for Cozumel collection

## MC5B137

52" Cozumel Blade  
Roman Bronze ABS with Grain

Fan Specifications: Page 232, Accessories: Page 220-224



**5WF52BRD**

British Bronze Finish • American Walnut ABS with Grain Blades  
Matte Opal Glass



Murray Feiss  
coordinating finish



Listed for  
Wet Locations



**5WF52WHD**

White Finish • White ABS Blades  
Matte Opal Glass



Listed for  
Wet Locations



**5WF52RBD**

Roman Bronze Finish • American Walnut ABS with Grain Blades  
Matte Opal Glass



Listed for  
Wet Locations

# WEATHERFORD DELUXE®

Ready for Mother Nature. Day or night comfort that includes attractive light kit.

## 52" Weatherford Deluxe®

153 x 15 mm Motor • 12° blade pitch

Light Kit Included: 2 (Fluorescent) 13w bulbs (Included)

Height of Fan: 18.75" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC192. Flush Height: 16.75"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,058 CFM</b>	<b>61 watts</b> (excludes lights)	<b>84 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, C & E: Page 218-219



## 5WF52BKD

Black Finish • Black ABS with Grain Blades

Matte Opal Glass



Listed for  
Wet Locations

**BLADES** Available options for this collection  
52" Standard Blade: Page 214

**Bulb & Fan Specifications:** Page 225-232, **Accessories:** Page 220-224



**5WF52RB**


Roman Bronze Finish • American Walnut ABS with Grain Blades



ENERGY STAR® Qualified



Listed for  
Wet Locations



**5WF52WH**

White Finish • White ABS Blades



ENERGY STAR® Qualified



Listed for  
Wet Locations



**5WF52BK**

Matte Black Finish • Matte Black ABS Blades



ENERGY STAR® Qualified



Listed for  
Wet Locations

# WEATHERFORD®

## 5WF52BR

British Bronze Finish • American Walnut ABS with Grain Blades



Murray Feiss  
coordinating finish



ENERGY STAR® Qualified



Listed for  
Wet Locations

An understated, all-weather design, perfect for an added breeze on a sun porch, veranda or patio.

### 52" Weatherford®

153 x 15 mm Motor • 12° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 12.75" • Minimum Ceiling Height: 8"

Flush Mount: Order Canopy MC192. Flush Height: 10.75"

#### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>5,058 CFM</b>	<b>61 watts</b> (excludes lights)	<b>84 CFM/watt</b>

Compare: 49" to 60" ceiling fans have airflow efficiencies ranging from approx. 51 - 176 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

Optional Remotes available: Groups A, C & E: Page 218-219



## 5WF52OC

Old Chicago Finish • American Walnut ABS with Grain Blades



ENERGY STAR® Qualified



Listed for  
Wet Locations

**BLADES** Available options for this collection  
52" Standard Blade: Page 214-215 (Listed For Dry Locations Only)

Fan Specifications: Page 232, Accessories: Page 220-224

**5WF42WH**

White Finish • White ABS Blades



Listed for  
Wet Locations



shown with  
**MC07PWH** wet location Light Kit (sold separately)

**5WF42RB**

Roman Bronze Finish  
American Walnut ABS with Grain Blades  
shown with **MC211RB** wet location Light Kit  
(sold separately)



Listed for  
Wet Locations



# WEATHERFORD II®

Smaller size for smaller spaces.  
Perfect for creating breezes on a patio or sun porch.



shown with  
MC94BK wet location Light Kit (sold separately)

## 42" Weatherford II®

153 x 13 mm Motor • 12° blade pitch

Light Kit Choices: Pages 183 - 205

Height of Fan: 12.5" • Minimum Ceiling Height: 8'

Flush Mount: Order Canopy MC90. Flush Height: 9" or

MC192. Flush Height: 10.375"

### Energy Information at High Speed:

Airflow	Electricity Use	Airflow Efficiency
<b>3,841 CFM</b>	<b>46 watts</b> (excludes lights)	<b>84 CFM/watt</b>

Compare: 36" to 48" ceiling fans have airflow efficiencies ranging from approx. 71 - 86 CFM/watt at high speed.  
Money Saving Tip: Turn off fan when leaving room.

**Optional Remotes available:** Groups A, C & E: Page 218-219



## 5WF42BK

Matte Black Finish • Matte Black ABS with Grain Blades



Listed for  
Wet Locations

# light kits



## Mood enhancing

Ceiling fans deliver comfort to a room, but add a decorative light kit, and instantly transform a room with light. Make a selection that complements your personality and decor - have fun and know you can change it up whenever you want!





# LIGHT KITS

MC16TB light kit  
shown with  
5PR52TB fan



## MC16

Wrought Iron Bowl  
6.5" h x 13" w • Wattage: 3 (C) 60w (included)  
Fan Mount Only

- > **MC16CB** Corinthian Bronze Finish  
Champagne Scavo Glass
- MC16EP** English Pewter Finish  
Tea Stain Glass
- MC16FB** Florentine Bronze Finish  
Champagne Scavo Glass
- MC16IB** Iberian Bronze Finish  
Tea Stain Mission Glass
- MC16OCC** Old Chicago Finish  
Champagne Scavo Glass

- MC16RB** Roman Bronze Finish  
Champagne Scavo Glass
- > **MC16TB** Tuscan Bronze Finish  
Tea Stain Mission Glass



## MC04

White Faux Alabaster Bowl Glass  
7" h x 10.5" w • Wattage: 3 (C) 60w (included)  
Bowl Caps Included: Brushed Steel, Roman Bronze  
and White Finishes  
Fan Mount Only



## MC08

White Faux Alabaster Bowl Glass  
7" h x 11" w • Wattage: 3 (C) 60w (included)  
Fan Mount Only



## MC18

Matte Opal Disc Glass  
3.875" h x 10" w  
Wattage: 1 (H) 75w (included)  
Fan Mount Only

- MC18AB** Antique Brass
- MC18BK** Matte Black
- MC18BP** Brushed Pewter
- MC18BS** Brushed Steel
- MC18CB** Corinthian Bronze

- MC18FB** Florentine Bronze
- > **MC18IB** Iberian Bronze
- MC18OC** Old Chicago
- MC18RB** Roman Bronze
- MC18TB** Tuscan Bronze
- MC18TW** Textured White
- MC18WH** White



## MC21

Deco Medallion Bowl  
6" h x 12.5" w  
Wattage: 3 (C) 60w (included)  
Fan Mount Only

- MC21BP** Brushed Pewter Finish  
White Faux Alabaster Glass
- MC21BS** Brushed Steel Finish  
White Faux Alabaster Glass
- MC21CB** Corinthian Bronze Finish  
Champagne Scavo Glass
- MC21EP** English Pewter Finish  
Gray Tea Stain Glass
- MC21FB** Florentine Bronze Finish  
White Faux Alabaster Glass

- MC21IB** Iberian Bronze Finish  
Tea Stain Mission Glass
- > **MC21IS** Irish Slate Finish  
Iris Slate Glass
- MC21OC** Old Chicago Finish  
Champagne Scavo Glass
- MC21RB** Roman Bronze Finish  
White Faux Alabaster Glass
- MC21SO** Sicilian Stone Finish  
Tea Stain Mission Glass
- MC21TB** Tuscan Bronze Finish  
Tea Stain Mission Glass
- MC21WH** White Finish  
White Faux Alabaster Glass



**MC49**

White Faux Alabaster Dome Bowl  
 5.5" h x 11" w • Wattage: 3 (C) 60w (included)  
 Bowl Caps Included: Brushed Steel and White Finishes  
 Fan Mount Only



**MC79**

Antler Bowl  
 Antique White Scavo Glass  
 7" h x 11" w • Wattage: 3 (C) 60w (included)  
 Includes Hardware for Ceiling Fan Light or  
 Ceiling Semi-Flush Light Installation  
 Flush Mount Height: 9"

MC98 light kit  
 shown with  
 SGL52OC fan



**MC98**

Ponderosa Pine Bowl  
 6.75" h x 13.625" w • Wattage: 3 (C) 60w (included)  
 Includes Hardware for Ceiling Fan Light or  
 Ceiling Semi-Flush Light Installation  
 Flush Mount Height: 8.5"



**MC59**

Melon Bowl, Frosted Glass  
 8" h x 13" w • Wattage: 2 (C) 60w (included)  
 Fan Mount Only

- > **MC59AB** Antique Brass Finish
- **MC59BP** Brushed Pewter Finish
- **MC59BS** Brushed Steel Finish
- **MC59CB** Corinthian Bronze Finish
- **MC59EP** English Pewter Finish
- **MC59FB** Florentine Bronze Finish
- **MC59OC** Old Chicago Finish
- **MC59RB** Roman Bronze Finish
- **MC59TW** Textured White Finish
- **MC59WH** White Finish



**MC84**

Schoolhouse  
 7" h x 9" w • Wattage: 1 (C) 60w max (included)  
 Fan Mount Only

- **MC84OC** Old Chicago Finish • White Glass
- **MC84PBK** Matte Black Finish • White Glass
- **MC84PWH** White Finish • White Glass
- > **MC84RB** Roman Bronze Finish • White Glass



**MC92**

Scroll Bowl  
 6.5" h x 12" w • Wattage: 3 (C) 60w max (included)  
 Fan Mount Only

- > **MC92CB** Corinthian Bronze Finish • Champagne Scavo Glass
- **MC92IS** Irish Slate Finish • Iris Slate Glass
- **MC92OC** Old Chicago Finish • Frosted Glass
- **MC92RB** Roman Bronze Finish • White Faux Alabaster Glass
- **MC92SO** Sicilian Stone Finish • Tea Stain Mission Glass



**MC101**

Wilderness Bowl, Ponderosa Pine  
 6.75" h x 13.625" w • Wattage: 3 (C) 60w (included)  
 Includes Hardware for Ceiling Fan Light or Ceiling Semi-Flush Light Installation  
 Flush Mount Height: 8.5"

# LIGHT KITS



## MC102

Wilderness Bowl, Lodge Pine  
 6.75"h x 13.625"w • Wattage: 3 (C) 60w (included)  
 Includes Hardware for Ceiling Fan Light or  
 Ceiling Semi-Flush Light Installation  
 Flush Mount Height: 8.5"



## MC103

Lodge Pine Bowl  
 6.75"h x 13.625"w • Wattage: 3 (C) 60w (included)  
 Includes Hardware for Ceiling Fan Light or  
 Ceiling Semi-Flush Light Installation  
 Flush Mount Height: 8.5"



MC104 light kit  
 shown with  
 5PR52TW fan

## MC104

Wildflower Bowl, White Faux Alabaster  
 5.75"h x 13"w  
 Wattage: 3 (C) 60w (included)  
 Bowl Caps Included: Brushed Steel  
 and White Finishes  
 Includes Hardware for Ceiling Fan Light or  
 Ceiling Semi-Flush Light Installation  
 Flush Mount Height: 7.75"



MC104



Brushed Steel



White



## MC105

Wildflower Bowl, Cappuccino Faux Alabaster  
 5.75"h x 13"w • Wattage: 3 (C) 60w (included)  
 Bowl Caps Included: Old Chicago  
 and White Finishes  
 Includes Hardware for Ceiling Fan Light or  
 Ceiling Semi-Flush Light Installation  
 Flush Mount Height: 7.75"



Old Chicago



White



## MC106

Wildflower Bowl, Charcoal Faux Alabaster  
 5.75"h x 13"w • Wattage: 3 (C) 60w (included)  
 Bowl Caps Included: Brushed Pewter  
 and White Finishes  
 Includes Hardware for Ceiling Fan Light or  
 Ceiling Semi-Flush Light Installation  
 Flush Mount Height: 7.75"



Brushed Pewter



White



**MC113**

Finger Bowl, White Faux Alabaster  
6.5"h x 13.75"w • Wattage: 3 (C) 60w (included)  
Bowl Caps Included: Brushed Steel and White Finishes  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.7"



Brushed Steel



White



**MC114**

Finger Bowl, Cappuccino Faux Alabaster  
6.5"h x 13.75"w • Wattage: 3 (C) 60w (included)  
Bowl Caps Included: Old Chicago and White Finishes  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.7"



Old Chicago




White



**MC115**

Finger Bowl, Charcoal Faux Alabaster  
6.5"h x 13.75"w • Wattage: 3 (C) 60w (included)  
Bowl Caps Included: Brushed Pewter and White Finishes  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.7"



Brushed Pewter



White



**MC118**

Cheetah Bowl, Cappuccino Faux Alabaster Glass  
5.5"h x 14.25"w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 7"



**MC121**

Serpent Bowl, Mission Amber  
6.5"h x 14"w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.7"



**MC122**

Serpent Bowl, White Faux Alabaster  
6.5"h x 14"w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.7"

# LIGHT KITS



MC124TB light kit shown with 5ML52TB fan

## MC124

Bamboo Bowl

6.5" h x 13" w • Wattage: 3 (C) 60w (included)

Includes Hardware for Ceiling Fan Light or Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8"

- > **MC124FB** Florentine Bronze with Light Bamboo
- **MC124OC** Old Chicago with Aged Bamboo
- **MC124RA** Roman Bronze with Aged Bamboo
- > **MC124TB** Tuscan Bronze with Blackberry Bamboo



MC124FB



## MC127

ENERGY STAR® Bowl, White Faux Alabaster Glass

8" h x 12.25" w • Wattage: 1 (2C40) 40w (included) Ⓢ

Bowl Caps Included: White Finish  
Fan Mount Only



ENERGY STAR® Qualified



## MC131

Handle Bowl, Mission Amber

9" h x 13" w • Wattage: 3 (C) 60w (included)

Bowl Caps Included: Florentine Bronze and Old Chicago Finishes

Includes Hardware for Ceiling Fan Light or Ceiling Semi-Flush Light Installation  
Flush Mount Height: 11"



Florentine Bronze

Old Chicago



## MC133

Handle Bowl, Cappuccino Faux Alabaster

9" h x 13" w • Wattage: 3 (C) 60w (included)

Bowl Caps Included: Old Chicago and White Finishes

Includes Hardware for Ceiling Fan Light or Ceiling Semi-Flush Light Installation

Flush Mount Height: 11"



Old Chicago

White



## MC138WI

Western Bowl, Weathered Iron

with Cappuccino Faux Alabaster Glass

6.5" h x 13" w • Wattage: 3 (C) 60w (included)


Includes Hardware for Ceiling Fan Light or Ceiling Semi-Flush Light Installation

Flush Mount Height: 8.25"



**MC143**

Crackle Bowl, Frosted Glass  
 7" h x 12.65" w • Wattage: 3 (C) 40w (included)  
 Bowl Caps Included: Brushed Steel and White Finishes  
 Includes Hardware for Ceiling Fan Light or  
 Ceiling Semi-Flush Light Installation  
 Flush Mount Height: 9"



**MC144**

Crackle Bowl, Amber Glass  
 7" h x 12.65" w • Wattage: 3 (C) 40w (included)  
 Bowl Caps Included: Florentine Bronze and  
 Old Chicago Finishes  
 Includes Hardware for Ceiling Fan Light or  
 Ceiling Semi-Flush Light Installation  
 Flush Mount Height: 9"



MC154 light kit  
 shown with  
 5MQ60TB fan

**MC154**

Island Bowl, Mission Scavo Glass  
 7" h x 13" w • Wattage: 3 (C) 60w (included)  
 Pineapple Bowl Caps Included: Florentine Bronze, Old Chicago, and Roman Bronze Finishes  
 Includes Hardware for Ceiling Fan Light or Ceiling Semi-Flush Light Installation  
 Flush Mount Height: 10.5"



**MC155**

Island Bowl, White Faux Alabaster Glass  
 Dimensions: 7" h x 13" w • Wattage: 3 (C) 60w (included)  
 Pineapple Bowl Caps Included: Roman Bronze, White,  
 and Textured White Finishes  
 Includes Hardware for Ceiling Fan Light or  
 Ceiling Semi-Flush Light Installation  
 Flush Mount Height: 10.5"



**MC158**

Bamboo Bowl, Painted  
 7" h x 12.8" w • Wattage: 3 (C) 60w (included)  
 Bowl Caps Included: Roman Bronze Finish  
 Includes Hardware for Ceiling Fan Light or  
 Ceiling Semi-Flush Light Installation  
 Flush Mount Height: 9"

# LIGHT KITS



## MC165

Mission Bowl, Tea Stain Mission Glass  
7" h x 12.625" w • Wattage: 3 (C) 60w (included)  
Bowl Caps Included: British Bronze, Roman Bronze,  
and Tuscan Bronze Finishes  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.625"




British Bronze



Roman Bronze



Tuscan Bronze



MC169 light kit  
shown with  
5AB52TB fan



## MC171

Leaf Bowl, Tea Stain Mission Glass  
6" h x 12.75" w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 7.25"



MC169

## MC169

Mission Crackle Bowl  
6.375" h x 11.75" w  
Wattage: 3 (C) 60w (included)  
Bowl Caps Included: Florentine Bronze,  
Old Chicago, Roman Bronze, and  
Tuscan Bronze Finishes  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.625"



Florentine Bronze



Old Chicago



Roman Bronze



Tuscan Bronze



## MC172

Leaf Bowl, White Faux Alabaster Glass  
6" h x 12.79" w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 7.25"



## MC173

Oval Bowl, Tea Stain Mission Glass  
5.75" h x 11.875" w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 6.375"



MC174 light kit  
shown with  
5AV52EP fan

**MC174**

Oval Bowl, Matte Opal  
5.75" h x 11.81" w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 6.375"



MC174



**MC184**

Flower Bowl, Amber Ice Glass  
6" h x 14" w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8"



**MC185**

Flower Bowl, Sky Alabaster Glass  
6" h x 14" w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8"



**MC186**

Ornate Bowl, Tea Stain Mission Glass  
8" h x 11.8" w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.25"



**MC187**

Ornate Bowl, Antique White Scavo Glass  
8" h x 11.8" w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.25"



# LIGHT KITS



## MC188

Ornate Bowl, Gray Tea Stain Glass  
8" h x 11.8" w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.25"



## MC189

Mini Bowl Light, Matte Opal Glass  
5.125" h x 8.7" w • Wattage: 2 (C) 60w (included)  
Fan Mount Only



MC194 light kit  
shown with  
5MQ60SO fan

## MC194

English Garden Bowl,  
Champagne Scavo Glass  
5.5" h x 12.38" w  
Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 7.5"



MC194



## MC193

English Garden Bowl, Tea Stain Mission Glass  
5.5" h x 12.38" w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 7.5"



## MC195

Birch Bark Light Kit  
Roman Bronze with Irish Slate Glass  
7.5" h x 14.13" w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.25"



**MC200**

Large Bowl Kit, Tea Stain Mission Glass  
4.875"h x 17.875"w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or Ceiling Semi-Flush Light Installation  
Flush Mount Height: 7.25"



**MC201**

Large Bowl Kit, Champagne Scavo Glass  
4.875"h x 17.875"w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or Ceiling Semi-Flush Light Installation  
Flush Mount Height: 7.25"



MC202 light kit  
shown with  
5CO66BS fan

**MC202**

Large Bowl Kit, Matte Opal Glass  
4.875"h x 17.875"w  
Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light  
or Ceiling Semi-Flush Light Installation  
Flush Mount Height: 7.25"



MC202



**MC208**

Iberian Bronze Arm Bowl with Tea Stain Mission Glass  
6"h x 12.875"w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.25"



**MC209**

Roman Bronze Arm Bowl with Champagne Scavo Glass  
6"h x 12.875"w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.25"



**MC210**

Tuscan Bronze Arm Bowl with Tea Stain Mission Glass  
6"h x 12.875"w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.25"

**MC216**

Bowl Light Kit, Alabaster Swirl Glass  
6.5"h x 13"w • Wattage: 3 (C) 40w (included)  
Bowl Caps Included: British Bronze,  
Roman Bronze, and Tuscan Bronze Finishes  
Includes Hardware for Ceiling Fan Light  
or Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.5"



British Bronze

Roman Bronze

Tuscan Bronze

# LIGHT KITS

MC217 light kit  
shown with  
5DCR60RB fan

## MC217

Bowl Light Kit, Iridescent Ribbon Glass  
6.5"h x 13"w • Wattage: 3 (C) 40w (included)  
Bowl Caps Included: British Bronze, Roman Bronze, and Tuscan Bronze Finishes  
Includes Hardware for Ceiling Fan Light or Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.5"



MC217



British Bronze

Roman Bronze

Tuscan Bronze



## MC218

Bowl Light Kit, Herringbone Alabaster Glass  
6.5"h x 13"w • Wattage: 3 (C) 40w (included)  
Bowl Caps Included: British Bronze, Roman Bronze,  
and Tuscan Bronze Finishes  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.5"




British Bronze



Roman Bronze



Tuscan Bronze



## MC219

Bowl Light Kit, Iridescent Stone Glass  
6.5"h x 13"w • Wattage: 3 (C) 40w (included)  
Bowl Caps Included: British Bronze, Roman Bronze,  
and Tuscan Bronze Finishes  
Includes Hardware for Ceiling Fan Light or  
Ceiling Semi-Flush Light Installation  
Flush Mount Height: 8.5"



British Bronze



Roman Bronze



Tuscan Bronze



## 40000

4 Light Universal White  
6"h x 15"w • Wattage: 4 (C) 40w (included)  
Fan Mount Only



## 21904

Lotus Leaf Bowl  
5"h x 10"w • Wattage: 3 (C) 60w (included)  
Bowl Caps Included: Antique Brass  
and Polished Brass Finishes  
Fan Mount Only



Antique Brass



Polished Brass

MC116WI  
Fan Mount



**MC116**

4 Light Antler  
13"h x 20.625"w  
Wattage: 4 (C) 40w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Pendant Light Installation  
Fan or Pendant Mount 16" - 49"  
Supplied with 3' of Chain & 5' of Wire  
> **MC116OC** Old Chicago Finish  
> **MC116WI** Weathered Iron Finish



MC116OC  
Pendant Mount



MC161OC light kit  
shown with  
5GL52OC fan

**MC161**

4 Light Great Lodge  
11.5"h x 21.5"w  
Wattage: 4 (C) 40w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Pendant Light Installation  
Fan or Pendant Mount 16" - 49"  
Supplied with 3' of Chain & 5' of Wire  
> **MC161OC** Old Chicago Finish  
■ **MC161WI** Weathered Iron Finish



MC161OC



MC181IS  
Pendant Mount



MC181BS  
Fan Mount

**MC181**

3 Light Aladdin Glass  
8.75"h x 17.5"w • Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Pendant Light Installation  
Supplied with 3' of Chain & 5' of Wire

- > **MC181BS** Brushed Steel Finish
- **MC181EP** English Pewter Finish
- **MC181FB** Florentine Bronze Finish
- **MC181IB** Iberian Bronze Finish
- > **MC181IS** Irish Slate Finish
- **MC18OC** Old Chicago Finish
- **MC18RB** Roman Bronze Finish
- **MC18SO** Sicilian Stone
- **MC18TB** Tuscan Bronze

MC181BS light kit  
shown with  
5AV52BS fan



Fan Mount  
MC203 light kit  
shown with 5BM66RB fan

**MC203**

Birch Bark 3 Light Roman Bronze  
with Irish Slate Glass  
11.63"h x 22.38"w  
Wattage: 3 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Pendant Light Installation  
14.63" High  
Supplied with 3' of Chain & 5' of Wire



MC203  
Pendant Mount

# LIGHT KITS

MC198IB light kit shown with 5MXIB fan, MC5B144 blades, and MC198EP scroll kit



MC198EP light kit shown with 5SIEP fan, MC5B143 blades, and MC199EP scroll kit



## MC198IB

3 Light Crystal Iberian Bronze with Fabric Shades  
11.5" h x 21" w  
Wattage: 3 (C) 40w (included)  
Includes Hardware for Ceiling Fan Light or Ceiling Pendant Light Installation  
Supplied with 3' of Chain & 5' of Wire



MC198IB Pendant Mount

## MC198EP

3 Light Crystal English Pewter with Fabric Shades  
11.5" h x 21" w  
Wattage: 3 (C) 40w (included)  
Includes Hardware for Ceiling Fan Light or Ceiling Pendant Light Installation  
Supplied with 3' of Chain & 5' of Wire



MC198EP Pendant Mount

MC196RB  
Pendant  
Mount



MC196TB  
Fan Mount



## MC198RB

3 Light Crystal Roman Bronze with Fabric Shades  
11.5" h x 21" w  
Wattage: 3 (C) 40w (included)  
Includes Hardware for Ceiling Fan Light or Ceiling Pendant Light Installation  
Supplied with 3' of Chain & 5' of Wire



MC196RB Fan Mount

## MC198TB

3 Light Crystal Tuscan Bronze with Fabric Shades  
11.5" h x 21" w  
Wattage: 3 (C) 40w (included)  
Includes Hardware for Ceiling Fan Light or Ceiling Pendant Light Installation  
Supplied with 3' of Chain & 5' of Wire



MC196TB Pendant Mount



**MC07**

Opal Teardrop  
4.75"h x 10.25"w  
Wattage: 2 (C) 60w (included)  
Fan Mount Only



Listed for  
Wet Locations

- **MC07BR** British Bronze Finish
- **MC07OC** Old Chicago Finish
- **MC07PBK** Matte Black Finish
- **MC07RB** Roman Bronze Finish
- > **MC07TI** Titanium Finish
- **MC07PWH** White Finish



**MC870C**

Three Light Nantucket  
Old Chicago Finish • Frosted Glass  
11"h x 20"w • Wattage: 3 (C) 60w (included)  
Fan Mount Only



Listed for  
Damp Locations



**MC89**

Three Light Frosted Glass  
8.375"h x 18.375"w  
Wattage: 3 (C) 60w (included)  
Fan Mount Only



Listed for  
Damp Locations

- **MC89OC** Old Chicago Finish
- > **MC89RB** Roman Bronze Finish
- **MC89WH** White Finish



**MC94**

Cage Disc Light Kit with Frosted Glass  
5.75"h x 9.875"w  
Wattage: 1 (C) 60w (included)  
Fan Mount Only



Listed for  
Wet Locations

- **MC94BK** Matte Black Finish
- > **MC94BR** British Bronze Finish
- **MC94OC** Old Chicago Finish
- **MC94RB** Roman Bronze Finish
- **MC94WH** White Finish



MC204



MC206

7.625"h x 17.375"w  
Wattage: 2 (C) 60w (included)  
Fan Mount Only



Listed for  
Damp Locations



MC207



MC205

- > **MC204** Roman Bronze Finish  
Champagne Scavo Glass
- > **MC205** Old Chicago Finish  
Champagne Scavo Glass
- > **MC206** White Finish  
White Scavo Glass
- > **MC207** Titanium Finish  
White Scavo Glass

# LIGHT KITS

## INDOOR / OUTDOOR



### MC151

Cape Cod with Frosted Glass  
11.125"h x 13.875"w  
Wattage: 1 (C) 60w (included)  
Includes Hardware for Ceiling Fan Light  
or Ceiling Semi-Flush Light Installation

- MC151OC Old Chicago Finish
- > MC151RB Roman Bronze Finish
- MC151WH White Finish

 Listed for  
Damp Locations



### MC162RB

3 Light Yachtsman  
Roman Bronze Finish  
12"h x 20.125"w • Wattage: 3 (H) 50w (included)  
Includes Hardware for Ceiling Fan Light or  
Ceiling Pendant Light Installation  
Fan or Pendant Mount 15"  
Supplied with 3' of Chain & 5' of Wire

MC212 light kit  
shown with  
5CZ52BR fan.



### MC212

British Bronze  
Champagne Scavo Glass  
6.625"h x 17.375"w  
Wattage: 2 (C) 60w (included)  
Fan Mount Only

 Listed for  
Damp Locations



MC212



MC211BK light kit  
shown with  
5CY60BK fan.

MC211BK



MC211BR



MC211OC



MC211RB



MC211WH

### CAGE LIGHT KIT MC211

9.5"h x 13"w  
Wattage: 2 (C) 60w (included)  
Fan Mount Only

 Listed for  
Wet Locations

- > MC211BK Black Finish  
Acid Frosted Glass
- > MC211BR British Bronze Finish  
Champagne Scavo Glass
- > MC211OC Old Chicago Finish  
Tea Stain Mission Glass
- > MC211RB Roman Bronze Finish  
Champagne Scavo Glass
- > MC211WH White Finish  
Acid Frosted Glass

> Indicates Finish Shown

Replacement Bulb Guide: Page 225

I like  
light,  
color,  
luminosity.  
I like  
things  
full of  
color  
and  
vibrant.



# fitters & glass



Color and light - change  
moods, reflect personality  
and engage. Our fitters and  
glass selections let you  
create a mood, a look,  
artistry all your own.





# FITTERS



## H3

3.125"H x 6.25"W • Wattage: 3 (C) 60W (included)  
Compatible with 2 1/4" Neck Glass Only

- H3AB** Antique Brass Finish
- H3BP** Brushed Pewter Finish
- H3BS** Brushed Steel Finish
- H3CB** Corinthian Bronze Finish
- H3FB** Florentine Bronze Finish
- H3IB** Iberian Bronze Finish
- H3OC** Old Chicago Finish
- H3PB** Polished Brass Finish
- H3RB** Roman Bronze Finish
- H3TB** Tuscan Bronze Finish
- H3TW** Textured White Finish
- H3WH** White Finish

H3BS fitter shown with 4CO28BS fan and G826 glass



## H4

3.625"H x 6"W • Wattage: 4 (C) 40W (included)  
Compatible with 2 1/4" Neck Glass Only

- H4AB** Antique Brass Finish
- H4BP** Brushed Pewter Finish
- H4BS** Brushed Steel Finish
- H4CB** Corinthian Bronze Finish
- H4FB** Florentine Bronze Finish
- H4IB** Iberian Bronze Finish
- H4OC** Old Chicago Finish
- H4PB** Polished Brass Finish
- H4RB** Roman Bronze Finish
- H4TW** Textured White Finish
- H4WH** White Finish



H3TB



## MC22

5.75"H x 12.375"W • Wattage: 4 (C) 40W (included) with Lock Ring  
Compatible with 2 1/4" Neck/Neck-less Glass

- MC22BR** British Bronze Finish
- MC22CB** Corinthian Bronze Finish
- MC22FB** Florentine Bronze Finish
- MC22IS** Irish Slate Finish
- MC22OC** Old Chicago Finish
- MC22RB** Roman Bronze Finish
- MC22SO** Sicilian Stone Finish
- MC22TB** Tuscan Bronze Finish



## MC37

3.25"H x 12"W • Wattage: 4 (C) 40W (included)  
Compatible with 2 1/4" Neck Glass Only

- MC37AB** Antique Brass Finish
- MC37BK** Matte Black Finish
- MC37BP** Brushed Pewter Finish
- MC37BS** Brushed Steel Finish
- MC37CB** Corinthian Bronze Finish
- MC37EP** English Pewter Finish
- MC37FB** Florentine Bronze Finish
- MC37OC** Old Chicago Finish
- MC37PB** Polished Brass Finish
- MC37RB** Roman Bronze Finish
- MC37TB** Tuscan Bronze Finish
- MC37TW** Textured White Finish
- MC37WH** White Finish

> Indicates Finish Shown

(C) Candelabra



**MC73**

4 Light Fitter  
 9"H x 9.5"W • Wattage: 4 (C) 40W (included) with Lock Ring  
 Compatible with 2 1/4" Neck/Neck-less Glass

- |          |                   |          |                |
|----------|-------------------|----------|----------------|
| ■ MC73AB | Antique Brass     | ■ MC73IB | Iberian Bronze |
| > MC73BP | Brushed Pewter    | ■ MC73IS | Irish Slate    |
| ■ MC73BR | British Bronze    | ■ MC73OC | Old Chicago    |
| ■ MC73BS | Brushed Steel     | ■ MC73RB | Roman Bronze   |
| ■ MC73CB | Corinthian Bronze | ■ MC73SO | Sicilian Stone |
| ■ MC73EP | English Pewter    | ■ MC73TB | Tuscan Bronze  |
| ■ MC73FB | Florentine Bronze | ■ MC73WH | White          |



**MC76**

4 Light Leaf Fitter  
 5.5"H x 11.5"W • Wattage: 4 (C) 40W (included) with Lock Ring  
 Compatible with 2 1/4" Neck/Neck-less Glass

- |          |                   |          |                |
|----------|-------------------|----------|----------------|
| ■ MC76BR | British Bronze    | ■ MC76IS | Irish Slate    |
| ■ MC76CB | Corinthian Bronze | ■ MC76OC | Old Chicago    |
| > MC76EP | English Pewter    | ■ MC76RB | Roman Bronze   |
| ■ MC76IB | Iberian Bronze    | ■ MC76SO | Sicilian Stone |



MC66B

MC66BR fitter shown with SH52BR fan and G1091 glass

**MC66**

4 Light Fitter  
 6.5"H x 10.5"W • Wattage: 4 (C) 40W (included) with Lock Ring  
 Compatible with 2 1/4" Neck/Neck-less Glass

- |          |                   |          |                   |          |              |          |                |
|----------|-------------------|----------|-------------------|----------|--------------|----------|----------------|
| ■ MC66BP | Brushed Pewter    | ■ MC66EP | English Pewter    | ■ MC66IS | Irish Slate  | ■ MC66SO | Sicilian Stone |
| > MC66BR | British Bronze    | ■ MC66FB | Florentine Bronze | ■ MC66OC | Old Chicago  | ■ MC66TB | Tuscan Bronze  |
| ■ MC66BS | Brushed Steel     | > MC66IB | Iberian Bronze    | ■ MC66RB | Roman Bronze | ■ MC66TW | Textured White |
| ■ MC66CB | Corinthian Bronze |          |                   |          |              |          |                |

# FITTERS

Select from a variety of glass options



MC180IB fitter shown with 5LCR52IB fan and G1055 glass

## MC180

3-Light Hanging Basket Fitter  
10.5"H x 15.625"W • 3 (C) 60W (included)  
Not Compatible with Glass Over 4.625" Wide Fan or Pendant Mount  
Includes 3' of Chain, 5' of Wire and Canopy Kit for Dual Mount

- |           |                |           |                |
|-----------|----------------|-----------|----------------|
| ■ MC180BS | Brushed Steel  | ■ MC180OC | Old Chicago    |
| ■ MC180EP | English Pewter | ■ MC180RB | Roman Bronze   |
| > MC180IB | Iberian Bronze | > MC180SO | Sicilian Stone |
| ■ MC180IS | Irish Slate    | ■ MC180TB | Tuscan Bronze  |



MC180SO (shown as pendant mount)



## MC182

4-Light Ornate Fitter  
9.625"H x 14.375"W • 4 (C) 40W Candelabra Base (included) with Lock Ring  
Compatible with 2 1/4" Neck/Neck-less Glass

- |           |                   |           |                |
|-----------|-------------------|-----------|----------------|
| ■ MC182BR | British Bronze    | ■ MC182RB | Roman Bronze   |
| > MC182FB | Florentine Bronze | ■ MC182SO | Sicilian Stone |
| ■ MC182IS | Irish Slate       | ■ MC182TB | Tuscan Bronze  |
| ■ MC182OC | Old Chicago       | ■ MC182TW | Textured White |



## MC183

4-Light, 2 1/4" Neck Fitter  
5.7"H x 11"W • 4 (C) 40W (included)  
Compatible with 2 1/4" Neck Glass Only

- |           |                   |           |                |
|-----------|-------------------|-----------|----------------|
| ■ MC183AB | Antique Brass     | ■ MC183OC | Old Chicago    |
| > MC183BK | Matte Black       | ■ MC183PB | Polished Brass |
| ■ MC183BP | Brushed Pewter    | ■ MC183RB | Roman Bronze   |
| ■ MC183BS | Brushed Steel     | ■ MC183TB | Tuscan Bronze  |
| ■ MC183EP | English Pewter    | ■ MC183TW | Textured White |
| ■ MC183FB | Florentine Bronze | ■ MC183WH | White          |



**G420**

Frosted/Clear Crystal  
2 1/4" neck, 5.28" x 4.88"



**G804**

White Faux Alabaster Large Bell  
2 1/4" neck, 4.50" x 6.00"



**G826**

Opal Swirl Small Bell  
2 1/4" neck, 4.40" x 4.70"



**G833**

Clear/Frosted Victorian  
2 1/4" neck, 4.69" x 5.04"



**G836**

Frosted Ribbed Convex  
2 1/4" neck, 5.04" x 4.53"



**G837**

Frosted Bell  
2 1/4" neck-less, 4.00" x 6.00"



**G838**

Leaded Tiffany Geometric  
2 1/4" neck, 5.00" x 5.00"



**G860**

Light Frosted Crackle  
2 1/4" neck, 4.75" x 5.56"



**G868**

Cappuccino Faux Alabaster  
2 1/4" neck, 4.20" x 6.90"



**G873**

Antique White Scavo  
2 1/4" neck, 5.38" x 5.75"



**G875**

Tea Stain Scavo  
2 1/4" neck, 5.38" x 5.75"



**G885**

Clear Ribbed Bell  
2 1/4" neck, 4.50" x 4.70"



**G890**

Frosted with Brushed Pewter Rim  
2 1/4" neck, 4.60" x 4.30"



**G891**

Frosted Square  
2 1/4" neck, 4.70" x 4.60"



**G892**

Antique White Scavo  
2 1/4" neck, 4.20" x 4.70"

# GLASS

Instantly change the personality of a fan with your selection of decorative glass.



**G897**  
Antique White Scavo  
2 ¼" neck, 5.10" x 4.60"



**G909**  
Clear/Frost  
2 ¼" neck, 5.10" x 4.80"



**G952**  
Charcoal Faux Alabaster  
2 ¼" neck, 5.20" x 5.40"



**G953**  
Cappuccino Faux Alabaster  
2 ¼" neck, 5.20" x 5.40"



**G954**  
Frosted Crackle  
2 ¼" neck, 5.20" x 5.40"



**G966**  
Antique White Scavo  
2 ¼" neck, 5.24" x 5.47"



**G975**  
White Opal Angled  
2 ¼" neck, 6.10" x 4.30"



**G979**  
Mediterranean Scavo  
2 ¼" neck-less, 5.25" x 5.13"



**G982**  
Chocolate Cloud  
2 ¼" neck, 5.23" x 5.47"



**G988**  
Mission Amber  
2 ¼" neck, 4.90" x 5.40"



**G990**  
White Faux Alabaster  
2 ¼" neck, 5.24" x 5.47"



**G1014**  
Frosted Bell  
2 ¼" neck, 4.61" x 4.69"



**G1039**  
White Faux Alabaster  
2 ¼" neck, 5.59" x 5.12"




**G1040**  
Mission Amber  
2 ¼" neck, 5.32" x 4.80"




**G1043**

Mission Scavo  
2 ¼" neck, 5.24" x 4.92"



**G1044**

Tea Stain Mission  
2 ¼" neck-less, 4.96" x 5.91"



**G1047**

Bronze Tea Stain Alabaster  
2 ¼" neck-less, 4.92" x 6.93"



**G1049**

Tea Stain Mission  
2 ¼" neck-less, 4.92" x 6.93"



**G1050**

Amber Ice  
2 ¼" neck-less 5.25"H X 5.63"W



**G1051**

Amber Art Glass  
2 ¼" neck-less, 5.25"H X 4.63"W



**G1053**

White Rope  
2 ¼" neck-less, 5.25" x 4.63"



**G1054**

Blue Rope  
2 ¼" neck-less, 5.25" x 4.63"



**G1055**

Gold Speckle  
2 ¼" neck-less, 5.25" x 4.63"



**G1056**

Gray Tea Stain  
2 ¼" neck, 5" x 4.63"



**G1057**

Gray Tea Stain  
2 ¼" neck, 4.83" x 5.68"



**G1059**

Aurora  
2 ¼" neck-less, 4.75" x 4.5"



**G1060**

Desert Granite  
2 ¼" neck-less, 4.75" x 4.5"



**G1061**

Champagne Scavo, Hexagon Bell  
2 ¼" Neck, 5.25" x 5.00"



**G1062**

White Faux Alabaster, Hexagon Bell  
2 ¼" Neck, 5.25" x 5.00"



**G1063**

Tea Stain Mission, Hexagon Bell  
2 ¼" Neck, 5.25" x 5.00"

# GLASS



**G1064**  
Champagne Scavo, Tulip Bell  
2 ¼" Neck, 5.75" x 4.63"



**G1065**  
Matte Opal, Tulip Bell  
2 ¼" Neck, 5.75" x 4.63"



**G1066**  
Tea Stain Mission, Tulip Bell  
2 ¼" Neck, 5.75" x 4.63"



**G1068**  
Champagne Scavo Bell  
2 ¼" Neck, 5.24" x 5.47"



**G1069**  
Matte Opal  
2 ¼" Neck-less, 5.25" x 4.63"



**G1070**  
White Faux Alabaster  
2 ¼" Neck-less, 5.25" x 4.63"



**G1071**  
Antique White Scavo  
2 ¼" Neck-less, 5.25" x 4.63"



**G1072**  
Tea Stain Mission  
2 ¼" Neck-less, 5.25" x 4.63"



**G1073**  
Tea Stain Scavo  
2 ¼" Neck-less, 5.25" x 4.63"



**G1074**  
Mission Amber  
2 ¼" Neck-less, 5.25" x 4.63"



**G1090**  
Alabaster Swirl Hexagon  
2 ¼" Neckless, 5.38" x 4.88"



**G1091**  
Iridescent Stone Swirl  
2 ¼" Neckless, 5.38" x 4.88"



**G1092**  
Iridescent Stone Bell  
2 ¼" Neckless, 5.12" x 5.57"



**G4030**  
Frosted Ribbed  
2 ¼" neck, 4.80" x 4.50"



# Accessories

Accessories take us beyond what is given. Monte Carlo® accessories let you personalize a look or enhance a function. Dramatic moods or whimsical touches can be achieved through glass selection and blade choices - accessible accessories!







Style is a reflection  
of your attitude  
and your personality.

dress it up ...

# BLADES

Thick, solid wood carved blades are precision balanced and packaged in sets of five.

## 52" Furniture Style Carved Wood Blades - Chestnut

Compatible with the following fans:

Aberdeen  
Albany  
Colony  
Colony Grand  
D'Elegance  
Designer Hugger  
Designer Supreme

Grand Prix  
Light Cast  
Mansion  
Mansion Grand  
Premier  
Waverly



MC5B181 Chestnut   MC5B183 Chestnut   MC5B185 Chestnut   MC5B187 Chestnut   MC5B189 Chestnut   MC5B204 Chestnut   MC5B232 Chestnut

## 60" Furniture Style Carved Wood Blades - Chestnut

Compatible with the following fans:

Crystoria  
Maxima  
Royal Danube  
St. Ives



MC5B140 Chestnut   MC5B142 Chestnut   MC5B144 Chestnut   MC5B146 Chestnut   MC5B179 Chestnut   MC5B206 Chestnut   MC5B222 Chestnut

## 66" Furniture Style Carved Wood Blades - Chestnut

Compatible with the following fans:

Colony Grand  
Mansion Grand



MC5B234  
Chestnut



MC5B234 Chestnut shown

## 72" Furniture Style Carved Wood Blades - Chestnut

Compatible with the following fans:

Maxima  
Royal Danube  
St. Ives



MC5B194 Chestnut   MC5B196 Chestnut   MC5B198 Chestnut   MC5B200 Chestnut   MC5B202 Chestnut   MC5B208 Chestnut

# BLADES

Change the look and style of many Monte Carlo ceiling fans with these exquisite, deep carved furniture inspired, optional blades.

## 52" Furniture Style Carved Wood Blades - Dark Walnut

Compatible with the following fans:

Aberdeen  
Albany  
Colony  
Colony Grand  
D'Elegance  
Designer Hugger  
Designer Supreme  
Grand Prix  
Light Cast  
Mansion  
Mansion Grand  
Premier  
Waverly



MC5B180 Dark Walnut   MC5B182 Dark Walnut   MC5B184 Dark Walnut   MC5B186 Dark Walnut   MC5B188 Dark Walnut   MC5B203 Dark Walnut   MC5B231 Dark Walnut

## 60" Furniture Style Carved Wood Blades - Dark Walnut

Compatible with the following fans:

Crystoria  
Maxima  
Royal Danube  
St. Ives



MC5B141 Dark Walnut   MC5B143 Dark Walnut   MC5B145 Dark Walnut   MC5B147 Dark Walnut   MC5B178 Dark Walnut   MC5B205 Dark Walnut   MC5B221 Dark Walnut

## 66" Furniture Style Carved Wood Blades - Dark Walnut

Compatible with the following fans:

Colony Grand  
Mansion Grand



MC5B233  
Dark Walnut



MC5B233 Dark Walnut shown

## 72" Furniture Style Carved Wood Blades - Dark Walnut

Compatible with the following fans:

Maxima  
Royal Danube  
St. Ives



MC5B193 Dark Walnut   MC5B195 Dark Walnut   MC5B197 Dark Walnut   MC5B199 Dark Walnut   MC5B201 Dark Walnut   MC5B207 Dark Walnut

## 52" Tropical Leaf Carved Wood Blades

Compatible with the following fans:

Aberdeen  
Albany  
Colony  
Colony Grand  
D'Elegance  
Designer Hugger  
Designer Supreme

Grand Prix  
Light Cast  
Mansion  
Mansion Grand  
Premier  
Waverly



**MC5B190**  
Dark Walnut



**MC5B191**  
Chestnut



**MC5B192**  
Light Teak

## 60" Tropical Leaf Carved Wood Blades

Compatible with the following fans:

Colony Grand  
Mansion Grand  
Grand Prix



**MC5B216**  
Dark Walnut



**MC5B217**  
Chestnut



**MC5B218**  
Light Teak

## 56" Palmetto ABS Blades

Compatible with the following fans:

Peninsula  
The Shores  
Vera Cruz




**MC5B223**  
Mahogany



**MC5B224**  
Cypress



**MC5B225**  
Southern Elm



**MC5B226**  
Black

# BLADES

Optional specialty blades. Update a fan and let your style shine.

## 72" Scalloped Leaf Carved Wood Blades

Compatible with the following fans:

Maxima  
Royal Danube  
St. Ives



**MC5B113**  
Cypress



**MC5B114**  
Southern Elm




**MC5B115**  
Mahogany

## 72" Sea Grass Woven Blades

Compatible with the following fans:

Maxima  
Royal Danube  
St. Ives



**MC5B117**  
Cocoa Sea Grass



**MC5B119**  
Natural Sea Grass



**MC5B120**  
Black Cherry Sea Grass

# BLADES

Blades are precision balanced and packaged in sets of five.

## 42" Classic Blades

Compatible with the following fans:

Homeowner's Select  
Homeowner's Select II  
Homeowner's Deluxe  
Ornate  
Ornate Elite



## 44" Classic Blades

Compatible with the following fans:

Aberdeen  
Colony  
D'Elegance  
Designer Hugger  
Designer Supreme  
Designer Supreme II

Grand Prix  
Light Cast  
Mansion  
Premier  
Waverly


































## 66" Classic Blades

Compatible with the following fans:

Colony Grand  
Mansion Grand



Available Finishes:

White	 MC5B148	 MC5B163	
Walnut	 MC5B149	 MC5B164	
Roman Bronze	 MC5B150	 MC5B165	 MC5B209
Silver	 MC5B151	 MC5B166	
Natural Walnut	 MC5B152	 MC5B167	 MC5B214
Teak	 MC5B153	 MC5B168	
Mahogany	 MC5B154	 MC5B169	 MC5B210
Pecan	 MC5B155	 MC5B170	
American Walnut	 MC5B156	 MC5B171	 MC5B213
Western Walnut	 MC5B157	 MC5B172	
Corinthian Bronze	 MC5B159	 MC5B174	
Old Chicago	 MC5B161	 MC5B176	 MC5B212
Tuscan Bronze			 MC5B211
British Bronze			 MC5B215

## 44" Designer Supreme II Blades

Compatible with the following fans:

Designer Supreme II



MC5B41 Walnut Veneer      MC5B42 Natural Cherrywood Veneer

# BLADES

## 54" Traditional Blades

Compatible with the following fans:

Crystoria  
Maxima  
Royal Danube  
St. Ives



## 60" Traditional Blades

Compatible with the following fans:

Crystoria  
Maxima  
Royal Danube  
St. Ives





















## 72" Traditional Blades


Compatible with the following fans:

Maxima  
Royal Danube  
St. Ives



### Available Finishes:















Walnut Veneer	 MC5B96	 MC5B100	 MC5B105
Mahogany Veneer	 MC5B95	 MC5B101	 MC5B106
Pecan Veneer	 MC5B97	 MC5B102	 MC5B107
Weathered Pine Veneer	 MC5B99	 MC5B103	 MC5B108
Oak Veneer	 MC5B98	 MC5B104	 MC5B109
Matte White	 MC5B110	 MC5B111	 MC5B112



5RDRIB fan shown  
with MC5B101  
60" Mahogany Blades  
& MC164IB Light Kit  
(each sold separately)

## 52" Standard Blades

Compatible with the following fans:

														
	Oak	White	Black / Walnut	Hi Gloss Maple / Walnut	Hi Gloss Black / Rosewood	Wormwood Veneer	Oak Veneer	Weathered Pine Veneer	Natural Maple	Distressed Pine	Washed Oak	White Washed Pine	Cheery Wood Veneer	Roman Bronze
Aberdeen	MC5B01	MC5B02	MC5B03	MC5B04	MC5B06	MC5B07	MC5B08	MC5B09	MC5B17	MC5B18	MC5B19	MC5B22	MC5B28	MC5B138
Albany	MC5B01	MC5B02	MC5B03	MC5B04	MC5B06	MC5B07	MC5B08	MC5B09	MC5B17	MC5B18	MC5B19	MC5B22	MC5B28	MC5B138
Alicante®				MC5B13				MC5B44		MC5B12				
Colony	MC5B01	MC5B02	MC5B03	MC5B04	MC5B06	MC5B07	MC5B08	MC5B09	MC5B17	MC5B18	MC5B19	MC5B22	MC5B28	MC5B138
D'Elegance	MC5B01	MC5B02	MC5B03	MC5B04	MC5B06	MC5B07	MC5B08	MC5B09	MC5B17	MC5B18	MC5B19	MC5B22	MC5B28	MC5B138
Designer Hugger	MC5B01	MC5B02	MC5B03	MC5B04	MC5B06	MC5B07	MC5B08	MC5B09	MC5B17	MC5B18	MC5B19	MC5B22	MC5B28	MC5B138
Designer Supreme	MC5B01	MC5B02	MC5B03	MC5B04	MC5B06	MC5B07	MC5B08	MC5B09	MC5B17	MC5B18	MC5B19	MC5B22	MC5B28	MC5B138
Grand Prix	MC5B01	MC5B02	MC5B03	MC5B04	MC5B06	MC5B07	MC5B08	MC5B09	MC5B17	MC5B18	MC5B19	MC5B22	MC5B28	MC5B138
Homeowner's Deluxe	MC5B10	MC5B11					MC5B71		MC5B70					
Homeowner's Select	MC5B10	MC5B11					MC5B71		MC5B70					
Light Cast	MC5B01	MC5B02	MC5B03	MC5B04	MC5B06	MC5B07	MC5B08	MC5B09	MC5B17	MC5B18	MC5B19	MC5B22	MC5B28	MC5B138
Mansion	MC5B01	MC5B02	MC5B03	MC5B04	MC5B06	MC5B07	MC5B08	MC5B09	MC5B17	MC5B18	MC5B19	MC5B22	MC5B28	MC5B138
Ornate	MC5B10	MC5B11					MC5B71		MC5B70					
Ornate Elite	MC5B10	MC5B11					MC5B71		MC5B70					
Premier	MC5B01	MC5B02	MC5B03	MC5B04	MC5B06	MC5B07	MC5B08	MC5B09	MC5B17	MC5B18	MC5B19	MC5B22	MC5B28	MC5B138
Waverly	MC5B01	MC5B02	MC5B03	MC5B04	MC5B06	MC5B07	MC5B08	MC5B09	MC5B17	MC5B18	MC5B19	MC5B22	MC5B28	MC5B138
Weatherford®	MC5B10*	MC5B11*					MC5B71*		MC5B70*					MC5B135
Weatherford Deluxe®	MC5B10*	MC5B11*					MC5B71*		MC5B70*					MC5B135



# BLADES

															
Silver	Hi Gloss Rosewood Veneer	Unfinished Oak Veneer	Unfinished Pine Veneer	Walnut Veneer	Natural Cherrywood Veneer	Honey Pine	Old Chicago	Mahogany Veneer	White / Country Pine	Natural Walnut	Teak	Mahogany	Pecan	Rosewood	American Walnut
MC5B139	MC5B29	MC5B30	MC5B31	MC5B47	MC5B48	MC5B49	MC5B60			MC5B125	MC5B126	MC5B127	MC5B128	MC5B129	MC5B130
MC5B139	MC5B29	MC5B30	MC5B31	MC5B47	MC5B48	MC5B49	MC5B60			MC5B125	MC5B126	MC5B127	MC5B128	MC5B129	MC5B130
				MC5B73				MC5B74	MC5B14						
MC5B139	MC5B29	MC5B30	MC5B31	MC5B47	MC5B48	MC5B49	MC5B60	MC5B90		MC5B125	MC5B126	MC5B127	MC5B128	MC5B129	MC5B130
MC5B139	MC5B29	MC5B30	MC5B31	MC5B47	MC5B48	MC5B49	MC5B60	MC5B90		MC5B125	MC5B126	MC5B127	MC5B128	MC5B129	MC5B130
MC5B139	MC5B29	MC5B30	MC5B31	MC5B47	MC5B48	MC5B49	MC5B60	MC5B90		MC5B125	MC5B126	MC5B127	MC5B128	MC5B129	MC5B130
MC5B139	MC5B29	MC5B30	MC5B31	MC5B47	MC5B48	MC5B49	MC5B60	MC5B90		MC5B125	MC5B126	MC5B127	MC5B128	MC5B129	MC5B130
MC5B139	MC5B29	MC5B30	MC5B31	MC5B47	MC5B48	MC5B49	MC5B60	MC5B90		MC5B125	MC5B126	MC5B127	MC5B128	MC5B129	MC5B130
				MC5B68				MC5B69							
				MC5B68				MC5B69							
MC5B139	MC5B29	MC5B30	MC5B31	MC5B47	MC5B48	MC5B49	MC5B60	MC5B90		MC5B125	MC5B126	MC5B127	MC5B128	MC5B129	MC5B130
MC5B139	MC5B29	MC5B30	MC5B31	MC5B47	MC5B48	MC5B49	MC5B60	MC5B90		MC5B125	MC5B126	MC5B127	MC5B128	MC5B129	MC5B130
				MC5B68				MC5B69							
				MC5B68				MC5B69							
MC5B139	MC5B29	MC5B30	MC5B31	MC5B47	MC5B48	MC5B49	MC5B60	MC5B90		MC5B125	MC5B126	MC5B127	MC5B128	MC5B129	MC5B130
MC5B139	MC5B29	MC5B30	MC5B31	MC5B47	MC5B48	MC5B49	MC5B60	MC5B90		MC5B125	MC5B126	MC5B127	MC5B128	MC5B129	MC5B130
				MC5B68*				MC5B69*							
				MC5B68*				MC5B69*							

\* Indoor Use Only



Oak



White



Black



Walnut



Hi Gloss Maple



Hi Gloss Walnut



Hi Gloss Black



Hi Gloss Rosewood



Wormwood Veneer



Oak Veneer



Weathered Pine Veneer



Tuscan Bronze



Natural Maple



Distressed Pine



Washed Oak



White Washed Pine



Cherrywood Veneer



Roman Bronze




Silver



Hi Gloss Rosewood Veneer

# BLADE FINISHES



Unfinished Oak Veneer



Unfinished Pine Veneer



Walnut Veneer



Corinthian Bronze



Honey Pine



Old Chicago



Mahogany Veneer



Country Pine



Natural Walnut



Teak



Mahogany



Pecan



Rosewood



American Walnut



British Bronze




Western Walnut



Natural Cherrywood Veneer

# BATTERY OPERATED REMOTE CONTROLS

	Transmitter	Fan Receiver	Description
<p><b>GROUP A</b></p> <p>Wall / Hand-held Remote Control Kit</p> <p>CK250</p> 	 <p>Includes enclosure for hand-held use.</p> 		<p>For fans with manual reverse. Canopy installed receiver converts pull chain fan to remote capability.</p> <p><b>Features:</b></p> <ul style="list-style-type: none"> <li>• Reverse motor and downlight control</li> <li>• Almond or white face plates</li> <li>• “Clam-shell” design enclosure for use as hand-held option</li> <li>• Battery operated transmitter, no hardwiring required.</li> </ul>
<p><b>GROUP B</b></p> <p>Reversible Wall / Hand-held Remote Control Kit</p> <p>CK300</p>  	 <p>Includes enclosure for hand-held use.</p> 		<p>Switch housing receiver installation with reverse motion and downlight control.</p> <p><b>Features:</b></p> <ul style="list-style-type: none"> <li>• Reverse motor and downlight control</li> <li>• Almond or white face plates</li> <li>• “Clam-shell” design enclosure for use as hand-held option</li> <li>• Battery operated transmitter, no hardwiring required.</li> </ul>
<p><b>GROUP C</b></p> <p>Reversible Wall / Hand-held Remote Control Transmitter Accessory</p> <p>CT100</p>  	 <p>Includes enclosure for hand-held use.</p> 	<p><b>Transmitter only.</b> Fan must already have a receiver to use this option.</p>	<p>Transmitter accessory / companion for use with existing or installed fans with receiver.</p> <p>This transmitter delivers added flexibility of use as a wall mount remote or hand-held unit.</p> <p><b>Features:</b></p> <ul style="list-style-type: none"> <li>• Reverse motor and downlight control</li> <li>• Almond or white face plates</li> <li>• “Clam-shell” design enclosure for use as hand-held option</li> <li>• Battery operated.</li> </ul>
<p><b>GROUP D</b></p> <p>Reversible Wall / Hand-held Remote Control Transmitter Accessory</p> <p>CT150</p>   	 <p>Includes enclosure for hand-held use.</p> 	<p><b>Transmitter only.</b> Fan must already have a receiver to use this option.</p>	<p>Transmitter accessory / companion for use with existing or installed fans with receiver.</p> <p>This transmitter delivers added flexibility of use as a wall mount remote or hand-held unit.</p> <p><b>Features:</b></p> <ul style="list-style-type: none"> <li>• Reverse motor and up / downlight control</li> <li>• Almond or white face plates</li> <li>• “Clam-shell” design enclosure for use as hand-held option</li> <li>• Battery operated.</li> </ul>

# HARD WIRED WALL CONTROLS

	Wall Control	Description	
<b>GROUP E</b>	<b>Wall Control</b> <b>ESSWC-1</b>		<p>Rotary-style fan wall control, 3-speed settings.</p> <p>Includes Ivory and White knobs.</p>
<b>GROUP E</b>	<b>Wall Control</b> <b>ESSWC-2</b>		<p>Converts standard wall switch to a multi-function ceiling fan and light control.</p> <p>Wall Switch must have three wires, (with two hot leads) to operate both fan and light separately.</p>
<b>GROUP E</b>	<b>Wall Control</b> <b>ESSWC-3</b>		<p>Converts standard two-wire wall switch to a four-speed (High, Medium, Low, Off) fan control. Available in white and almond.</p> <p>&gt; <b>ESSWC-3-WH</b> White</p> <p>■ <b>ESSWC-3-AL</b> Almond</p>
<b>GROUP F</b>	<b>Wall Control for Extra Heavy Duty 212mm Motors</b> <b>ESSWC-4</b>		<p>Converts standard two-wire wall switch to a heavy duty (212mm motor fans) four-speed (High, Medium, Low, Off) fan control. Available in white and almond.</p> <p>&gt; <b>ESSWC-4-WH</b> White</p> <p>■ <b>ESSWC-4-AL</b> Almond</p>

## Accessory Chains

### MC96

Includes 250' of chain and 250 connector pieces.



-  **MC96AB** Antique Brass
-  **MC96CH** Chrome
-  **MC96GM** Gunmetal
-  **MC96PB** Polished Brass

## Downrod Extension Couplers

### MC80

For extra-high ceilings, this coupler allows you to connect two 1/2" diameter downrods.



- |   |  |
|---|--|
|  <b>MC80AB</b> Antique Brass       |  <b>MC80IS</b> Irish Slate    |
|  <b>MC80AG</b> Aged Tortoise Shell |  <b>MC80OC</b> Old Chicago    |
|  <b>MC80BG</b> Gloss Black         |  <b>MC80PB</b> Polished Brass |
|  <b>MC80BK</b> Matte Black         |  <b>MC80RB</b> Roman Bronze   |
|  <b>MC80BP</b> Brushed Pewter      |  <b>MC80SO</b> Sicilian Stone |
|  <b>MC80BR</b> British Bronze      |  <b>MC80TB</b> Tuscan Bronze  |
|  <b>MC80BS</b> Brushed Steel       |  <b>MC80TI</b> Titanium       |
|  <b>MC80CB</b> Corinthian Bronze   |  <b>MC80TW</b> Textured White |
|  <b>MC80EP</b> English Pewter      |  <b>MC80WA</b> Walnut         |
|  <b>MC80FB</b> Florentine Bronze   |  <b>MC80WH</b> White          |
|  <b>MC80IB</b> Iberian Bronze      |  <b>MC80WI</b> Weathered Iron |

## Sloped Ceiling Canopy Kit

### MC95

For extreme sloped or vaulted ceilings (up to 46" pitch) this adapter can easily be mounted on most Monte Carlo models under 35lbs.



- |   |  |
|---|--|
|  <b>MC95AB</b> Antique Brass        |  <b>MC95IS</b> Irish Slate     |
|  <b>MC95AG</b> Aged Tortoise Shell |  <b>MC95OC</b> Old Chicago    |
|  <b>MC95BG</b> Gloss Black         |  <b>MC95PB</b> Polished Brass |
|  <b>MC95BK</b> Matte Black         |  <b>MC95RB</b> Roman Bronze   |
|  <b>MC95BP</b> Brushed Pewter      |  <b>MC95SO</b> Sicilian Stone |
|  <b>MC95BR</b> British Bronze      |  <b>MC95TB</b> Tuscan Bronze  |
|  <b>MC95BS</b> Brushed Steel       |  <b>MC95TI</b> Titanium       |
|  <b>MC95CB</b> Corinthian Bronze   |  <b>MC95TW</b> Textured White |
|  <b>MC95EP</b> English Pewter      |  <b>MC95WA</b> Walnut         |
|  <b>MC95FB</b> Florentine Bronze   |  <b>MC95WH</b> White          |
|  <b>MC95IB</b> Iberian Bronze      |  <b>MC95WI</b> Weathered Iron |

## Flush-Mount Canopy Kit

### MC90

For lower ceilings, this flush-mount canopy can easily be mounted directly on the top of most Monte Carlo models, bringing your fan closer to the ceiling. (under 35lbs.)



- |   |  |
|---|--|
|  <b>MC90AB</b> Antique Brass        |  <b>MC90IS</b> Irish Slate     |
|  <b>MC90AG</b> Aged Tortoise Shell |  <b>MC90OC</b> Old Chicago    |
|  <b>MC90BG</b> Gloss Black         |  <b>MC90PB</b> Polished Brass |
|  <b>MC90BK</b> Matte Black         |  <b>MC90RB</b> Roman Bronze   |
|  <b>MC90BP</b> Brushed Pewter      |  <b>MC90SO</b> Sicilian Stone |
|  <b>MC90BR</b> British Bronze      |  <b>MC90TB</b> Tuscan Bronze  |
|  <b>MC90BS</b> Brushed Steel       |  <b>MC90TI</b> Titanium       |
|  <b>MC90CB</b> Corinthian Bronze   |  <b>MC90TW</b> Textured White |
|  <b>MC90EP</b> English Pewter      |  <b>MC90WA</b> Walnut         |
|  <b>MC90FB</b> Florentine Bronze   |  <b>MC90WH</b> White          |
|  <b>MC90IB</b> Iberian Bronze      |  <b>MC90WI</b> Weathered Iron |

## Heavy Duty Flush Mount Canopy Kit

### MC192

For Monte Carlo fans over 35 pounds.

This flush mount canopy can easily be mounted directly to most Monte Carlo models bringing your fan closer to the ceiling. For fan weights, see page 232.



Listed for Wet Locations

- |  |  |   |   |
|--|--|---|---|
|  <b>MC192AB</b> Antique Brass       |  <b>MC192BS</b> Brushed Steel     |  <b>MC192OC</b> Old Chicago    |  <b>MC192TW</b> Textured White |
|  <b>MC192AG</b> Aged Tortoise Shell |  <b>MC192CB</b> Corinthian Bronze |  <b>MC192PB</b> Polished Brass |  <b>MC192WA</b> Walnut         |
|  <b>MC192BG</b> Gloss Black         |  <b>MC192EP</b> English Pewter    |  <b>MC192RB</b> Roman Bronze   |  <b>MC192WH</b> White          |
|  <b>MC192BK</b> Matte Black         |  <b>MC192FB</b> Florentine Bronze |  <b>MC192SO</b> Sicilian Stone |  <b>MC192WI</b> Weathered Iron |
|  <b>MC192BP</b> Brushed Pewter      |  <b>MC192IB</b> Iberian Bronze    |  <b>MC192TB</b> Tuscan Bronze  |   |
|  <b>MC192BR</b> British Bronze      |  <b>MC192IS</b> Irish Slate       |  <b>MC192TI</b> Titanium       |   |

## Bowl Cap Kits MC83 Series

### MC83

Allows use of fan & light kit pull-chain controls. Select the bowl/light kit finish that coordinates to your fan.



 <b>MC83AB</b> Antique Brass	 <b>MC83OC</b> Old Chicago
 <b>MC83BK</b> Matte Black	 <b>MC83PB</b> Polished Brass
 <b>MC83BP</b> Brushed Pewter	 <b>MC83RB</b> Roman Bronze
 <b>MC83BR</b> British Bronze	 <b>MC83SO</b> Sicilian Stone
 <b>MC83BS</b> Brushed Steel	 <b>MC83TB</b> Tuscan Bronze
 <b>MC83CB</b> Corinthian Bronze	 <b>MC83TI</b> Titanium
 <b>MC83EP</b> English Pewter	 <b>MC83TW</b> Textured White
 <b>MC83FB</b> Florentine Bronze	 <b>MC83WH</b> White
 <b>MC83IB</b> Iberian Bronze	 <b>MC83WI</b> Weathered Iron
 <b>MC83IS</b> Irish Slate	

## Bowl Cap Kits MC97 Series

### MC97

When using a Monte Carlo Remote Control, this cap kit conceals pull-chain controls.



 <b>MC97AB</b> Antique Brass	 <b>MC97OC</b> Old Chicago
 <b>MC97BK</b> Matte Black	 <b>MC97PB</b> Polished Brass
 <b>MC97BP</b> Brushed Pewter	 <b>MC97RB</b> Roman Bronze
 <b>MC97BR</b> British Bronze	 <b>MC97SO</b> Sicilian Stone
 <b>MC97BS</b> Brushed Steel	 <b>MC97TB</b> Tuscan Bronze
 <b>MC97CB</b> Corinthian Bronze	 <b>MC97TI</b> Titanium
 <b>MC97EP</b> English Pewter	 <b>MC97TW</b> Textured White
 <b>MC97FB</b> Florentine Bronze	 <b>MC97WH</b> White
 <b>MC97IB</b> Iberian Bronze	 <b>MC97WI</b> Weathered Iron
 <b>MC97IS</b> Irish Slate	

## Yoke Cover

### MC82

Covers area where downrod enters the fan.



 <b>MC82AB</b> Antique Brass	 <b>MC82OC</b> Old Chicago
 <b>MC82BK</b> Matte Black	 <b>MC82PB</b> Polished Brass
 <b>MC82BP</b> Brushed Pewter	 <b>MC82RB</b> Roman Bronze
 <b>MC82BR</b> British Bronze	 <b>MC82SO</b> Sicilian Stone
 <b>MC82BS</b> Brushed Steel	 <b>MC82TB</b> Tuscan Bronze
 <b>MC82CB</b> Corinthian Bronze	 <b>MC82TI</b> Titanium
 <b>MC82EP</b> English Pewter	 <b>MC82TW</b> Textured White
 <b>MC82FB</b> Florentine Bronze	 <b>MC82WH</b> White
 <b>MC82IB</b> Iberian Bronze	 <b>MC82WI</b> Weathered Iron
 <b>MC82IS</b> Irish Slate	

# ACCESSORIES

## Heavy Duty Electrical Support Boxes

Make sure your fan installation is safely supported by utilizing the products below best suited for your heavy duty installation.



### 22200

Perfect for installations in existing homes where no access from above exists. Fully adjustable between joist installations. Installs thru sheetrock. Rotating dual supports. All hardware included. 2.5" box depth. This model is U.L. rated for fan and light kit combinations up to 70 lbs. or lighting fixtures up to 150 lbs.



### 55501

Use in new construction when the fan box needs to be placed in between joists, or existing construction with access from above. Fully adjustable. 1.5" box depth. Rotating dual supports, peel and stick top. All hardware included. This model is U.L. rated for fan and light kit combinations up to 70 lbs. or lighting fixtures up to 110 lbs.



### 77705

For use in new construction when the ceiling joist is in the correct position for a fan box placement. Screws directly into joist. All hardware included. 0.5" box depth. This model is U.L. rated for fan and light kit combinations up to 70 lbs. or lighting fixtures up to 150 lbs.

# SCROLL KITS



**MC99**  
Antler Scroll Kit



MC99 scroll kit shown with 5GL52WI fan and MC116WI Light Kit



**MC163**  
Wood Twig Scroll Kit

MC163 scroll kit shown with 5GL52WI fan and MC161WI light kit



- MC163OC Old Chicago
- > MC163WI Weathered Iron



MC199EP Scroll Kit and MC198EP Light Kit shown with 5SIEP fan and MC5BI43 Blades.



**MC199**  
Scroll Kit

- > MC199EP English Pewter
- MC199IB Iberian Bronze
- MC199RB Roman Bronze
- MC199TB Tuscan Bronze



# CEILING MEDALLIONS & CANOPY COVERS

## MDC01

Strasburg Style Canopy Cover

- MDC01BR** British Bronze
- MDC01RB** Roman Bronze
- MDC01TB** Tuscan Bronze
- MDC01WH** Matte White (paintable finish)

Use with Monte Carlo ceiling medallions (not separately); canopy covers dress up many Monte Carlo ceiling fan canopies.



## MDC02

Royal Danube Style Canopy Cover

- MDC02BR** British Bronze
- MDC02RB** Roman Bronze
- MDC02TB** Tuscan Bronze
- MDC02WH** Matte White (paintable finish)

Use with Monte Carlo ceiling medallions (not separately); canopy covers dress up many Monte Carlo ceiling fan canopies.



MED3201RB & MDC01RB shown with 5SBR56RBD Fan.

## MED1901

19" Strasburg Style Ceiling Medallion

- MED1901BR** British Bronze
- MED1901RB** Roman Bronze
- MED1901TB** Tuscan Bronze
- MED1901WH** Matte White (paintable finish)



## MED1902

19" Royal Danube Style Ceiling Medallion

- MED1902BR** British Bronze
- MED1902RB** Roman Bronze
- MED1902TB** Tuscan Bronze
- MED1902WH** Matte White (paintable finish)



## MED2401

24" Strasburg Style Ceiling Medallion

- MED2401BR** British Bronze
- MED2401RB** Roman Bronze
- MED2401TB** Tuscan Bronze
- MED2401WH** Matte White (paintable finish)



## MED2402

24" Royal Danube Style Ceiling Medallion

- MED2402BR** British Bronze
- MED2402RB** Roman Bronze
- MED2402TB** Tuscan Bronze
- MED2402WH** Matte White (paintable finish)



## MED3201

32" Strasburg Style Ceiling Medallion

- MED3201BR** British Bronze
- MED3201RB** Roman Bronze
- MED3201TB** Tuscan Bronze
- MED3201WH** Matte White (paintable finish)



## MED3202

32" Royal Danube Style Ceiling Medallion

- MED3202BR** British Bronze
- MED3202RB** Roman Bronze
- MED3202TB** Tuscan Bronze
- MED3202WH** Matte White (paintable finish)



Canopy covers can only be used in conjunction with a ceiling medallion. A downrod length of 8" (or 18" on collections with integrated scroll kits) is needed for proper canopy cover installation.

# DOWNRODS



Ceiling fan downrods offer added flexibility in placing fans in the exact setting desired. Decorative 1/2" diameter downrods are threaded on one end with pre-drilled holes on both ends. The threaded end of the downrod should be installed in the ball, inside the ceiling canopy.

For optimum performance, we recommend that your ceiling fan is installed with the blades suspended between 8' and 9' above the floor.

Using the chart below, select from an extensive list of finishes and sizes for the correct downrod to your fan finish and ceiling height.

Ceiling Height	9 ft	10 ft	11 ft	12 ft	13 ft	14 ft	15 ft
Suggested Downrod Length	12 in	18 in	24 in	36 in	48 in	60 in	72 in
Antique Brass	DR12AB	DR18AB	DR24AB	DR36AB	DR48AB	DR60AB	DR72AB
Aged Tortoise Shell	DR12AG	DR18AG	DR24AG	DR36AG	DR48AG	DR60AG	DR72AG
Black	DR12BK	DR18BK	DR24BK	DR36BK	DR48BK	DR60BK	DR72BK
Brushed Pewter	DR12BP	DR18BP	DR24BP	DR36BP	DR48BP	DR60BP	DR72BP
British Bronze	DR12BR	DR18BR	DR24BR	DR36BR	DR48BR	DR60BR	DR72BR
Brushed Steel	DR12BS	DR18BS	DR24BS	DR36BS	DR48BS	DR60BS	DR72BS
Corinthian Bronze	DR12CB	DR18CB	DR24CB	DR36CB	DR48CB	DR60CB	DR72CB
English Pewter	DR12EP	DR18EP	DR24EP	DR36EP	DR48EP	DR60EP	DR72EP
Florentine Bronze	DR12FB	DR18FB	DR24FB	DR36FB	DR48FB	DR60FB	DR72FB
Gloss Black	DR12BG	DR18BG	DR24BG	DR36BG	DR48BG	DR60BG	DR72BG
Iberian Bronze	DR12IB	DR18IB	DR24IB	DR36IB	DR48IB	DR60IB	DR72IB
Irish Slate	DR12IS	DR18IS	DR24IS	DR36IS	DR48IS	DR60IS	DR72IS
Old Chicago	DR12OC	DR18OC	DR24OC	DR36OC	DR48OC	DR60OC	DR72OC
Polished Brass	DR12PB	DR18PB	DR24PB	DR36PB	DR48PB	DR60PB	DR72PB
Roman Bronze	DR12RB	DR18RB	DR24RB	DR36RB	DR48RB	DR60RB	DR72RB
Sicilian Stone	DR12SO	DR18SO	DR24SO	DR36SO	DR48SO	DR60SO	DR72SO
Tuscan Bronze	DR12TB	DR18TB	DR24TB	DR36TB	DR48TB	DR60TB	DR72TB
Titanium	DR12TI	DR18TI	DR24TI	DR36TI	DR48TI	DR60TI	DR72TI
Textured White	DR12TW	DR18TW	DR24TW	DR36TW	DR48TW	DR60TW	DR72TW
Walnut	DR12WA	DR18WA	DR24WA	DR36WA	DR48WA	DR60WA	DR72WA
White	DR12WH	DR18WH	DR24WH	DR36WH	DR48WH	DR60WH	DR72WH
Weathered Iron	DR12WI	DR18WI	DR24WI	DR36WI	DR48WI	DR60WI	DR72WI

# REPLACEMENT BULB GUIDE

## LIGHT KIT / FITTER REPLACEMENT BULB GUIDE

MODEL NUMBER	BULB	GLASS	BULB STYLE	BULB TYPE	BASE TYPE	QTY & WATTAGE
21904	160-019	Clear	Candelabra	B-10	E-12	3 x 60w
40000	160-008	Clear	Candelabra	B-10	E-12	4 x 40w
H3	160-019	Clear	Candelabra	B-10	E-12	3 x 60w
H4	160-008	Clear	Candelabra	B-10	E-12	4 x 40w
MC04	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC07	160-016	Frost	Fluorescent	CFL	E-27	2 x 13w
MC08	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC101	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC102	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC103	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC104	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC105	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC106	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC113	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC114	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC115	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC116	160-005	Frost	Candelabra	B-10	E-12	4 x 40w
MC118	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC121	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC122	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC124	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC127	160-020	Frost	Fluorescent	Double Circline	G10q	1 x 40w
MC131	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC133	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC138WI	160-019	Clear	Candelabra	B-10	E-12	3 x 60w
MC143	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC144	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC147	160-015	Clear	Halogen	GU	GU10	3 x 50w
MC151	160-007	Frost	Candelabra	B-10	E-12	1 x 60w
MC154	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC155	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC158	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC16	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC160RB	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC161	160-005	Frost	Candelabra	B-10	E-12	4 x 40w
MC162	160-004	Clear	Halogen	JDE11	E-11	3 x 50w
MC164	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC165	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC169	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC171	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC172	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC169	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC173	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC174	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC18	160-016	Frost	Fluorescent	CFL	E-27	2 x 13w

MODEL NUMBER	BULB	GLASS	BULB STYLE	BULB TYPE	BASE TYPE	QTY & WATTAGE
MC180	160-019	Clear	Candelabra	B-10	E-12	3 x 60w
MC181	160-019	Clear	Candelabra	B-10	E-12	3 x 60w
MC182	160-008	Clear	Candelabra	B-10	E-12	4 x 40w
MC183	160-008	Clear	Candelabra	B-10	E-12	3 x 60w
MC184	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC185	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC186	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC187	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC188	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC189	160-007	Frost	Candelabra	B-10	E-12	2 x 60w
MC193	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC194	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC195	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC198	160-008	Clear	Candelabra	B-10	E-12	4 x 40w
MC200	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC201	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC202	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC203	160-019	Clear	Candelabra	B-10	E-12	3 x 60w
MC204	160-007	Frost	Candelabra	B-10	E-12	2 x 60w
MC205	160-007	Frost	Candelabra	B-10	E-12	2 x 60w
MC206	160-007	Frost	Candelabra	B-10	E-12	2 x 60w
MC207	160-007	Frost	Candelabra	B-10	E-12	2 x 60w
MC208	160-012	Clear	Candelabra	G-16.5	E-12	3 x 60w
MC209	160-012	Clear	Candelabra	G-16.5	E-12	3 x 60w
MC21	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC210	160-012	Clear	Candelabra	G-16.5	E-12	3 x 60w
MC211	160-007	Frost	Candelabra	B-10	E-12	2 x 60w
MC212	160-005	Frost	Candelabra	B-10	E-12	3 x 40w
MC216	160-019	Clear	Candelabra	B-10	E-12	3 x 40w
MC217	160-019	Clear	Candelabra	B-10	E-12	3 x 40w
MC218	160-019	Clear	Candelabra	B-10	E-12	3 x 40w
MC219	160-019	Clear	Candelabra	B-10	E-12	3 x 40w
MC22	160-008	Clear	Candelabra	B-10	E-12	4 x 40w
MC37	160-008	Clear	Candelabra	B-10	E-12	4 x 40w
MC49	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC59	160-007	Frost	Candelabra	B-10	E-12	2 x 60w
MC66	160-008	Clear	Candelabra	B-10	E-12	4 x 40w
MC73	160-008	Clear	Candelabra	B-10	E-12	4 x 40w
MC76	160-008	Clear	Candelabra	B-10	E-12	4 x 40w
MC79	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC84	160-012	Clear	Candelabra	G-16.5	E-12	1 x 60w
MC87	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC89	160-007	Frost	Candelabra	B-10	E-12	3 x 40w
MC92	160-007	Frost	Candelabra	B-10	E-12	3 x 60w
MC94	160-019	Clear	Candelabra	B-10	E-12	1 x 60w
MC98	160-007	Frost	Candelabra	B-10	E-12	3 x 60w

## CEILING FAN REPLACEMENT BULB REFERENCE GUIDE

BULB	GLASS	BULB STYLE	BULB TYPE	BASE TYPE	WATTAGE
160-001	Clear	Candelabra	T4	E-12	15w
160-002	Clear	Halogen	JDE11	E-11	100w
160-003	Frost	Candelabra	B-8	E-12	25w
160-004	Frost	Halogen	JDE11	E-11	50w
160-005	Frost	Candelabra	B-10	E-12	40w
160-006	Frost	Fluorescent	Double Circline	G10q	40w
160-007	Frost	Candelabra	B-10	E-12	60w
160-008	Clear	Candelabra	B-10	E-12	40w
160-009	Clear	Candelabra	B-10.5	E-12	15w
160-010	Clear	Halogen	JDE11	E-11	75w
160-011	Clear	Candelabra	B-10	E-12	25w

BULB	GLASS	BULB STYLE	BULB TYPE	BASE TYPE	WATTAGE
160-012	Clear	Candelabra	G-16.5	E-12	60w
160-013	Frost	Candelabra	C-7	E-12	15w
160-014	Frost	Candelabra	C-26	E-12	25w
160-015	Clear	Halogen	GU	CU10	50w
160-016	Frost	Fluorescent	CFL	E-27	13w
160-017	Frost	Fluorescent	CFL	E-27	23w
160-019	Clear	Candelabra	B-10	E-12	60w
160-020	Frost	Fluorescent	Double Circline	G10q	40w
160-021	Frost	Fluorescent	Double Circline	G10q	55w
160-024	Clear	Candelabra	G-16.5	E-12	60w



**AB**  
ANTIQUE BRASS



**AG**  
AGED TORTOISE SHELL



**BG**  
GLOSS BLACK



**BK**  
MATTE BLACK



**BP**  
BRUSHED PEWTER



**BR**  
BRITISH BRONZE



**BS**  
BRUSHED STEEL



**CB**  
CORINTHIAN BRONZE



**EP**  
ENGLISH PEWTER



**FB**  
FLORENTINE BRONZE



**IB**  
IBERIAN BRONZE



**IS**  
IRISH SLATE

# FINISH COLOR GUIDE



**OC**  
OLD CHICAGO




**PB**  
POLISHED BRASS



**RB**  
ROMAN BRONZE



**SO**  
SICILIAN STONE



**TB**  
TUSCAN BRONZE



**TI**  
TITANIUM



**TW**  
TEXTURED WHITE



**WA**  
WALNUT



**WH**  
WHITE



**WI**  
WEATHERED IRON

## CEILING FANS

3AXR52BS3	95	5CO66RB	120	5GP60RB	116	5OR52CB	74	5WF42WH	180
3BVR52RID	45	5CO66TB	121	5GP60TB	117	5OR52CBD	72	5WF52BK	178
3MO52BGO	97	5CO66WH	120	5GP60WH	117	5OR52EP	74	5WF52BKD	177
3MO52TMO	97	5CRR66EP4	7	5HS42BP	147	5OR52EPD	72	5WF52BR	179
3MO52WHO	97	5CSR60AGD	20	5HS42OC	147	5OR52IBD	73	5WF52BRD	176
3MTR38TMO	109	5CY60BK	160	5HS42RB	146	5OR52RB	74	5WF52OC	179
3MTR38WHO	109	5CY60BR	160	5HS42WH	146	5OR52RBD	72	5WF52RB	178
3SDR60BSD	90	5CY60OC	161	5HS52AB	141	5OR52TB	74	5WF52RBD	176
3SU54BK	93	5CY60RB	161	5HS52BK	143	5OR52TBD	72	5WF52WH	178
3SU54BP	92	5CY60WH	160	5HS52BP	142	5OR52TW	75	5WF52WHD	176
3SU54RB	92	5CZ52PBK	175	5HS52BPD	138	5PE56NO	163	5WNS2RBD	51
3SU54WH	93	5CZ52PWH	174	5HS52BS	142	5PE56NR	163	5WS52RBD	173
3TF24BS	157	5CZ52RB	174	5HS52CB	140	5PR52BR	69	5WS52WHD	173
3TF24RB	157	5DCR52BR	127	5HS52CBD	138	5PR52BS	71	5YM52RB	170
3TF24WH	157	5DCR52EP	126	5HS52IB	141	5PR52EP	70	8ATR44BSD	107
3TSR52TID	94	5DCR52IB	126	5HS52OC	140	5PR52IS	68		
3TSR52WHD	94	5DCR52RB	127	5HS52PB	142	5PR52RB	68		
4BN44WHD	83	5DCR52TB	126	5HS52RB	142	5PR52SO	68		
4CO28BK	154	5DCR52WH	127	5HS52RBD	139	5PR52TB	70		
4CO28BP	154	5DCR60BR	115	5HS52RBS	139	5PR52TW	71		
4CO28BS	153	5DCR60EP	115	5HS52TBD	139	5RDREP	14	22200	221
4CO28RB	155	5DCR60IB	114	5HS52TBS	138	5RDRI	13	55501	221
4CO28WH	154	5DCR60RB	114	5HS52TB	138	5RDRI	15	77705	221
4VG42/28BRD	150	5DCR60TB	114	5HS52TW	143	5RDRTB	14	MC96AB	220
4VG42/28TBD	151	5DE52RB	47	5HS52WH	140	5RH52BRD	67	MC96CH	220
5AB52BR	60	5DH52BP	136	5HS52WHD	138	5RH52EPD	66	MC96GM	220
5AB52EP	61	5DH52RB	137	5LCR52BS	129	5RH52RBD	66	MC96PB	220
5AB52IB	62	5DH52TW	136	5LCR52IB	128	5RH52TBD	66	MDC01BR	223
5AB52RB	60	5DI52BKD	103	5LCR52RB	129	5SBR56BRD	36	MDC01RB	223
5AB52TB	62	5DI52BRD	103	5LCR52TW	128	5SBR56ISD	35	MDC01TB	223
5AHR60BRD	21	5DI52BSD	102	5LNR52BRD	171	5SBR56RBD	36	MDC01WH	223
5AHR60BSD	21	5DI52RBD	102	5LNR52RBD	171	5SBR56SOD	36	MDC02BR	223
5AHR60RBD	21	5DI52WHD	102	5LPR52BRD	44	5SBR56TBD	36	MDC02RB	223
5ALR56RBD	31	5DOR52WI	50	5MAR52BSD	96	5SCR60BR3	30	MDC02TB	223
5AN52BRD	56	5DRR52RID	52	5MHR52RBD	55	5SH54RBD	166	MDC02WH	223
5AN52RBD	56	5DS34BP	152	5ML52RA	58	5SH54TID	166	MED1901BR	223
5AV52BK	123	5DS34RB	152	5ML52TB	58	5SH54WHD	166	MED1901RB	223
5AV52BP	124	5DS34WH	152	5MMR54BSD	91	5SIBR	24	MED1901TB	223
5AV52BR	124	5DS44BP	145	5MQ60BR	27	5SIIEP	24	MED1901WH	223
5AV52BS	123	5DS44BS	144	5MQ60IS	28	5SIIB	25	MED1902BR	223
5AV52EP	125	5DS44RB	144	5MQ60RB	28	5SIRB	25	MED1902RB	223
5AV52IB	125	5DS44WH	144	5MQ60SO	27	5SITB	23	MED1902TB	223
5AV52RB	124	5DS52BK	132	5MQ60TB	28	5SKR52RBD	57	MED1902WH	223
5AV52TB	123	5DS52BP	130	5MS52AB	64	5SLR52BSD	101	MED2401BR	223
5AV52WH	125	5DS52BS	130	5MS52BR	65	5SLR52RBD	101	MED2401RB	223
5AYR54RBD	40	5DS52IB	130	5MS52CB	64	5SLR52WHD	101	MED2401TB	223
5BM66RB	11	5DS52EP	63	5MS52C	64	5SRR54RBD	41	MED2401WH	223
5BY52RB	172	5DS52IB	65	5MS52EP	63	5STR52BS	99	MED2402BR	223
5BY52WH	172	5DS52IS	130	5MS52IB	65	5TQ52BRD	46	MED2402RB	223
5CE52OC	59	5DS52RB	132	5MS52RB	64	5TQ52RBD	46	MED2402TB	223
5CLR66BRD	9	5DS52SO	130	5MS52TB	63	5UPR54BRD	39	MED2402WH	223
5CLR66EPD	8	5DS52TB	132	5MS52TR	63	5UPR54RBD	38	MED3201BR	223
5CLR66IBD	8	5DS52TW	132	5MS52TW	65	5VBR60BRD	18	MED3201RB	223
5CLR66RBD	8	5DS52WH	131	5MS66BR	17	5VCBK	77, 80, 169	MED3201TB	223
5CLR66TBD	9	5DS52WI	131	5MS66EP	16	5VCFB	78, 80, 81, 169	MED3201WH	223
5CNR52BSD	105	5DT52BRD	104	5MS66OC	17	5VCOC	77-79, 168, 169	MED3202BR	223
5CNR52WHD	105	5DT52BSD	104	5MS66RB	16	5VCRB	81, 169	MED3202RB	223
5CO52BK	134	5DT52RBD	104	5MS66TB	16	5VSR44BSD	108	MED3202TB	223
5CO52BR	134	5DT52WHD	104	5MXBP	119	5VSR44RID	108	MED3202WH	223
5CO52BS	134	5ED56WAD	164	5MXBR	118	5VSR60BSD	89	VCFBAND01	169
5CO52CB	135	5EPR60BRD	29	5MXBS	120	5VSR60RID	89	VCFBAND02	169
5CO52RB	133	5EXR60BSD	87	5MXFB	119	5VYR56BRD	33	VCFBAND03	169
5CO52TB	135	5FNR60RID	19	5MXOC	118	5VYR56IBD	33	VCFBAND04	169
5CO52WH	135	5FWR52BRD	43	5MXRB	121	5VYR56RBD	33	VCFBAND05	77, 79, 81
5CO66BR	120	5GIR54RBD	167	5MXTB	121	5WA52RB	53	VCFBAND06	77, 79, 81
5CO66BS	121	5GL52OC	48	5MXTW	120	5WCR56RBD	165	VCFBAND07	77, 79, 81
		5GL52WI	49	5MYR56RB	37	5WF42BK	181	VCFBAND08	77, 79, 81
		5GL66OC	10	5OBR52BSD	106	5WF42RB	180		
		5GL66WI	10	5OR52BR	75				
		5GMR52BSD	98	5OR52BRD	73				
		5GP60BS	116						

## ACCESSORIES

22200	221
55501	221
77705	221
MC96AB	220
MC96CH	220
MC96GM	220
MC96PB	220
MDC01BR	223
MDC01RB	223
MDC01TB	223
MDC01WH	223
MDC02BR	223
MDC02RB	223
MDC02TB	223
MDC02WH	223
MED1901BR	223
MED1901RB	223
MED1901TB	223
MED1901WH	223
MED1902BR	223
MED1902RB	223
MED1902TB	223
MED1902WH	223
MED2401BR	223
MED2401RB	223
MED2401TB	223
MED2401WH	223
MED2402BR	223
MED2402RB	223
MED2402TB	223
MED2402WH	223
MED3201BR	223
MED3201RB	223
MED3201TB	223
MED3201WH	223
MED3202BR	223
MED3202RB	223
MED3202TB	223
MED3202WH	223
VCFBAND01	169
VCFBAND02	169
VCFBAND03	169
VCFBAND04	169
VCFBAND05	77, 79, 81
VCFBAND06	77, 79, 81
VCFBAND07	77, 79, 81
VCFBAND08	77, 79, 81

# INDEX

## BLADES

MC5B01	214
MC5B02	214
MC5B03	214
MC5B04	214
MC5B06	214
MC5B07	214
MC5B08	214
MC5B09	214
MC5B10	214
MC5B11	214
MC5B12	214
MC5B13	214
MC5B14	215
MC5B17	214
MC5B18	214
MC5B19	214
MC5B22	214
MC5B28	214
MC5B29	215
MC5B30	215
MC5B31	215
MC5B41	212
MC5B42	212
MC5B44	214
MC5B47	215
MC5B48	215
MC5B49	215
MC5B60	215
MC5B68	215
MC5B69	215
MC5B70	214
MC5B71	214
MC5B73	215
MC5B74	215
MC5B90	215
MC5B91	21
MC5B95	213
MC5B96	213
MC5B97	213
MC5B98	213
MC5B99	213
MC5B100	213
MC5B101	213
MC5B102	213
MC5B103	213
MC5B104	213
MC5B105	213
MC5B106	213
MC5B107	213
MC5B108	213
MC5B109	213
MC5B110	213
MC5B111	213
MC5B112	213
MC5B113	211
MC5B114	211
MC5B115	211
MC5B117	211
MC5B119	211
MC5B120	211
MC5B125	215
MC5B126	215
MC5B127	215
MC5B128	215
MC5B129	215
MC5B130	215

MC5B135	214
MC5B136	161
MC5B137	175
MC5B138	214
MC5B139	215
MC5B140	208
MC5B141	209
MC5B142	208
MC5B143	209
MC5B144	208
MC5B145	209
MC5B146	208
MC5B147	209
MC5B148	212
MC5B149	212
MC5B150	212
MC5B151	212
MC5B152	212
MC5B153	212
MC5B154	212
MC5B155	212
MC5B156	212
MC5B157	212
MC5B159	212
MC5B161	212
MC5B163	212
MC5B164	212
MC5B165	212
MC5B166	212
MC5B167	212
MC5B168	212
MC5B169	212
MC5B170	212
MC5B171	212
MC5B172	212
MC5B174	212
MC5B176	212
MC5B178	209
MC5B179	208
MC5B180	209
MC5B181	208
MC5B182	209
MC5B183	208
MC5B184	209
MC5B185	208
MC5B186	209
MC5B187	208
MC5B188	209
MC5B189	208
MC5B190	210
MC5B191	210
MC5B192	210
MC5B193	209
MC5B194	208
MC5B195	209
MC5B196	208
MC5B197	209
MC5B198	208
MC5B199	209
MC5B200	208
MC5B201	209
MC5B202	208
MC5B203	209
MC5B204	208
MC5B205	209
MC5B206	208
MC5B207	209
MC5B208	208

MC5B209	212
MC5B210	212
MC5B211	212
MC5B212	212
MC5B213	212
MC5B214	212
MC5B215	212
MC5B216	210
MC5B217	210
MC5B218	210
MC5B219	9
MC5B220	9
MC5B221	209
MC5B222	208
MC5B223	82, 210
MC5B224	82, 210
MC5B225	82, 210
MC5B226	82, 210
MC5B227	173
MC5B228	173
MC5B229	173
MC5B230	173
MC5B231	209
MC5B232	208
MC5B233	209
MC5B234	208
VC5B01	168
VC5B02	168
VC5B03	168
VC5B04	168
VC5B05	82
VC5B06	82
VC5B07	82
VC5B08	82
VC5B11	82
VC5B12	82
VC5B13	82
VC5B14	82
VC5B15	82
VC5B16	82
VCBFFB	169
VCBFOC	169

## BOWL CAPS

MC83AB	221
MC83BK	221
MC83BP	221
MC83BR	221
MC83BS	221
MC83CB	221
MC83EP	221
MC83FB	221
MC83IB	221
MC83IS	221
MC83OC	221
MC83PB	221
MC83RB	221
MC83SO	221
MC83TB	221
MC83TI	221
MC83TW	221
MC83WH	221
MC83WI	221
MC97AB	221
MC97BK	221
MC97BP	221

MC97BR	221
MC97BS	221
MC97CB	221
MC97EP	221
MC97FB	221
MC97IB	221
MC97IS	221
MC97OC	221
MC97PB	221
MC97RB	221
MC97SO	221
MC97TB	221
MC97TI	221
MC97TW	221
MC97WH	221
MC97WI	221

## CANOPIES

MC90AB	220
MC90AG	220
MC90BG	220
MC90BK	220
MC90BP	220
MC90BR	220
MC90BS	220
MC90CB	220
MC90EP	220
MC90FB	220
MC90IB	220
MC90IS	220
MC90OC	220
MC90PB	220
MC90RB	220
MC90SO	220
MC90TB	220
MC90TI	220
MC90TW	220
MC90WA	220
MC90WH	220
MC90WI	220
MC95AB	220
MC95AG	220
MC95BG	220
MC95BK	220
MC95BP	220
MC95BR	220
MC95BS	220
MC95CB	220
MC95EP	220
MC95FB	220
MC95IB	220
MC95IS	220
MC95OC	220
MC95PB	220
MC95RB	220
MC95SO	220
MC95TB	220
MC95TI	220
MC95TW	220
MC95WA	220
MC95WH	220
MC95WI	220
MC192AB	220
MC192AG	220
MC192BG	220
MC192BK	220

MC192BP	220
MC192BR	220
MC192BS	220
MC192CB	220
MC192EP	220
MC192FB	220
MC192IB	220
MC192IS	220
MC192OC	220
MC192PB	220
MC192RB	220
MC192SO	220
MC192TB	220
MC192TI	220
MC192TW	220
MC192WA	220
MC192WH	220
MC192WI	220

## COUPLERS

MC80AB	220
MC80AG	220
MC80BG	220
MC80BK	220
MC80BP	220
MC80BR	220
MC80BS	220
MC80CB	220
MC80EP	220
MC80FB	220
MC80IB	220
MC80IS	220
MC80OC	220
MC80PB	220
MC80RB	220
MC80SO	220
MC80TB	220
MC80TI	220
MC80TW	220
MC80WA	220
MC80WH	220
MC80WI	220

## DOWNRODS

DR12AB	224
DR12AG	224
DR12BG	224
DR12BK	224
DR12BP	224
DR12BR	224
DR12BS	224
DR12CB	224
DR12EP	224
DR12FB	224
DR12IB	224
DR12IS	224
DR12OC	224
DR12PB	224
DR12RB	224
DR12SO	224
DR12TB	224
DR12TI	224

**DOWNRODS (cont'd)**

DR12TW	224	DR48AG	224
DR12WA	224	DR48BG	224
DR12WH	224	DR48BK	224
DR12WI	224	DR48BP	224
DR18AB	224	DR48BR	224
DR18AG	224	DR48BS	224
DR18BG	224	DR48CB	224
DR18BK	224	DR48EP	224
DR18BP	224	DR48FB	224
DR18BR	224	DR48IB	224
DR18BS	224	DR48IS	224
DR18CB	224	DR48OC	224
DR18EP	224	DR48PB	224
DR18FB	224	DR48RB	224
DR18IB	224	DR48SO	224
DR18IS	224	DR48TB	224
DR18OC	224	DR48TI	224
DR18PB	224	DR48TW	224
DR18RB	224	DR48WA	224
DR18SO	224	DR48WH	224
DR18TB	224	DR48WI	224
DR18TI	224	DR60AB	224
DR18TW	224	DR60AG	224
DR18WA	224	DR60BG	224
DR18WH	224	DR60BK	224
DR18WI	224	DR60BP	224
DR24AB	224	DR60BR	224
DR24AG	224	DR60BS	224
DR24BG	224	DR60CB	224
DR24BK	224	DR60EP	224
DR24BP	224	DR60FB	224
DR24BR	224	DR60IB	224
DR24BS	224	DR60IS	224
DR24CB	224	DR60OC	224
DR24EP	224	DR60PB	224
DR24FB	224	DR60RB	224
DR24IB	224	DR60SO	224
DR24IS	224	DR60TB	224
DR24OC	224	DR60TI	224
DR24PB	224	DR60TW	224
DR24RB	224	DR60WA	224
DR24SO	224	DR60WH	224
DR24TB	224	DR60WI	224
DR24TI	224	DR72AB	224
DR24TW	224	DR72AG	224
DR24WA	224	DR72BG	224
DR24WH	224	DR72BK	224
DR24WI	224	DR72BP	224
DR36AB	224	DR72BR	224
DR36AG	224	DR72BS	224
DR36BG	224	DR72CB	224
DR36BK	224	DR72EP	224
DR36BP	224	DR72FB	224
DR36BR	224	DR72IB	224
DR36BS	224	DR72IS	224
DR36CB	224	DR72OC	224
DR36EP	224	DR72PB	224
DR36FB	224	DR72RB	224
DR36IB	224	DR72SO	224
DR36IS	224	DR72TB	224
DR36OC	224	DR72TI	224
DR36PB	224	DR72TW	224
DR36RB	224	DR72WA	224
DR36SO	224	DR72WH	224
DR36TB	224	DR72WI	224
DR36TI	224		
DR36TW	224		
DR36WA	224		
DR36WH	224		
DR36WI	224		
DR48AB	224		

**FITTERS**

H3AB	199	MC76BR	200
H3BP	199	MC76CB	200
H3BS	199	MC76EP	200
H3CB	199	MC76IB	200
H3FB	199	MC76IS	200
H3IB	199	MC76OC	200
H3OC	199	MC76RB	200
H3PB	199	MC76SO	200
H3RB	199	MC180BS	201
H3TB	199	MC180EP	201
H3TW	199	MC180IB	201
H3WH	199	MC180IS	201
H4AB	199	MC180OC	201
H4BP	199	MC180RB	201
H4BS	199	MC180SO	201
H4CB	199	MC180TB	201
H4FB	199	MC182BR	201
H4IB	199	MC182FB	201
H4OC	199	MC182IS	201
H4PB	199	MC182OC	201
H4RB	199	MC182RB	201
H4TW	199	MC182SO	201
H4WH	199	MC182TB	201
MC22BR	199	MC182TW	201
MC22CB	199	MC183AB	201
MC22FB	199	MC183BK	201
MC22IS	199	MC183BP	201
MC22OC	199	MC183BS	201
MC22RB	199	MC183EP	201
MC22SO	199	MC183FB	201
MC22TB	199	MC183OC	201
MC37AB	199	MC183PB	201
MC37BK	199	MC183RB	201
MC37BP	199	MC183TB	201
MC37BS	199	MC183TW	201
MC37CB	199	MC183WH	201
MC37EP	199		
MC37FB	199		
MC37OC	199		
MC37PB	199		
MC37RB	199		
MC37TB	199		
MC37TW	199		
MC37WH	199		
MC66BP	200		
MC66BR	200		
MC66BS	200		
MC66CB	200		
MC66EP	200		
MC66FB	200		
MC66IB	200		
MC66IS	200		
MC66OC	200		
MC66RB	200		
MC66SO	200		
MC66TB	200		
MC66TW	200		
MC73AB	200		
MC73BP	200		
MC73BR	200		
MC73BS	200		
MC73CB	200		
MC73EP	200		
MC73FB	200		
MC73IB	200		
MC73IS	200		
MC73OC	200		
MC73RB	200		
MC73SO	200		
MC73TB	200		
MC73WH	200		

**GLASS**

G420	202
G804	202
G826	202
G833	202
G836	202
G837	202
G838	202
G860	202
G868	202
G873	202
G875	202
G885	202
G890	202
G891	202
G892	202
G897	203
G909	203
G952	203
G953	203
G954	203
G966	203
G975	203



# INDEX

## GLASS (cont'd)

G979	203	MC07PBK	196
G982	203	MC07PWH	196
G988	203	MC07RB	196
G990	203	MC07TI	196
G1014	203	MC08	183
G1039	203	MC16CB	183
G1040	203	MC16EP	183
G1043	204	MC16FB	183
G1044	204	MC16IB	183
G1047	204	MC16OCC	183
G1049	204	MC16RB	183
G1050	204	MC16TB	183
G1051	204	MC18AB	183
G1053	204	MC18BK	183
G1054	204	MC18BP	183
G1055	204	MC18BS	183
G1056	204	MC18CB	183
G1057	204	MC18FB	183
G1059	204	MC18IB	183
G1060	204	MC18OC	183
G1061	204	MC18RB	183
G1062	204	MC18TB	183
G1063	204	MC18TW	183
G1064	205	MC18WH	183
G1065	205	MC21BP	183
G1066	205	MC21BS	183
G1068	205	MC21CB	183
G1069	205	MC21EP	183
G1070	205	MC21FB	183
G1071	205	MC21IB	183
G1072	205	MC21IS	183
G1073	205	MC21OC	183
G1074	205	MC21RB	183
G1090	205	MC21SO	183
G1091	205	MC21TB	183
G1092	205	MC21WH	183
G4030	205	MC49	184

## LIGHT BULBS

160-001	225	MC59AB	184
160-002	225	MC59BP	184
160-003	225	MC59BS	184
160-004	225	MC59CB	184
160-005	225	MC59EP	184
160-006	225	MC59FB	184
160-007	225	MC59OC	184
160-008	225	MC59RB	184
160-009	225	MC59TW	184
160-010	225	MC59WH	184
160-011	225	MC79	184
160-012	225	MC84OC	184
160-013	225	MC84PBK	184
160-014	225	MC84PWH	184
160-015	225	MC84RB	184
160-016	225	MC87OC	196
160-017	225	MC89OC	196
160-019	225	MC89RB	196
160-020	225	MC89WH	196
160-021	225	MC92CB	184
160-024	225	MC92IS	184
		MC92OC	184
		MC92RB	184
		MC92SO	184
		MC94BK	196
		MC94BR	196
		MC94OC	196
		MC94RB	196
		MC94WH	196
		MC98	184
		MC101	184
		MC102	185
		MC103	185
		MC104	185
		MC105	185
		MC106	185

## LIGHT KITS

21904	193	MC113	186
40000	193	MC114	186
MC04	183	MC115	186
MC07BR	196	MC116OC	194
MC07OC	196	MC116WI	194

MC118	186	MC211BR	197
MC121	186	MC211OC	197
MC122	186	MC211RB	197
MC124FB	187	MC211WH	197
MC124OC	187	MC212	197
MC124RA	187	MC216	192
MC124TB	187	MC217	193
MC127	187	MC218	193
MC131	187	MC219	193
MC133	187		
MC138WI	187		
MC143	188		
MC144	188		
MC147	99		
MC151OC	197		
MC151RB	197		
MC151WH	197		
MC154	188		
MC155	188		
MC158	188		
MC160RB	37		
MC161OC	194		
MC161WI	194		
MC162RB	197		
MC164EP	13, 14		
MC164IB	13, 14		
MC164RB	13, 14		
MC164TB	13, 14		
MC165	189		
MC169	189		
MC171	189		
MC172	189		
MC173	189		
MC174	190		
MC181BS	194		
MC181EP	194		
MC181FB	194		
MC181IB	194		
MC181IS	194		
MC181OC	194		
MC181RB	194		
MC181SO	194		
MC181TB	194		
MC184	190		
MC185	190		
MC186	190		
MC187	190		
MC188	191		
MC189	191		
MC193	191		
MC194	191		
MC195	191		
MC198EP	195		
MC198IB	195		
MC198RB	195		
MC198TB	195		
MC200	192		
MC201	192		
MC202	192		
MC203	194		
MC204	196		
MC205	196		
MC206	196		
MC207	196		
MC208	192		
MC209	192		
MC210	192		
MC211BK	197		

## REMOTE CONTROLS

CK250	218
CK300	218
CT100	218
CT150	218

## SCROLL KITS

MC99	222
MC163OC	222
MC163WI	222
MC199EP	222
MC199IB	222
MC199RB	222
MC199TB	222

## WALL CONTROLS

ESWC-1	219
ESSWC-2	219
ESSWC-3-AL	219
ESSWC-3-WH	219
ESSWC-4-AL	219
ESSWC-4-WH	219

## YOKE COVERS

MC82AB	221
MC82BK	221
MC82BP	221
MC82BR	221
MC82BS	221
MC82CB	221
MC82EP	221
MC82FB	221
MC82IB	221
MC82IS	221
MC82OC	221
MC82PB	221
MC82RB	221
MC82SO	221
MC82TB	221
MC82TI	221
MC82TW	221
MC82WH	221
MC82WI	221


# CEILING FAN SPECIFICATIONS

Series Name	Series	Page Number	Blade Pitch	Number of Blades	Weight (lbs)	Motor Diameter (mm)	Motor Height (mm)	Fan Height (inches)	Fan Width (inches)	Replacement Bulb
Aberdeen	5AB52	60-62	14	5	29.75	188	20	14.85	52	
Airlift	8ATR44D	107	22	8	35.24	188	15	25.91	44	160-001, 160-002
Albany	5AN52D	56	12	5	23.37	153	20	21.7	52	1600-005
Alicante*	5ALR56D	31	14	5	34.89	188	22	21.91	56	160-013, 160-004
Apex	3AXR523	95	15	3	21.2	153	18	21	52	160-007
Arch*	5AHR60D	21	12	5	46.2	188	25	24.74	60	160-013, 160-004
Ashbury	5AYR54D	40	14	5	31.3	188	22	18.38	54	160-003, 160-005
Avanti	5AV52	124-125	18	5	20.46	162	18	16.18	52	
Balloon	4BN44D	83	12	4	15.62	153	10	19.1	44	160-005
Bayshore	5BY52	172	15	5	27.74	188	25	15.66	52	
Birch Meadow	5BM66	11	13	5	46.2	212	35	18.57	66	
Bonaventure	3BVR52D	45	12	3	19.3	153	15	20	52	160-005
Centrifuga	5CNR52D	105	15	5	30.62	188	20	20.47	52	160-002
Cheetah	5CE52	59	16	5	40.26	188	25	18.61	52	
Chloe	5CLR66D	8-9	13	5	41.14	212	25	22	66	160-019
Colony	5CO52	133-135	12	5	15.32	153	18	14.42	52	
Colony Grand	5CO66	112-113	14	5	30.58	212	25	14.40	66	
Colony II	4CO28	153-155	20	4	8.82	153	12	12.4	28	
Coventry Castle	5CSR60D	20	13	5	46.86	212	25	29.97	60	160-005
Cozumel	5CZ52	174-175	12	5	19.75	172	14	14.4	52	
Cyrtoria Limited Edition	5CRR664	6-7	14	5	63.63	212	35	27.27	66	160-013, 160-005
Cyclone	5CY60	160-161	13	5	30.8	212	25	13.95	60	
DC52	5DCR52	126-127	18	5	23.87	165	18	16.65	52	
DC60	5DCR60	114-115	14	5	26.73	165	18	19.44	60	
Decora	5DRR52D	52	14	5	27.06	172	20	17.66	52	160-013, 160-008
D'Elegance	5DE52	47	13	5	23.8	188	20	14.27	52	
Designer Hugger	5DH52	136-137	12	5	17.6	172	14	9.53	52	
Designer Supreme	5DS52	130-132	13	5	15.95	172	14	13.33	52	
Designer Supreme II	5DS44	144-145	15	5	14.99	172	14	13.39	44	
Designer Supreme III	5DS34	152	18	5	12.1	153	13	12.64	34	
Discus	5DI52D	102-103	12	5	18.7	153	18	17.13	52	160-010
Discus II	5DT52D	104	12	5	20.3	153	18	11.50	52	160-010
Durango	5DOR52	50	14	5	39.16	188	20	16.68	52	
Edwardian	5ED56D	164	13	5	27.24	188	22	19.33	56	160-005
English Palace	5EPR60D	29	13	5	41.91	188	25	25.34	60	160-008
Euphoria	5UPR54D	38-39	12	5	25.1	153	20	15.64	54	160-009, 160-005
Explorer	5EXR60D	87	13	5	31.39	165	18	24.14	60	160-013, 160-005
Fairwood	5FWR52D	43	12	5	22.3	153	18	16.67	52	160-013, 160-005
Fenton	5FNR60D	19	14	5	27.5	188	25	17.4	60	160-010
Gemini	5GMR52D	98	13	5	23.43	172	20	15.27	52	160-014, 160-004
Grand Isle	5GIR54D	167	13	5	27.47	172	20	22.5	54	160-005
Grand Prix	5GP60	116-117	16	5	28.93	212	25	16.95	60	
Great Lodge	5GL52	48-49	16	5	36.96	188	22	20.92	52	
Great Lodge Magnum	5GL66	10	13	5	52.91	212	35	21.9	66	
Homeowner's Deluxe	5HS52D/S	138-139	11	5	17.9	153	14	19.36	52	160-007
Homeowner's Select	5HS52	140-141	11	5	15.87	153	14	12.87	52	
Homeowner's Select II	5HS42	146-147	14	5	12.57	153	12	13	42	
Landover	5LNR52D	171	14	5	24.87	172	17	16.69	52	160-008
Laurel Park	5LPR52D	44	12	5	22.2	153	18	16.2	52	160-009, 160-005
Light Cast	5LCR52	128-129	13	5	17.25	172	14	13.63	52	160-013
Mach One	3MO52O	97	13	3	19.50	172	20	14.76	52	160-010
Mach Two	3MTR38O	109	13	3	18.75	172	14	14.96	38	160-010
Mandalay	5ML52	58	22	5	35.5	188	25	15.9	52	
Manhattan	5MAR52D	96	10	5	31.02	188	25	14.44	52	160-004
Mansion	5MS52	63-65	12	5	16.5	153	18	14.5	52	
Mansion Grand	5MS66	16-17	14	5	31.46	212	25	14.50	66	
Matrix	5MMR54BSD	91	13	5	27.5	188	20	18.28	54	160-005, 160-004
Maxima	5MX	118-121	14	5	31.00*	212	25	15.94	54	
Maxima**	5MX	118-121	14	5	31.00*	212	25	15.94	60	
Micro 24	3TF24	156-157	14	3	9.57	153	10	13.18	24	
Ming Dynasty	5MYR56	37	13	5	35.1	188	25	14.6	56	160-011
Mission Hills	5MHR52D	55	13	5	35.27	172	20	20.17	52	160-019
Monet	5MQ60	26-28	13	5	35.18	212	25	16.2	60	
Orbit	5OBR52D	106	13	5	27.46	188	22	17.48	52	160-014, 160-002
Ornate	5OR52	74-75	12	5	14.8	153	14	12.6	52	
Ornate Elite	5OR52D	73	12	5	17.9	153	14	19	52	160-007, 160-005
Peninsula	5PE56	162-163	14	5	31.02	188	25	14.31	56	
Premier	5PR52	68-70	13	5	15.4	172	14	13.39	52	
Rosehall	5RH52D	66-67	12	5	20.1	153	18	18.9	52	160-005
Royal Danube	5RDR	12-15	14	5	53.96*	212	25	26.78	54	160-001
Royal Danube**	5RDR	12-15	14	5	53.96*	212	25	26.78	60	160-001
Serena	5SRR54D	41	12	5	22	153	20	16.55	54	160-005
Silver Lake	5SKR52D	57	12	5	22.5	153	18	16.4	52	160-009, 160-005
Skyward	3SDR60D	90	10	3	19	153	20	17.20	60	160-002
Sleek	5SLR52D	101	12	5	22.3	153	18	15	52	160-020
St. Ives	5SI	22-25	14	5	33.00*	212	25	16.93	54	
St. Ives**	5SI	22-25	14	5	33.00*	212	25	16.93	60	
Star-Tech	5STR52	99	20	5	34.36	188	25	20.24	52	
Stirling Castle	5SCR603	30	12	5	50.95	188	25	30	60	160-013, 160-019
Strasburg	5SBR56D	34-36	13	5	36.85	188	25	22.19	56	160-003, 160-004
Studio	3SU54	92-93	10	3	24.2	188	22	14.84	54	
The Shores	5SH54D	166	15	5	21.43	188	25	18.58	54	160-019
Town Square	5TQ52D	46	12	5	22.22	153	18	20.93	52	160-005
Trios	3TSR52D	94	13	3	24.97	188	25	15.41	52	160-008
Van Buren	5VBR60D	18	12	5	29.04	165	18	25	60	160-005
Vera Cruz	5VC	76-82, 168-169	16	5	20.9*	188	25	15.69	52	
Versio	5VSR60D	88-89	13	5	25.6	165	18	20.6	60	160-007
Versio II	5VSR44D	108	12	5	18.5	153	12	20.5	44	160-007
Villager	4VG42/28D	150-151	12	4	19.8	153	12	19.9	42	160-007
Villager	4VG42/28D	150-151	12	4	19.8	153	12	19.9	28	160-007
Vineyard	5VYR56D	33	13	5	40.00	188	22	20.61	56	160-014, 160-008
Waverly	5WA52	53	14	5	26.4	188	20	15.57	52	
Weatherford*	5WF52	178-179	12	5	14.96	153	15	12.65	52	
Weatherford* Deluxe	5WF52D	176-177	12	5	18.4	153	15	18.73	52	160-019
Weatherford* II	5WF42	180-181	12	5	12.1	153	13	12.48	42	
Weatherstar	5WS52D	173	12	5	21.5	153	18	19.8	52	160-005
Winthrop	5WN52D	51	12	5	22.5	153	18	18.7	52	160-005
Woodcrest	5WCR56D	165	13	5	35.31	188	25	23.1	56	160-013, 160-005
Yachtsman	5YM52	170	14	5	38.15	188	25	19.77	52	

# MONTE CARLO®

We are proud to be able to bring you  
the best in ceiling fan design,  
engineering & quality.

Whether its form and style or simple  
functionality, know that Monte Carlo sets  
the standard for exceptional quality. The  
Monte Carlo Standard is built into every fan  
– we're more than a pretty face; that your  
fan functions efficiently and  
quietly for years to come  
is important to us and our  
commitment to you.



Monte Carlo ceiling fans let you  
live comfortably, beautifully.

Ceiling fans are like jewelry to a room,  
an accessory that can make a style  
statement or the simplicity to  
let the personality of a room "sing".

Slip on a flirty light kit or  
exquisite art glass shades  
and find your ceiling fan  
and room turning heads!

If your ceiling isn't as inspired as the rest of your décor, we'd like to change that.

## CEILING FANS:

Lifestyle  
4-83

Contemporary  
84-109

Home Classics  
110-147

Mini / Petite  
148-157

Indoor / Outdoor  
158-181

## LIGHT KITS: 182-197

## FITTERS & GLASS: 198-205

## ACCESSORIES:

Blades  
208-217

Remote Controls &  
Transmitters  
218-219

Accessories  
220-221

Scroll Kits  
222

Medallions &  
Dome Covers  
223

Downrods  
224

Bulb Reference Guide  
225

Color Reference Guide  
226-227

## INDEX: 228-231

## CEILING FAN SPECIFICATIONS: 232-233

ID	MEDIUM SPEED						LOW SPEED					
	CFM/Watt	Amps	RPM	CFM	Watts	CFM/Watt	Amps	RPM	CFM	Watts	CFM/Watt	Amps
82.78	0.619	120	3726.68	31.46	118.46	0.409	70	2061.12	13.29	155.09	0.264	
65.97	0.69	162	2960.48	29.2	101.39	0.466	110	778.22	8.5	91.56	0.279	
72.89	0.55	109	2686.53	26	103.33	0.34	68	1439.37	10.8	133.27	0.22	
80.18	0.704	120	4765.91	46.8	101.84	0.584	79	2866.87	22.3	128.56	0.428	
88.21	0.53	120	3734.1	31.2	119.68	0.38	79	2270.45	14.2	159.89	0.26	
79.62	0.741	103	4064.38	34.5	117.81	0.456	44	2016.03	10.45	192.92	0.234	
58.48	0.57	108	2691.42	37.7	71.39	0.47	69	1542.81	15.2	10.15	0.33	
247.56	0.290	105	4178.02	11.0	379.82	0.17	41	1663.37	1.70	978.46	0.030	
77.49	0.37	136	2253.79	21	107.32	0.26	94	1359.79	10.8	125.91	0.19	
93.69	0.624	118	4166.36	35.5	117.36	0.445	52	1683.89	9.95	169.24	0.239	
73.67	0.67	67	4161.11	48	86.69	0.5	44	2574.75	22.6	113.93	0.35	
83.57	0.53	126	3292.98	30.7	107.26	0.43	81	2008.52	14.7	136.63	0.32	
78.87	0.725	138	4756.88	47.5	100.14	0.586	88	2822.83	20.4	138.37	0.407	
66.59	0.716	108	3721.03	39.9	93.26	0.499	45	1490.51	10.7	139.3	0.26	
75.06	0.72	93	5333.12	64.9	82.17	0.71	53	2778.56	27.7	100.31	0.5	
92.19	0.535	134	3565.42	29.8	119.65	0.371	65	1681.05	10	168.1	0.213	
111.85	0.656	70.3	5092.44	37.9	134.37	0.46	48.2	2951.81	19	155.36	0.32	
66.99	0.39	240	2274.77	20.9	108.84	0.27	156	1659.03	10.2	162.65	0.19	
75.54	0.69	80	4016.75	49.3	81.48	0.64	30	1266.61	11.5	110.14	0.34	
80.23	0.575	130	3473.29	31.3	110.97	0.403	63	1574.04	9.85	159.8	0.224	
62.54	0.68	89	3619.7	47.4	76.36	0.57	55	1995.39	23.4	85.27	0.42	
93.6	0.698	117	5091.66	48.99	103.93	0.586	37	1449.99	9.14	158.64	0.263	
208.67	0.36	107	4537.44	13.5	336.11	0.21	48	1740	3.4	511.77	0.1	
193.63	0.38	105	3858.53	9.9	389.75	0.17	44	1296.36	2.1	617.32	0.09	
74.02	0.53	106	3057.24	34.4	88.87	0.44	62	1560.82	14.4	108.39	0.32	
82.89	0.65	129	3971.23	33.9	117.15	0.43	66	1694.92	10.1	167.81	0.23	
69.82	0.581	110	3186.31	30	106.21	0.394	51	1392.65	8.96	155.43	0.216	
75.05	0.561	125	3290.21	31	106.14	0.396	57	1496.21	9.9	151.13	0.222	
69.96	0.564	140	3106.28	31	100.2	0.402	70	1446.36	10.4	139.07	0.23	
71.72	0.42	180	2671.8	26.3	101.59	0.323	52	1628.22	9.63	169.8	0.195	
81.27	0.535	113	3356.94	30.9	108.64	0.376	64	1869.93	13.3	140.6	0.247	
79.85	0.48	106	3034.52	27.5	110.35	0.34	59	1482.05	10.5	141.15	0.21	
64.74	0.589	99	3027.65	34.6	97.5	0.402	52	1409.38	11.8	119.44	0.222	
96.15	0.555	133	4812.85	41.94	114.76	0.443	93	3091.91	22.94	134.78	0.327	
73.79	0.67	90	4543.11	55	82.6	0.62	56	2872.36	26.9	106.78	0.46	
86.7	0.47	110	3022.31	25.5	118.52	0.38	69	1583.28	11.9	133.05	0.28	
220.92	0.37	92	4192.39	9.9	423.49	0.17	45	1877.21	3.5	536.35	0.15	
82.06	0.54	113	3028.3	28.7	105.52	0.42	70	1868.51	13.7	136.39	0.31	
73.5	0.71	82	3508.76	35.1	99.96	0.52	46	1922.83	14.6	131.7	0.36	
80.43	0.57	113	3448.78	32.7	105.47	0.46	69	2050.14	16.2	126.71	0.35	
160.01	0.532	108	4029.94	36.7	109.81	0.47	69	2312.1	17.7	131.14	0.35	
89.15	0.935	125	5633.92	48.1	117.13	0.624	70	3114.3	18.9	164.78	0.38	
69.03	0.709	95	3473.89	34.6	100.4	0.458	42	1489.8	9.44	157.82	0.238	
91.83	0.63	83	4848.68	45.6	106.33	0.49	54	2908.99	22.2	131.04	0.34	
76.41	0.475	116	2917.51	27.5	106.09	0.338	68	1422.19	10.5	135.45	0.21	
79.07	0.49	129	3059.44	31.4	97.43	0.363	82	1878.6	14.8	126.93	0.25	
69.03	0.471	142	2696.74	27.2	99.14	0.338	84	1576.87	10.5	150.18	0.21	
73.5	0.58	117	3047.6	35.9	84.89	0.49	72	1359.06	17.3	78.56	0.36	
86.92	0.51	109	3198.82	28.3	113.03	0.4	75	1905.58	14.3	133.26	0.31	
77.69	0.52	124	3254.58	32.1	101.39	0.435	65	1623.86	11.5	141.21	0.29	
82.96	0.597	137	4045.58	37.7	107.31	0.498	55	1385.87	8.5	163.04	0.273	
65.13	0.509	211	3206.13	34.8	92.13	0.458	94	1406.36	8.6	163.53	0.269	
69.9	0.672	72	3497.30	34.5	101.37	0.445	39	1886.51	13.3	141.84	0.277	
73.72	0.568	90	3651.44	43.2	84.52	0.535	54	2240.86	19.4	115.51	0.387	
89.73	0.515	135	3588.88	31.4	114.3	0.372	71	1719.28	11	156.3	0.22	
99.05	0.669	69.9	5159.73	38.4	134.37	0.458	47.9	2996.09	18.8	159.37	0.317	
77.68	0.619	108	3716.96	35.9	103.54	0.419	64	2037.21	14.8	137.65	0.258	
93.67	0.752	117	4026.15	33	122	0.459	52	1765.89	9.6	183.95	0.252	
93.49	0.752	86	4226.62	32.10	131.67	0.455	41	1695.58	9.40	180.38	0.248	
44.51	0.341	168	1287.23	10	126.04	0.186	111	762.69	5.14	148.38	0.134	
74.39	0.59	85	3109.7	31	100.31	0.445	57	1791.38	14.2	126.15	0.331	
77.62	0.47	100	2720.37	30.1	90.38	0.42	42	808.82	9.7	83.38	0.27	
92.64	0.765	105	5073.95	42.3	119.95	0.546	40	1693.69	9.48	178.66	0.263	
78.45	0.542	120	3453.67	36.9	93.6	0.475	73	1927.05	17.3	111.39	0.351	
76.15	0.496	127	3055.53	30.9	98.88	0.365	80	1901.4	14.3	132.97	0.249	
76.15	0.496	127	3055.53	30.9	98.88	0.365	80	1901.4	14.3	132.97	0.249	
76.3	0.716	106	4074.35	36.2	112.55	0.472	46	1584.5	9.7	163.35	0.243	
86.07	0.581	132	4156.06	32.7	127.1	0.417	70	1998.85	10.3	194.06	0.234	
83.59	0.5	107	3095.32	29.8	103.87	0.356	62	1652.13	13.8	119.72	0.242	
64.62	0.924	119	4093.83	49.3	83.04	0.66	72	2298.29	21.9	104.94	0.455	
68.17	0.915	87	4310.01	50.10	86.03	0.672	51	2192.59	21.10	103.91	0.457	
82.37	0.490	100	2844.63	25.80	110.26	0.400	51	1287.73	8.60	147.74	0.260	
77.78	0.51	119	2236.2	28.3	79.02	0.4	80	1683.45	14.3	117.72	0.3	
78.41	.560	107	2870.86	26.0	110.42	0.41	65	1528.76	11.0	138.98	0.290	
92.46	0.535	147	3940.41	31.9	123.52	0.435	83	2008.97	11.4	176.23	0.289	
62.64	0.958	119	4186.62	48.8	85.79	0.63	71	2448.68	21.1	116.05	0.407	
67.65	0.941	90	4490.43	50.20	89.45	0.629	50	2505.52	21.30	117.63	0.406	
31.22	0.908	89	2153.34	54.5	39.51	0.699	46	984.67	19.7	49.98	0.445	
64.58	0.617	79	3461.11	47.7	72.56	0.617	53	2131.55	25.6	83.26	0.34	
77.98	0.703	105	4155.93	39.5	105.21	0.54	62	2154.68	14.5	148.6	0.354	
86.73	0.772	88	4604.26	31.9	144.33	0.454	40	2022.1	8.4	240.73	0.229	
57.51	0.72	111	2699.17	34.9	77.34	0.47	59	1082.42	9.1	118.95	0.24	
78.05	0.470	117	3521.13	35.20	100.03	0.400	64	1928.33	13.90	138.73	0.250	
71.98	0.554	97	3868.37	44.5	86.93	0.54	55	2132.23	19.7	108.24	0.39	
292.93	0.25	94	3972.8	9.6	413.83	0.15	51	1945.5	3.47	560.66	0.06	
383.97	0.18	94	3467.21	6.7	517.49	0.11	52	1636.93	3.1	528.04	0.06	
67.53	0.38	103	1833.39	21.6	84.88	0.32	72	1084.44	12.1	89.62	0.26	
71.19	0.35	122	1955.51	20.86	93.74	0.25	85	1360.29	11.27	120.7	0.19	
58.45	0.300	322	1820.59	20.30	89.68	0.200	231	1253.53	11.10	112.93	0.100	
78.47	0.63	100	4326.19	43.2	100.14	0.528	73	2769.02	22.6	122.52	0.4	
82.89	0.65	129	3971.23	33.9	117.15	0.43	66	1694.92	10.1	167.81	0.23	
83.6	0.502	131	3443.28	31.5	109.31	0.369	67	1641.75	10.5	156.36	0.215	
83.6	0.502	131	3443.28	31.5	109.31	0.369	67	1641.75	10.5	156.36	0.215	
84.42	0.385	195	2915.84	26.6	109.62	0.308	120	1797	11.1	161.89	0.2	
85.24	0.5	120	3218.55	27	119.21	0.34	78	1926.71	12.7	151.71	0.23	
68.8	0.54	97	2898.63	31.5	92.02	0.38	61	1751.58	14.2	123.35	0.26	
91.15	0.63	110	4827.63	41.1	117.46	0.523	60	2521.5	15.8	159.59	0.353	
57.84	0.687	92	2800.41	37.9	73.89	0.476	33	742.76	9.9	75.03	0.244	

Series Name	Series	Blade to	Downrod	Remote	ENERGY STAR®	Wet / Damp	HIGH SPEED		
		Ceiling (inches)	Length (inches)	Compatibility	Qualified		RPM	CFM	Watts
Aberdeen	5AB52	10.89	6	A,B,C,D,E	✓		190	6133.51	74.09
Airlift	8ATR44D	10.32	6	D			271	5448.98	82.6
Albany	5AN52D	13.3	6	A,B,C,D,E			181	4832.7	66.3
Alicante*	5ALR56D	16.26	10	D			169	6743.38	84.1
Apex	3AXR523	12.4	6	C,D			185	5636.53	63.9
Arch*	5AHR60D	19.96	8	D			174	6966.82	87.5
Ashbury	5AYR54D	11.11	6	D			155	4005.63	68.5
Avanti	5AV52	13.22	6	N/A	✓		130	5322.55	21.50
Balloon	4BN44D	11	4.5	A,C,E			208	3424.97	44.2
Bayshore	5BY52	11.94	6	A,B,C,D,E	✓	Wet Rated	182	6696.72	71.48
Birch Meadow	5BM66	15.92	6	B,C,D,F			88	5849.31	79.4
Bonaventure	3BVR52D	12.8	6	C,D			183	5164.63	61.8
Centrifuga	5CNR52D	18.5	6	C,D			188	6837.7	86.7
Cheetah	5CE52	15.56	6	A,B,C,D,E			161	5520.02	82.9
Chloe	5CLR66D	16.73	10	C,D			112	5944.88	79.2
Colony	5CO52	10.83	5	A,B,C,D,E	✓		204	5909.34	64.1
Colony Grand	5CO66	10.80	4.5	B,C,D,F	✓		107.2	8836.29	79
Colony II	4CO28	8.4	4	A,B,C,D,E			323	3081.75	46
Coventry Castle	5CSR60D	19.1	12	C,D			110	5733.77	75.9
Cozumel	5CZ52	11.75	4	A,B,C,D,E	✓	Wet Rated	198	5551.6	69.2
Crystoria Limited Edition	5CRR664	19.34	12	B,C,D,F			116	5121.68	81.9
Cyclone	5CY60	10.14	4	B,C,D,F	✓	Wet Rated	147	6671.77	71.28
DC52	5DCR52	13.28	6	N/A	✓		139	5801.07	27.8
DC60	5DCR60	16.07	8	N/A	✓		147	5518.59	28.5
Decora	5DRR52D	12.1	6	D			153	4722.17	63.8
D'Elegance	5DE52	11.98	4	A,B,C,D,E			204	6390.57	77.1
Designer Hugger	5DH52	6.65	N/A	A,B,C,D,E			172	4838.78	69.3
Designer Supreme	5DS52	10.35	4	A,B,C,D,E			189	5065.91	67.5
Designer Supreme II	5DS44	10.28	4	A,B,C,D,E			203	4729.45	67.6
Designer Supreme III	5DS34	9.56	4	A,B,C,D,E			240	3535.85	49.3
Discus	5DI52D	12.51	6	A,C,E			168	5209.31	64.1
Discus II	5DT52D	6.60	N/A	A,C,E			165	4599.02	57.6
Durango	5DOR52	14.08	6	C,D			144	4570.5	70.6
Edwardian	5ED56D	11.89	6	A,C,E		Wet Rated	175	6371.07	66.26
English Palace	5EPR60D	15.5	10	C,D			107	5792.53	78.5
Euphoria	5UPR54D	7.99	8	D			172	4829.16	55.7
Explorer	5EXR60D	17.87	6	N/A			133	6207.72	28.1
Fairwood	5FWR52D	8.43	8	D			173	5021.79	61.2
Fenton	5FNR60D	11.61	6	C,D			133	6291.97	85.6
Gemini	5GMR52D	11.19	6	D			180	5517.6	68.6
Grand Isle	5GIR54D	11.22	6	C,D		Damp Rated	159	5760.22	72
Grand Prix	5GP60	13.59	6	B,C,D,F	✓		201	9690.84	108.7
Great Lodge	5GL52	18.06	8	A,B,C,D,E			151	5798.34	84
Great Lodge Magnum	5GL66	17.96	8	B,C,D,F			113	6961.01	75.8
Homeowner's Deluxe	5HS52D/S	9.97	4.5	A,C,E			176	4339.86	56.8
Homeowner's Select	5HS52	10.43	4.5	A,C,E			180	4649.4	58.8
Homeowner's Select II	5HS42	10.5	4	A,C,E			198	3900.43	56.5
Landover	5LNR52D	9.7	6	C,D		Damp Rated	166	5020.33	68.3
Laurel Park	5LPR52D	8.7	8	D			170	5076.39	58.4
Light Cast	5LCR52	10.59	4	D			175	4824.63	62.1
Mach One	3MO52O	11.54	4.5	A,C,E			195	5873.33	70.8
Mach Two	3MTR38O	11.81	4.5	A,C,E			277	3973.08	61
Mandalay	5ML52	10.1	4.5	A,B,C,D,E			127	5578.16	79.8
Manhattan	5MAR52D	11.68	6	C,D			116	4747.82	64.4
Mansion	5MS52	10.5	5	A,B,C,D,E	✓		201	5536.12	61.7
Mansion Grand	5MS66	10.5	4.5	B,C,D,F	✓		107.7	8003.27	80.8
Matrix	5MMR54BSD	10.73	6	D			164	5771.35	74.3
Maxima	5MX	11.93	6	B,C,D,F			226	8318.31	88.8
Maxima	5MX	11.93	6	B,C,D,F			165	8189.86	87.60
Micro 24	3TF24	9.73	4	A,B,C,D,E		Damp Rated	219	1807.15	40.6
Ming Dynasty	5MYR56	12.4	4.5	D			136	5177.68	69.6
Mission Hills	5MHR52D	15.52	6.5	C,D			143	4362.07	56.2
Monet	5MQ60	12.76	6	B,C,D,F	✓		160	7807.8	84.28
Orbit	5OBR52D	14.71	6	D			174	5083.82	64.8
Ornate	5OR52	9.4	4	A,C,E			182	4515.91	59.3
Ornate Elite	5OR52D	9.4	4	A,C,E			182	4515.91	59.3
Peninsula	5PE56	9.62	4	A,B,C,D,E	✓	Wet Rated	168	6416.62	84.1
Premier	5PR52	10.24	4	A,B,C,D,E			196	5990	69.6
Rosehall	5RH52D	12.2	6	A,C,E			169	5007.19	59.9
Royal Danube	5RDR	22.44	9	D			190	7128.11	110.3
Royal Danube	5RDR	22.44	9	D			144	7485.47	109.80
Serena	5SRR54D	10.56	6	C,D			160	4769.09	57.90
Silver Lake	5SKR52D	8.79	6.5	D			179	4542.14	58.4
Skyward	3SDR60D	10.40	6	C,D			190	5292.97	67.50
Sleek	5SLR52D	10.2	4.5	C,D			217	5871.36	63.5
St. Ives	5SI	12.80	6	B,C,D,F			194	7165.89	114.4
St. Ives	5SI	12.80	6	B,C,D,F			145	7543.13	111.50
Star-Tech	5STR52	16.34	6	C,D			133	3377.61	108.2
Stirling Castle	5SCR603	17.88	10	D			99	4759.38	73.7
Strasburg	5SBR56D	14.23	10	D			164	6573.33	84.3
Studio	3SU54	11.32	6	A,B,C,D,E	✓		154	7961.59	91.8
The Shores	5SH54D	10.68	4	A,B,C,D,E		Wet Rated	182	4865.02	84.6
Town Square	5TQ52D	11.96	6	A,C,E			163	5057.55	64.80
Trios	3TSR52D	8.26	6	C,D			120	4669.36	62.6
Van Buren	5VBR60D	14.6	6	N/A			122	5322.5	18.17
Vera Cruz	5VC	10.76	4.5	A,B,C,D,E		Damp Rated <sup>1</sup>			
Versio	5VSR60D	13.55	6	N/A			123	4646.01	12.1
Versio II	5VSR44D	13.55	6	C,D			174	2890.11	42.8
Villager	4VG42/28D	12.2	6	A,C,E			176	2933.17	41.2
Villager	4VG42/28D	12.2	6	A,C,E			392	2250.20	38.50
Vineyard	5VYR56D	15.1	8	D			153	5955.63	75.9
Waverly	5WA52	13.30	4	A,B,C,D,E			204	6390.57	77.1
Weatherford*	5WF52	10.00	4	A,C,E	✓	Wet Rated	188	5057.51	60.5
Weatherford* Deluxe	5WF52D	10.00	4	A,C,E		Wet Rated	188	5057.51	60.5
Weatherford* II	5WF42	10.14	4	A,C,E		Wet Rated	248	3841.21	45.5
Weatherstar	5WS52D	13.3	6	A,C,E		Wet Rated	182	5046.48	59.2
Winthrop	5WN52D	11.6	6	A,C,E			146	4451.53	64.7
Woodcrest	5WCR56D	11.81	8	D		Damp Rated	153	6863.75	75.3
Yachtsman	5YM52	17.23	8	A,B,C,D,E		Damp Rated	132	4592.27	79.4

\*\*Due to equipment restrictions, blades over 66" cannot be ENERGY STAR® tested.

<sup>1</sup> When used with canvas or ABS blades.

MONTE  
CARLO®

MONTE CARLO FAN COMPANY  
301 WEST WASHINGTON STREET  
RIVERSIDE, NEW JERSEY 08075  
PHONE 800-519-4092  
FAX 800-557-2930

[MonteCarloFans.com](http://MonteCarloFans.com)



GENERATION  
BRANDS™